

# Package: Autoplotprotein (via r-universe)

September 10, 2024

**Type** Package

**Title** Development of Visualization Tools for Protein Sequence

**Version** 1.1

**Date** 2017-06-02

**Author** Xiaoyu Zhang

**Maintainer** Yao Geng <gengyao0103521@qq.com>

**Description** The image of the amino acid transform on the protein level is drawn, and the automatic routing of the functional elements such as the domain and the mutation site is completed.

**License** GPL-3

**Depends** XML, plyr, plotrix, seqinr, ade4

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2017-07-06 10:00:07 UTC

## Contents

Autoplotprotein-package . . . . .	2
Autoplotprotein . . . . .	3
conservation . . . . .	6
data . . . . .	9
domain_data . . . . .	10
length_data . . . . .	11
plotdomain . . . . .	13
plotmutagensis . . . . .	16
plotsite . . . . .	18
site_data . . . . .	21
<b>Index</b>	<b>23</b>

---

Autoplotprotein-package

*Development of Visualization Tools for Protein Sequence*

---

## Description

The image of the amino acid transform on the protein level is drawn, and the automatic routing of the functional elements such as the domain and the mutation site is completed.

## Details

The DESCRIPTION file:

```
Package:      Autoplotprotein
Type:        Package
Title:       Development of Visualization Tools for Protein Sequence
Version:     1.1
Date:        2017-06-02
Author:      Xiaoyu Zhang
Maintainer:  Yao Geng <gengyao0103521@qq.com>
Description: The image of the amino acid transform on the protein level is drawn, and the automatic routing of the functional
License:     GPL-3
Depends:     XML, plyr, plotrix, seqinr, ade4
```

Index of help topics:

```
Autoplotprotein      Two - dimensional structure of protein
Autoplotprotein-package
                    Development of Visualization Tools for Protein
                    Sequence
conservation         conservation
data                Save the information
domain_data         downloading protein length
length_data         downloading protein length
plotdomain          plotting domain
plotmutagensis     plotting mutagensis
plotsite           plotting site
site_data          downloading protein site
```

## Author(s)

Xiaoyu Zhang

Maintainer: Yao Geng <gengyao0103521@qq.com>

## References

<https://cran.r-project.org/doc/manuals/R-exts.html>

**See Also**[codehelp](#)

---

Autoplotprotein	<i>Two - dimensional structure of protein</i>
-----------------	---

---

**Description**

Draw a visualized structure of the protein

**Usage**

```
Autoplotprotein()
```

**Details**

The tool enable visualization of amino acid changes at the protein level, The scale of a protein domain and the position of a functional motif/site will be precisely defined

**Value**

Visualization of protein structure

**Author(s)**

Xiaoyu Zhang

**References**

<https://cran.r-project.org/doc/manuals/R-exts.html>

**See Also**[codehelp](#)**Examples**

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  library("ade4")
  library("seqinr")
  library("plotrix")
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  domain = read.table("Domain.txt", sep = "\t", stringsAsFactors = F)
```

```

length = read.table("Length.txt", sep = "\t", stringsAsFactors = F)
site = read.table("Site.txt", sep = "\t", stringsAsFactors = F)
muta = read.table("Mutagenesis.txt", sep = "\t", stringsAsFactors = F)
option = read.table("Option.txt", sep = "\t", stringsAsFactors = F)
zoomin = read.table("ZoomIn.txt", sep = "\t", stringsAsFactors = F)
size <- c(10.5, 7.27)
high <- c(1, -1)
sizen = size[1]
highn = high[1]
if (option[2, 2] == "no") {
  sizen = size[2]
  highn = high[2]
}
path = protein[1]
pdf(as.character(path), height = sizen[1], width = 11)
layout(matrix(c(1, 2), nrow = 1), widths = c(1, 3))
par(oma = c(3, 0, 2, 0), mar = c(4, 0, 2, 0) + 0.4)
nameOfYourQuery = option[2, 1]
additionalOptions = option[2, 2]
showReferenceSequence = option[2, 3]
showConservationScore = option[2, 4]
showGridlinesAtTicks = option[2, 5]
conservation = option[2, 6]
zoomIn = zoomin[2, 1]
zoomStart = zoomin[2, 2]
zoomEnd = zoomin[2, 3]
tickSize = as.numeric(zoomin[2, 4])
plot((-30:-15), rep(-1, 16), col = "white", type = "l", ann = FALSE,
      bty = "n", xaxt = "n", yaxt = "n", xlim = c(-160, -15),
      ylim = c(highn[1], -5.5))
if (additionalOptions == "yes") {
  if (conservation == "yes") {
    lines((-30:-15), rep(0, 16), col = "purple3")
    lines((-30:-15), rep(-0.5, 16), col = "purple3")
    lines((-30:-15), rep(-1, 16), col = "purple3")
    text(-100, -0.5, "Conservation", col = "purple3",
         cex = 0.9, font = 2)
    text(-45, -1, "1", col = "purple3", cex = 0.9)
    text(-45, -0.5, "0.5", col = "purple3", cex = 0.9)
    text(-45, 0, "0", col = "purple3", cex = 0.9)
  }
}
if (additionalOptions == "yes") {
  if (showReferenceSequence == "yes") {
    text(-100, -4.9, "Reference", col = "black", cex = 0.9,
         font = 2)
  }
}
if (additionalOptions == "yes") {
  if (showConservationScore == "yes") {
    text(-100, 0.5, "Score", col = "purple3", cex = 0.9,
         font = 2)
  }
}

```

```

}
text(-100, -2.95, nameOfYourQuery, col = "blue", cex = 0.9,
     font = 2)
Protein = function(start = 1, end, height = -0.3, color = "green",
                  face = "stereoscopic") {
  x = 0
  kong1 = (round(log(start, 10)) + 1) * start/50
  kong2 = (round(log(end, 10)) + 1) * end/50
  if (round(log(end, 10)) + 1 <= 5) {
    kong2 = (round(log(end, 10)) + 1) * end/50
  }
  else {
    kong2 = 5 * end/50
  }
  h1 = -2.8
  h2 = -3.1
  boxplot((1:as.numeric(end)), rep(h1, as.numeric(end)),
          xlab = "Amino Acid Position", ylab = "", xlim = c(0,
          as.numeric(end)), ylim = c(highn[1], -5.5), axes = FALSE)
  if (face == "stereoscopic") {
    cylindrect(start, h1, end, h2, col = color, gradient = "y")
  }
  else {
    rect(start, h1, end, h2, col = color)
  }
  text(0, h1 - height/2, start, adj = 1)
  text(end - 17, h1 - height/2, end, adj = 0)
}
ZoomIn = function(start = 1, end, height = -0.3, color = "green",
                  face = "stereoscopic", zoomstart, zoomend) {
  x = 0
  kong1 = (round(log(start, 10)) + 1) * start/50
  kong2 = (round(log(end, 10)) + 1) * end/50
  if (round(log(end, 10)) + 1 <= 5) {
    kong2 = (round(log(end, 10)) + 1) * end/50
  }
  else {
    kong2 = 5 * end/50
  }
  h1 = -2.8
  h2 = -3.1
  boxplot((as.numeric(zoomstart):as.numeric(zoomend)),
          rep(h1, as.numeric(zoomend)), xlab = "Amino Acid Position",
          ylab = "", xlim = c(as.numeric(zoomstart), as.numeric(zoomend)),
          ylim = c(highn[1], -5.5), axes = FALSE)
  if (face == "stereoscopic") {
    cylindrect(start, h1, end, h2, col = color, gradient = "y")
  }
  else {
    rect(start, h1, end, h2, col = color)
  }
  text(start, h1 + height/2, start, adj = 1)
  text(end, h1 + height/2, end, adj = 0)
}

```

```

}
if (zoomIn == "yes") {
  ZoomIn(start = as.numeric(length[1]), end = as.numeric(length[2]),
         height = as.numeric(protein[4]), color = as.character(protein[5]),
         face = protein[6], zoomstart = zoomin[2, 2], zoomend = zoomin[2,
         3])
}
else {
  Protein(start = as.numeric(length[1]), end = as.numeric(length[2]),
         height = as.numeric(protein[4]), color = as.character(protein[5]),
         face = protein[6])
}
legend("topleft", legend = c("mutation", "Protein Domain"),
      pch = c(19, 15), col = c("lightseagreen", "deeppink"),
      box.col = "white", bg = "white", pt.cex = 1.5, text.width = 1)
ticks = seq(0, as.numeric(length[2]), by = tickSize)
axis(side = 1, at = ticks, las = 3)
if (additionalOptions == "yes") {
  if (showGridlinesAtTicks == "yes") {
    len = array(rep(1:as.numeric(length[2])))
    for (i in 1:length(len)) {
      abline(v = ticks[i], lty = 3, lwd = 0.5, col = "lightgray")
    }
  }
}
}
}

```

---

conservation

*conservation*

---

## Description

Draw a conservative curve, calculate the conservative score

## Usage

```
conservation()
```

## Details

The tool enable visualization of amino acid changes at the protein level, The scale of a protein domain and the position of a functional motif/site will be precisely defined. The features available including conservation, conservation score

## Value

The returned value is a conservative score

## Author(s)

Xiaoyu Zhang

**References**

<https://cran.r-project.org/doc/manuals/R-exts.html>

**See Also**

[help](#)

**Examples**

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  domain = read.table("Domain.txt", sep = "\t", stringsAsFactors = F)
  length = read.table("Length.txt", sep = "\t", stringsAsFactors = F)
  site = read.table("Site.txt", sep = "\t", stringsAsFactors = F)
  muta = read.table("Mutagenesis.txt", sep = "\t", stringsAsFactors = F)
  option = read.table("Option.txt", sep = "\t", stringsAsFactors = F)
  zoomin = read.table("ZoomIn.txt", sep = "\t", stringsAsFactors = F)
  nameOfYourQuery = option[2, 1]
  additionalOptions = option[2, 2]
  showReferenceSequence = option[2, 3]
  showConservationScore = option[2, 4]
  showGridlinesAtTicks = option[2, 5]
  conservation = option[2, 6]
  zoomIn = zoomin[2, 1]
  zoomStart = zoomin[2, 2]
  zoomEnd = zoomin[2, 3]
  tickSize = as.numeric(zoomin[2, 4])
  referenceSequencePositionInFile = option[2, 7]
  option = read.table("Option.txt", sep = "\t", stringsAsFactors = F)
  a <- read.fasta(file = "alignmentFile.fasta")
  seq <- list()
  for (i in 1:length(a)) {
    seq[[i]] <- a[[i]][1:length(a[[i]])]
  }
  numberOfSeq <- length(seq)
  mat <- matrix(0, nrow = length(a), ncol = length(a[[1]]))
  for (i in 1:length(seq)) {
    mat[i, ] <- seq[[i]]
  }
  df <- as.data.frame(mat)
  tdf <- t(df)
  referenceSequencePositionInFile = option[2, 7]
  referenceSeq <- tdf[which(tdf[, as.numeric(referenceSequencePositionInFile)] !=
    "-"), ]
  referenceSeq <- as.data.frame(referenceSeq)
  write.table(referenceSeq, file = "alignment_table", sep = "\t",
```

```

        quote = F, row.names = F, col.names = F)
counter <- rep(0, nrow(referenceSeq))
a <- read.table("alignment_table", sep = "\t")
a <- data.frame(lapply(a, as.character), stringsAsFactors = FALSE)
for (i in 1:nrow(a)) {
  a[i, "consensus"] <- paste(as.character(a[i, ]), collapse = "")
}
countBases <- function(string) {
  table(strsplit(string, "")[[1]])
}
c <- as.character(a[, "consensus"])
tab <- list()
for (i in 1:length(c)) {
  tab[[i]] <- countBases(c[i])
}
score <- rep(0, nrow(a))
for (i in 1:length(tab)) {
  for (j in 1:length(tab[[i]])) {
    if ((names(tab[[i]][j])) == a[i, ][as.numeric(referenceSequencePositionInFile)])
        score[i] <- tab[[i]][j]
  }
}
scorePlot <- -(((score/numberOfSeq)))
a <- read.fasta(file = "alignmentFile.fasta")
seqForPlot <- a[[as.numeric(referenceSequencePositionInFile)]]
which(a[[as.numeric(referenceSequencePositionInFile)]] !=
      "-")
if (additionalOptions == "yes") {
  if (conservation == "yes") {
    lines(scorePlot, col = "purple3")
  }
}
if (additionalOptions == "yes") {
  if (showReferenceSequence == "yes") {
    rect(0, -4.75, length(scorePlot), -5.05, col = "white",
        border = NA)
    for (i in 1:length(seqForPlot)) {
      text(i, -4.9, toupper(seqForPlot[i]), font = 2,
          cex = 1)
    }
  }
}
if (additionalOptions == "yes") {
  if (showConservationScore == "yes") {
    rect(0, 0.3, length(scorePlot), 0.7, col = "white",
        border = NA)
    for (i in 1:length(seqForPlot)) {
      text(i, 0.5, toupper(abs(round(scorePlot[i],
          1))), font = 2, cex = 0.8, srt = 90, col = "purple3")
    }
  }
}
}
}

```



---

data	<i>Save the information</i>
------	-----------------------------

---

## Description

Keep all the information of the painted protein in a file

## Usage

```
data()
```

## Details

Save information, including protein mutation point information, domain information, option information, enlargement information, protein information, length information and site information

## Value

Data of various kinds of information

## Author(s)

Xiaoyu Zhang

## References

<https://cran.r-project.org/doc/manuals/R-exts.html>

## See Also

`code`[help](#)

## Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  library("ade4")
  library("seqinr")
  library("plotrix")
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  domain = read.table("Domain.txt", sep = "\t", stringsAsFactors = F)
  length = read.table("Length.txt", sep = "\t", stringsAsFactors = F)
  site = read.table("Site.txt", sep = "\t", stringsAsFactors = F)
  muta = read.table("Mutagenesis.txt", sep = "\t", stringsAsFactors = F)
```

```
option = read.table("Option.txt", sep = "\t", stringsAsFactors = F)
zoomin = read.table("ZoomIn.txt", sep = "\t", stringsAsFactors = F)
c <- merge(muta, domain, all = T, sort = FALSE)
c <- merge(c, option, all = T, sort = FALSE)
c <- merge(c, zoomin, all = T, sort = FALSE)
c <- merge(c, protein, all = T, sort = FALSE)
c <- merge(c, length, all = T, sort = FALSE)
c <- merge(c, site, all = T, sort = FALSE)
write.table(c, file = "data.txt", sep = "\t", quote = FALSE,
            row.names = F, col.names = F)
}
```

---

domain\_data

*downloading protein length*

---

## Description

Load the start and end positions of the domain

## Usage

```
domain_data()
```

## Details

The tool enable visualization of amino acid changes at the protein level, The scale of a protein domain and the position of a functional motif/site will be precisely defined. The features available include domains

## Value

The start and end positions of the domain

## Author(s)

Xiaoyu Zhang

## References

<https://cran.r-project.org/doc/manuals/R-exts.html>

## See Also

code[help](#)

**Examples**

```

##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  library(XML)
  library(plyr)
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  name = protein[2]
  url_p = "http://www.uniprot.org/uniprot/"
  url_s = "#showFeatures"
  url_w = paste(url_p, name, url_s, sep = "")
  url = url_w
  doc <- htmlParse(url)
  position_d = xpathSApply (doc, "//table[@id= 'domainsAnno_section']
/tr/td/ a[@class = 'position tooltipped']",
  xmlValue)
  name_d = xpathSApply (doc, "//table[@id= 'domainsAnno_section']/tr/td/span[@property='text']",
  xmlValue)
  s_d = c()
  for (i in 1:length(position_d)) {
    s_d[i] <- gsub(pattern = "//D", replacement = "x", position_d[i])
  }
  s_d <- strsplit(s_d, "xxx")
  d1_d <- lapply(s_d, function(x) x[1])
  d2_d <- lapply(s_d, function(x) x[2])
  r1_d = d1_d
  r2_d = d2_d
  r3_d = name_d
  dfrm_d = data.frame(r1_d, r2_d, r3_d)
  write.table(dfrm_d, file = "Domain.txt", sep = "/t", quote = FALSE,
  row.names = F, col.names = F)
}

```

---

length\_data

*downloading protein length*


---

**Description**

Download the length of the protein, including the starting and ending positions

**Usage**

```
length_data()
```

**Details**

Download the length of the protein, including the starting and ending positions

**Value**

The length of the protein

**Author(s)**

Xiaoyu Zhang

**References**

<https://cran.r-project.org/doc/manuals/R-exts.html>

**See Also**

[codehelp](#)

**Examples**

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  library(XML)
  library(plyr)
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  name = protein[2]
  url_p = "http://www.uniprot.org/uniprot/"
  url_s = "#showFeatures"
  url_w = paste(url_p, name, url_s, sep = "")
  url = url_w
  doc <- htmlParse(url)
  position_l = xpathSApply (doc, "//table[@id= 'peptides_section']
/tr/td/ a[@class = 'position tooltiped']",
  xmlValue)
  s_l <- c()
  for (i in 1:length(position_l)) {
    s_l[i] <- gsub(pattern = "//D", replacement = "x", position_l[i])
  }
  s_l <- strsplit(s_l, "xxx")
  d2_l <- laply(s_l, function(x) x[2])
  r1_l <- 0
  r2_l <- d2_l
  dfrm_l <- data.frame(r1_l, r2_l)
  write.table(dfrm_l, file = "Length.txt", sep = "/t", quote = FALSE,
  row.names = F, col.names = F)
}
```

---

plotdomain	<i>ploting domain</i>
------------	-----------------------

---

**Description**

Draw the domain of the protein

**Usage**

```
plotdomain()
```

**Details**

The tool enable visualization of amino acid changes at the protein level, The scale of a protein domain and the position of a functional motif/site will be precisely defined. The features available include domains

**Value**

The starting position, end position and name of the protein domain

**Author(s)**

Xiaoyu Zhang

**References**

<https://cran.r-project.org/doc/manuals/R-exts.html>

**See Also**

[codehelp](#)

**Examples**

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  domain = read.table("Domain.txt", sep = "\t", stringsAsFactors = F)
  length = read.table("Length.txt", sep = "\t", stringsAsFactors = F)
  site = read.table("Site.txt", sep = "\t", stringsAsFactors = F)
  muta = read.table("Mutagenesis.txt", sep = "\t", stringsAsFactors = F)
  option = read.table("Option.txt", sep = "\t", stringsAsFactors = F)
  zoomin = read.table("ZoomIn.txt", sep = "\t", stringsAsFactors = F)
}
```

```

Domain = function(start, end, name, height = -0.3, color = "orange",
  face = "stereoscopic", protein_width, x_y) {
  h1 = -2.8
  h2 = -3.1
  dec = 2 * nchar(name) * protein_width/100
  if (face == "stereoscopic") {
    cylindirect(start, h1, end, h2, col = color, gradient = "y")
  }
  else {
    rect(start, h1, end, h2, col = color)
  }
  if (end - start >= dec) {
    par(srt = 0)
    text((end + start)/2, h1 + height/2, name, cex = 0.7)
    isContain = TRUE
  }
  else {
    isContain = FALSE
  }
  isContain
}

Domain_w = function(domain_pos, domain_name, protein_width) {
  dec = 1.4 * protein_width/100
  position2 = 1:length(domain_pos)
  position2[1] = domain_pos[1]
  if (length(domain_pos) > 1) {
    for (i in 2:length(domain_pos)) {
      if (domain_pos[i] - domain_pos[i - 1] <= dec) {
        if (domain_pos[i] != domain_pos[i - 1]) {
          position2[i] = position2[i - 1] + dec
        }
        else {
          position2[i] = position2[i - 1]
        }
      }
      else {
        position2[i] = domain_pos[i]
      }
    }
  }
  return(position2)
}

Domain_h = function(position, position2, name, height = -0.3,
  x_y, up_down) {
  h1 = -0.1
  h2 = -0.2
  h = -0.4
  hh1 = -2.8
  if (up_down == "up") {
    if (position == position2) {
      segments(position, hh1 + height, position, hh1 +
        height + h)
    }
  }
}

```

```

else {
  segments(position, hh1 + height, position, hh1 +
    height + h1)
  segments(position2, hh1 + height + h - h2, position2,
    hh1 + height + h)
  segments(position, hh1 + height + h1, position2,
    hh1 + height + h - h2)
}
text(position2, hh1 + height + h - 0.02, name, srt = 90,
  adj = c(0, 0.5), cex = 0.8)
}
else {
  if (position == position2) {
    segments(position, hh1, position, hh1 - h)
  }
  else {
    segments(position, hh1, position, hh1 - h1)
    segments(position2, hh1 - h + h2, position2,
      hh1 - h)
    segments(position, hh1 - h1, position2, hh1 -
      h + h2)
  }
  text(position2, hh1 - h + 0.02, name, srt = 270,
    adj = c(0, 0.5), cex = 0.8)
}
}
if (!is.na(domain[1, 1])) {
  domainn = domain
  count = 0
  for (i in 1:nrow(domainn)) {
    isContain = Domain(start = as.numeric(domainn[i,
      1]), end = as.numeric(domainn[i, 2]), name = as.character(domainn[i,
      3]), height = as.numeric(protein[4]), color = i +
      1, face = protein[6], protein_width = as.numeric(length[2]),
      x_y = flag)
    if (isContain == TRUE) {
      domain = domain[-i + count, ]
      count = count + 1
    }
  }
}
domain2 = (domain[, 1] + domain[, 2])/2
if (length(domain2) != 0) {
  flag = TRUE
  if (flag == TRUE) {
    position3 = Domain_w(domain2, domain[, 3], as.numeric(length[2]))
  }
  for (i in 1:nrow(domain)) {
    position1 = (as.numeric(domain[i, 1]) + as.numeric(domain[i,
      2]))/2
    Domain_h(position = position1, position2 = position3[i],
      name = as.character(domain[i, 3]), height = as.numeric(protein[4]),
      x_y = flag, up_down = "down")
  }
}

```

```

    }
  }
}

```

---

plotmutagensis

*ploting mutagensis*

---

## Description

Draw the mutagensis of the protein

## Usage

```
plotmutagensis()
```

## Details

The tool enable visualization of amino acid changes at the protein level, The scale of a protein domain and the position of a functional motif/site will be precisely defined. The features available include mutagensis

## Value

The location, height and name of the transition point

## Author(s)

Xiaoyu Zhang

## References

<https://cran.r-project.org/doc/manuals/R-exts.html>

## See Also

code[help](#)

## Examples

```

##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  domain = read.table("Domain.txt", sep = "\t", stringsAsFactors = F)
  length = read.table("Length.txt", sep = "\t", stringsAsFactors = F)

```



```

site = read.table("Site.txt", sep = "\t", stringsAsFactors = F)
muta = read.table("Mutagenesis.txt", sep = "\t", stringsAsFactors = F)
option = read.table("Option.txt", sep = "\t", stringsAsFactors = F)
zoomin = read.table("ZoomIn.txt", sep = "\t", stringsAsFactors = F)
Mutagenesis = function(position, position2, color, height2,
  height, up_down, start, end, pc, cex1) {
  h1 = -0.1
  h2 = -1.4
  h = -1.6
  hh1 = -2.8
  if (up_down == "up") {
    if (position == position2) {
      segments(position, hh1 + height, position, hh1 +
        height + h)
    }
    else {
      segments(position, hh1 + height, position, hh1 +
        height + h1)
      segments(position2, hh1 + height + h - h2, position2,
        hh1 + height + h)
      segments(position, hh1 + height + h1, position2,
        hh1 + height + h - h2)
    }
  }
  x = 0
  kong1 = (round(log(start, 10)) + 1) * start/50
  kong2 = (round(log(end, 10)) + 1) * end/50
  if (round(log(end, 10)) + 1 <= 5) {
    kong2 = (round(log(end, 10)) + 1) * end/50
  }
  else {
    kong2 = 5 * end/50
  }
  boxplot(x, xlim = c(start - kong1, end + kong2), ylim = c(1,
    -5.5), axes = FALSE, add = TRUE, border = FALSE)
  points(position2, height2, pch = pc, col = color, cex = cex1)
}
Change_h = function(muta_pos, muta_name, protein_h) {
  d = 0.1
  d1 = 0.26
  hh1 = -2.8
  height2 = 1:length(muta_pos)
  height2[1] = hh1 + protein_h - d1
  position_h = muta_pos
  position_h[1] = muta_pos[1]
  if (length(muta_pos) > 1) {
    for (i in 2:length(muta_pos)) {
      if (muta_pos[i] == position_h[i - 1]) {
        height2[i] = height2[i - 1] - d
      }
      else {
        height2[i] = hh1 + protein_h - d1
      }
    }
  }
}

```

```

    }
  }
  height2
}
Change_m = function(muta, protein_width) {
  dec = 1.4 * protein_width/100
  position3 = 1:length(muta)
  position3[1] = muta[1]
  if (length(muta) > 1) {
    for (i in 2:length(muta)) {
      if (muta[i] - muta[i - 1] <= dec) {
        if (muta[i] != muta[i - 1]) {
          position3[i] = position3[i - 1] + dec
        }
      } else {
        position3[i] = position3[i - 1]
      }
    }
  } else {
    position3[i] = muta[i]
  }
}
}
position3
}
if (!is.na(muta[1, 1])) {
  position3 = Change_m(muta[, 1], as.numeric(length[2]))
  height2 = Change_h(muta[, 1], muta[, 2], as.numeric(protein[4]))
  for (i in 1:nrow(muta)) {
    Mutagenesis(position = as.numeric(muta[i, 1]), position2 = position3[i],
      color = as.character(muta[i, 2]), height2 = height2[i],
      height = as.numeric(protein[4]), up_down = "up",
      start = as.numeric(length[1]), end = as.numeric(length[2]),
      pc = as.numeric(protein[7]), cex1 = as.numeric(protein[8]))
  }
}
}
}

```

---

plotsite

*ploting site*


---

### Description

Draw the protein site

### Usage

```
plotsite()
```

## Details

The tool enable visualization of amino acid changes at the protein level, The scale of a protein domain and the position of a functional motif/site will be precisely defined. The features available include site

## Value

Location of the site in the protein

## Author(s)

Xiaoyu Zhang

## References

<https://cran.r-project.org/doc/manuals/R-exts.html>

## See Also

[codehelp](#)

## Examples

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  domain = read.table("Domain.txt", sep = "\t", stringsAsFactors = F)
  length = read.table("Length.txt", sep = "\t", stringsAsFactors = F)
  site = read.table("Site.txt", sep = "\t", stringsAsFactors = F)
  muta = read.table("Mutagenesis.txt", sep = "\t", stringsAsFactors = F)
  option = read.table("Option.txt", sep = "\t", stringsAsFactors = F)
  zoomin = read.table("ZoomIn.txt", sep = "\t", stringsAsFactors = F)
  Site = function(position, position2, name, height = -0.3,
    x_y, up_down) {
    h1 = -0.1
    h2 = -0.2
    h = -0.4
    hh1 = -2.8
    if (up_down == "up") {
      if (position == position2) {
        segments(position, hh1 + height, position, hh1 +
          height + h)
      }
    }
    else {
      segments(position, hh1 + height, position, hh1 +
        height + h1)
    }
  }
}
```

```

        segments(position2, hh1 + height + h - h2, position2,
                 hh1 + height + h)
        segments(position, hh1 + height + h1, position2,
                 hh1 + height + h - h2)
    }
    text(position2, hh1 + height + h - 0.02, name, srt = 90,
         adj = c(0, 0.5), cex = 0.8)
}
else {
  if (position == position2) {
    segments(position, hh1, position, hh1 - h)
  }
  else {
    segments(position, hh1, position, hh1 - h1)
    segments(position2, hh1 - h + h2, position2,
             hh1 - h)
    segments(position, hh1 - h1, position2, hh1 -
             h + h2)
  }
  text(position2, hh1 - h + 0.02, name, srt = 270,
       adj = c(0, 0.5), cex = 0.8)
}
}
}
Change_x = function(site_pos, site_name, protein_width) {
  dec = 1.4 * protein_width/100
  position2 = 1:length(site_pos)
  position2[1] = site_pos[1]
  if (length(site_pos) > 1) {
    for (i in 2:length(site_pos)) {
      if (site_pos[i] - site_pos[i - 1] <= dec) {
        if (site_pos[i] != site_pos[i - 1]) {
          position2[i] = position2[i - 1] + dec
        }
        else {
          position2[i] = position2[i - 1]
        }
      }
      else {
        position2[i] = site_pos[i]
      }
    }
  }
  return(position2)
}
}
if (!is.na(site[1, 1])) {
  position2 = Change_x(site[, 1], site[, 2], as.numeric(length[2]))
  for (i in 1:nrow(site)) {
    Site(position = as.numeric(site[i, 1]), position2 = position2[i],
         name = as.character(site[i, 2]), height = as.numeric(protein[4]),
         x_y = flag, up_down = "up")
  }
}
}
}

```

---

site_data	<i>downloading protein site</i>
-----------	---------------------------------

---

**Description**

Download the site of the protein, including the name

**Usage**

```
site_data()
```

**Details**

Download the site of the protein, including the distribution of the locus of the marker space

**Value**

The location of the marker line

**Author(s)**

Xiaoyu Zhang

**References**

<https://cran.r-project.org/doc/manuals/R-exts.html>

**See Also**

`code`[help](#)

**Examples**

```
##---- Should be DIRECTLY executable !! ----
##-- ==> Define data, use random,
##-- or do help(data=index) for the standard data sets.

## The function is currently defined as
function ()
{
  library(XML)
  library(plyr)
  protein = read.table("Protein.txt", sep = "\t", stringsAsFactors = F)
  name = protein[2]
  url_p = "http://www.uniprot.org/uniprot/"
  url_s = "#showFeatures"
  url_w = paste(url_p, name, url_s, sep = "")
  url = url_w
  doc <- htmlParse(url)
```

```
position_s = xpathSApply (doc, "//table[@id= 'sitesAnno_section']
/tr/td/ a[@class = 'position tooltiped']",
  xmlValue)
name_s = xpathSApply (doc, "//table[@id= 'sitesAnno_section']/tr/td/span[@property='text']",
  xmlValue)
s_s <- c()
for (i in 1:length(position_s)) {
  s_s[i] <- gsub(pattern = "//D", replacement = "x", position_s[i])
}
s_s <- strsplit(s_s, "xxx")
d1_s <- lapply(s_s, function(x) x[1])
d2_s <- lapply(s_s, function(x) x[2])
r1_site = d1_s
r2_site = name_s
dfrm_site = data.frame(r1_site, r2_site)
write.table(dfrm_site, file = "Site.txt", sep = "/t", quote = FALSE,
  row.names = F, col.names = F)
}
```

# Index

- \* **Autoplotprotein**
    - Autoplotprotein, [3](#)
  - \* **conservation**
    - conservation, [6](#)
  - \* **data**
    - data, [9](#)
  - \* **domain data**
    - domain\_data, [10](#)
  - \* **file**
    - conservation, [6](#)
    - domain\_data, [10](#)
    - length\_data, [11](#)
    - plotdomain, [13](#)
    - plotmutagensis, [16](#)
    - plotsite, [18](#)
    - site\_data, [21](#)
  - \* **length data**
    - length\_data, [11](#)
  - \* **mutagensis**
    - plotmutagensis, [16](#)
  - \* **package**
    - Autoplotprotein-package, [2](#)
  - \* **plot domain**
    - plotdomain, [13](#)
  - \* **site\_data**
    - site\_data, [21](#)
  - \* **site**
    - plotsite, [18](#)
- Autoplotprotein, [3](#)  
Autoplotprotein-package, [2](#)
- conservation, [6](#)
- data, [9](#)  
domain\_data, [10](#)
- help, [3](#), [7](#), [9](#), [10](#), [12](#), [13](#), [16](#), [19](#), [21](#)
- length\_data, [11](#)
- plotdomain, [13](#)  
plotmutagensis, [16](#)  
plotsite, [18](#)  
site\_data, [21](#)