

Package: BNSL (via r-universe)

September 5, 2024

Type Package

Title Bayesian Network Structure Learning

Version 0.1.4

Date 2019-1-13

Author Joe Suzuki and Jun Kawahara

Maintainer Joe Suzuki <j-suzuki@sigmath.es.osaka-u.ac.jp>

Depends bnlearn, igraph

Description From a given data frame, this package learns its Bayesian network structure based on a selected score.

License GPL (>= 2)

Imports Rcpp (>= 0.12.0)

LinkingTo Rcpp

NeedsCompilation yes

Repository CRAN

Date/Publication 2019-01-24 10:00:03 UTC

Contents

BNSL-package	2
bnsl	2
bnsl_p	4
cmi	5
FFtable	6
kruskal	7
mi	8
mi_matrix	9
parent.set	10

Index	12
--------------	-----------

BNSL-package

Bayesian Network Structure Learning

Description

From a given dataframe, this package learns a Bayesian network structure based on a selected score.

Details

Currently, this package estimates of mutual information and conditional mutual information, and combines them to construct either a Bayesian network or a undirected forest, any undirected forest can be a Bayesian network by adding appropriate directions.

Author(s)

Joe Suzuki and Jun Kawahara

Maintainer: Joe Suzuki <j-suzuki@sigmath.es.osaka-u.ac.jp>

References

[1] Suzuki, J., "A theoretical analysis of the BDeu scores in Bayesian network structure learning", *Behaviormetrika*, 2017. [2] Suzuki, J., "A novel Chow-Liu algorithm and its application to gene differential analysis", *International Journal of Approximate Reasoning*, 2017. [3] Suzuki, J., "Efficient Bayesian network structure learning for maximizing the posterior probability", *Next-Generation Computing*, 2017. [4] Suzuki, J., "An estimator of mutual information and its application to independence testing", *Entropy*, Vol.18, No.4, 2016. [5] Suzuki, J., "Consistency of learning Bayesian network structures with continuous variables: An information theoretic approach". *Entropy*, Vol.17, No.8, 5752-5770, 2015. [6] Suzuki, J., "Learning Bayesian network structures when discrete and continuous variables are present. In *Lecture Note on Artificial Intelligence, the sixth European workshop on Probabilistic Graphical Models*, Vol. 8754, pp. 471-486, Utrecht, Netherlands, Sept. 2014. Springer-Verlag. [7] Suzuki, J., "The Bayesian Chow-Liu algorithms", In the sixth European workshop on Probabilistic Graphical Models, pp. 315-322, Granada, Spain, Sept. 2012. [8] Suzuki, J. and Kawahara, J., "Branch and Bound for Regular Bayesian Network Structure learning", *Uncertainty in Artificial Intelligence*, pages 212-221, Sydney, Australia, August 2017. [9] Suzuki, J. "Forest Learning from Data and its Universal Coding", *IEEE Transactions on Information Theory*, Dec. 2018. January 2017.

bns1

Bayesian Network Structure Learning

Description

The function outputs the Bayesian network structure given a dataset based on an assumed criterion.

Usage

```
bnsl(df, tw = 0, proc = 1, s=0, n=0, ss=1)
```

Arguments

df	a dataframe.
tw	the upper limit of the parent set.
proc	the criterion based on which the BNSL solution is sought. proc=1,2, and 3 indicates that the structure learning is based on Jeffreys [1], MDL [2,3], and BDeu [3]
s	The value computed when obtaining the bound.
n	The number of samples.
ss	The BDeu parameter.

Value

The Bayesian network structure in the bn class of bnlearn.

Author(s)

Joe Suzuki and Jun Kawahara

References

[1] Suzuki, J. "An Efficient Bayesian Network Structure Learning Strategy", New Generation Computing, December 2016. [2] Suzuki, J. "A construction of Bayesian networks from databases based on an MDL principle", Uncertainty in Artificial Intelligence, pages 266-273, Washington D.C. July, 1993. [3] Suzuki, J. "Learning Bayesian Belief Networks Based on the Minimum Description Length Principle: An Efficient Algorithm Using the B & B Technique", International Conference on Machine Learning, Bali, Italy, July 1996" [4] Suzuki, J. "A Theoretical Analysis of the BDeu Scores in Bayesian Network Structure Learning", Behaviormetrika 1(1):1-20, [5] Suzuki, J. and Kawahara, J., "Branch and Bound for Regular Bayesian Network Structure learning", Uncertainty in Artificial Intelligence, pages 212-221, Sydney, Australia, August 2017. [6] Suzuki, J. "Forest Learning from Data and its Universal Coding", IEEE Transactions on Information Theory, Dec. 2018. January 2017.

See Also

parent

Examples

```
library(bnlearn)
bnsl(asia)
```

`bnsl_p`*Bayesian Network Structure Learning*

Description

The function outputs the Bayesian network structure given a dataset based on an assumed criterion.

Usage

```
bnsl_p(df, ps1, tw = 0, proc = 1, s=0, n=0, ss=1)
```

Arguments

<code>df</code>	a dataframe.
<code>ps1</code>	the list of parent sets.
<code>tw</code>	the upper limit of the parent set.
<code>proc</code>	the criterion based on which the BNSL solution is sought. <code>proc=1,2</code> , and <code>3</code> indicates that the structure learning is based on Jeffreys [1], MDL [2,3], and BDeu [3]
<code>s</code>	The value computed when obtaining the bound.
<code>n</code>	The number of samples.
<code>ss</code>	The BDeu parameter.

Value

The Bayesian network structure in the `bn` class of `bnlearn`.

Author(s)

Joe Suzuki and Jun Kawahara

References

[1] Suzuki, J. "An Efficient Bayesian Network Structure Learning Strategy", *New Generation Computing*, December 2016. [2] Suzuki, J. "A construction of Bayesian networks from databases based on an MDL principle", *Uncertainty in Artificial Intelligence*, pages 266-273, Washington D.C. July, 1993. [3] Suzuki, J. "Learning Bayesian Belief Networks Based on the Minimum Description Length Principle: An Efficient Algorithm Using the B & B Technique", *International Conference on Machine Learning*, Bali, Italy, July 1996" [4] Suzuki, J. "A Theoretical Analysis of the BDeu Scores in Bayesian Network Structure Learning", *Behaviormetrika* 1(1):1-20, January 2017.

See Also

`parent`

Examples

```
library(bnlearn)
p0 <- parent.set(lizards, 0)
p1 <- parent.set(lizards, 1)
p2 <- parent.set(lizards, 2)
bnsl_p(lizards, list(p0, p1, p2))
```

cmi

Bayesian Estimation of Conditional Mutual Information

Description

A standard estimator of conditional mutual information calculates the maximal likelihood value. However, the estimator takes positive values even the pair follows a distribution of two independent variables. On the other hand, the estimator in this package detects conditional independence as well as consistently estimates the true conditional mutual information value as the length grows based on Jeffrey's prior, Bayesian Dirichlet equivalent uniform (BDeu [1]), and the MDL principle. It also estimates the conditional mutual information value even when one of the pair is continuous (see [2]).

Usage

```
cmi(x, y, z, proc=0L)
```

Arguments

x	a numeric vector.
y	a numeric vector.
z	a numeric vector. x, y and z should have an equal length.
proc	the estimation is based on Jeffrey's prior, the MDL principle, and BDeu for proc=0,1,2, respectively. If the argument proc is missing, proc=0 (Jeffreys') is assumed.

Value

the estimation of conditional mutual information between the two numeric vectors based on the selected criterion, where the natural logarithm base is assumed.

Author(s)

Joe Suzuki and Jun Kawahara

References

[1] Suzuki, J., "A theoretical analysis of the BDeu scores in Bayesian network structure learning", *Behaviormetrika*, 2017. [2] Suzuki, J., "An estimator of mutual information and its application to independence testing", *Entropy*, Vol.18, No.4, 2016. [3] Suzuki, J. "The Bayesian Chow-Liu algorithms", In the sixth European workshop on Probabilistic Graphical Models, pp. 315-322, Granada, Spain, Sept.2012.

See Also

cmi

Examples

```
n=100

x=c(rbinom(n,1,0.2), rbinom(n,1,0.8))
y=c(rbinom(n,1,0.8), rbinom(n,1,0.2))
z=c(rep(1,n),rep(0,n))
cmi(x,y,z,proc=0); cmi(x,y,z,1); cmi(x,y,z,2)

x=c(rbinom(n,1,0.2), rbinom(n,1,0.8))
u=rbinom(2*n,1,0.1)
y=(x+u)
z=c(rep(1,n),rep(0,n))
cmi(x,y,z); cmi(x,y,z,proc=1); cmi(x,y,z,2)
```

FFtable

A faster version of fftable

Description

The same procedure as fftable prepared by the R language. The program is written using Rcpp.

Usage

```
FFtable(df)
```

Arguments

df a dataframe.

Value

a frequency table of the last column based on the states that are determined by the other columns.

Author(s)

Joe Suzuki and Jun Kawahara

See Also

fftable

Examples

```
library(bnlearn)
FFtable(asia)
```

`kruskal`*Given a weight matrix, generate its maximum weight forest*

Description

The function lists the edges of an forest generated by Kruskal's algorithm given its weight matrix in which each weight should be symmetric but may be negative. The forest is a spanning tree if the elements of the matrix take positive values.

Usage

```
kruskal(W)
```

Arguments

`W` a matrix.

Value

A matrix object of size $n \times 2$ for matrix size $n \times n$ in which each row expresses an edge when the vertexes are expressed by 1 through n .

Author(s)

Joe Suzuki and Jun Kawahara

References

[1] Suzuki. J. "The Bayesian Chow-Liu algorithms", In the sixth European workshop on Probabilistic Graphical Models, pp. 315-322, Granada, Spain, Sept.2012.

Examples

```
library(igraph)
library(bnlearn)
df=asia
mi.mat=mi_matrix(df)
edge.list=kruskal(mi.mat)
edge.list
g=graph_from_edgelist(edge.list, directed=FALSE)
V(g)$label=colnames(df)
plot(g)
```

Description

A standard estimator of mutual information calculates the maximal likelihood value. However, the estimator takes positive values even the pair follows a distribution of two independent variables. On the other hand, the estimator in this package detects independence as well as consistently estimates the true mutual information value as the length grows based on Jeffrey's prior, Bayesian Dirichlet equivalent uniform (BDeu [1]), and the MDL principle. It also estimates the mutual information value even when one of the pair is continuous (see [2]).

Usage

```
mi(x, y, proc=0)
```

Arguments

x	a numeric vector.
y	a numeric vector. x and y should have a equal length.
proc	the estimation is based on Jeffrey's prior, the MDL principle, and BDeu for proc=0,1,2, respectively. If one of the two is continuous, proc=10 should be chosen. If the argument proc is missing, proc=0 (Jeffreys') is assumed.

Value

the estimation of mutual information between the two numeric vectors based on the selected criterion, where the natural logarithm base is assumed.

Author(s)

Joe Suzuki and Jun Kawahara

References

[1] Suzuki, J., "A theoretical analysis of the BDeu scores in Bayesian network structure learning", Behaviormetrika, 2017. [2] Suzuki, J., "An estimator of mutual information and its application to independence testing", Entropy, Vol.18, No.4, 2016. [3] Suzuki, J. "The Bayesian Chow-Liu algorithms", In the sixth European workshop on Probabilistic Graphical Models, pp. 315-322, Granada, Spain, Sept.2012.

See Also

cmi

Examples

```
n=100

x=rbinom(n,1,0.5); y=rbinom(n,1,0.5); mi(x,y)

z=rbinom(n,1,0.1); y=(x+z)

mi(x,y); mi(x,y,proc=1); mi(x,y,2)

x=rnorm(n); y=rnorm(n); mi(x,y,proc=10)

x=rnorm(n); z=rnorm(n); y=0.9*x+sqrt(1-0.9^2)*z; mi(x,y,proc=10)
```

mi_matrix

Generating its Mutual Information Estimations Matrix

Description

The estimators in this package detect independence as well as consistently estimates the true conditional mutual information value as the length grows based on Jeffrey's prior, Bayesian Dirichlet equivalent uniform (BDeu [1]), and the MDL principle. It also estimates the conditional mutual information value even when one of the pair is continuous (see [2]). Given a data frame each column of which may be either discrete or continuous, this function generates its mutual information estimation matrix.

Usage

```
mi_matrix(df, proc=0)
```

Arguments

df	a data frame.
proc	given two discrete vectors of equal length, the function estimates the mutual information based on Jeffrey's prior, the MDL principle, and BDeu for proc=0,1,2, respectively. If one of the columns is continuous, proc=10 should be chosen. If the argument proc is missing, proc=0 (Jeffreys') is assumed.

Value

the estimation of mutual information between the two numeric vectors based on the selected criterion, where the natural logarithm base is assumed.

Author(s)

Joe Suzuki and Jun Kawahara

References

[1] Suzuki, J., "A theoretical analysis of the BDeu scores in Bayesian network structure learning", Behaviormetrika, 2017. [2] Suzuki, J., "An estimator of mutual information and its application to independence testing", Entropy, Vol.18, No.4, 2016. [3] Suzuki, J., "A novel Chow?Liu algorithm and its application to gene differential analysis", International Journal of Approximate Reasoning, Vol. 80, 2017.

See Also

mi

Examples

```
library(bnlearn)
mi_matrix(asia)
mi_matrix(asia,proc=1)
mi_matrix(asia,proc=2)
mi_matrix(asia,proc=3)
```

parent.set

Parent Set

Description

This function estimates a parent set of h in each subset w as follows: Suppose we are given a subset w of the $p-1$ variables excluding h , where p is the number of columns in df . Then, a score is defined for each subset w , where the score expresses how well the subset is likely to be the true parent set of h in w . Currently, a Bayesian score (Jeffreys' prior) is applied. This function computes the maximum score z and its subset y of w . This function computes y and z for all w , where w and y are expressed by binary sequences of length p , respectively. When the computation is heavy, it can be reduced by specifying the maximum size of w . If tw is zero (default), the tw value is set to $p-1$. Otherwise, the tw value expresses the maximum size.

Usage

```
parent.set(df, h, tw=0, proc=1)
```

Arguments

<code>df</code>	a data frame.
<code>h</code>	an integer from 0 to $p-1$, where p is the number of columns in df .
<code>tw</code>	an integer from 0 to $p-1$, where p is the number of columns in df .
<code>proc</code>	the parent sets are estimated based on Jeffreys' (<code>proc=0,1</code>) [1], MDL (<code>proc=2</code>) [2,3], and BDeu (<code>proc=3</code>) [4].

Value

the data frame in which each row consists of the triples (w,y,z): w is a subset of the p-1 variables excluding h; y is the parent set for w; and z is the score of the parent set.

Author(s)

Joe Suzuki and Jun Kawahara

References

[1] Suzuki, J., "An Efficient Bayesian Network Structure Learning Strategy", New Generation Computing, December 2016. [2] Suzuki, A., "Construction of Bayesian Networks from Databases Based on an MDL Principle", Proceedings of the Ninth Annual Conference on Uncertainty in Artificial Intelligence, The Catholic University of America, Providence, Washington, DC, USA, July 9-11, 1993. [3] Suzuki, J., "Learning Bayesian Belief Networks Based on the Minimum Description Length Principle: An Efficient Algorithm Using the B & B Technique.", Proceedings of the Thirteenth International Conference (ICML '96), Bari, Italy, July 3-6, 1996. [4] Suzuki, J., "A theoretical analysis of the BDeu scores in Bayesian network structure learning", Behaviormetrika, 2017.

See Also

cmi

Examples

```
library(bnlearn)
df=asia
parent.set(df,7)
parent.set(df,7,1)
parent.set(df,7,2)
```

Index

* package

BNSL-package, 2

BNSL (BNSL-package), 2

bns1, 2

BNSL-package, 2

bns1_p, 4

cmi, 5

FFtable, 6

kruskal, 7

mi, 8

mi_matrix, 9

parent.set, 10