

Package: BoundaryStats (via r-universe)

September 15, 2024

Type Package

Title Boundary Overlap Statistics

Version 2.1.1

Description Analysis workflow for finding geographic boundaries of ecological or landscape traits and comparing the placement of geographic boundaries of two traits. If data are trait values, trait data are transformed to boundary intensities based on approximate first derivatives across latitude and longitude. The package includes functions to create custom null models based on the input data. The boundary statistics are described in: Fortin, Drapeau, and Jacquez (1996) <[doi:10.2307/3545584](https://doi.org/10.2307/3545584)>.

License GPL (>= 3)

Encoding UTF-8

LazyData true

Imports sf, terra, pdqr, methods, ggplot2, tibble, magrittr, igraph, fields, rgeoda, scales

Depends R (>= 4.1.0)

Suggests knitr, rmarkdown

VignetteBuilder knitr

RoxygenNote 7.2.3

NeedsCompilation no

Author Amy Luo [aut, cre, cph]
(<<https://orcid.org/0000-0002-9197-4673>>), Elizabeth Derryberry
[ths] (<<https://orcid.org/0000-0002-8248-9748>>)

Maintainer Amy Luo <aluo@vols.utk.edu>

Repository CRAN

Date/Publication 2023-10-21 05:30:02 UTC

Contents

A.delicatus_crs	2
A.delicatus_ext	3
A.delicatus_matrix	4
A.sylvaticus_crs	4
A.sylvaticus_ext	5
A.sylvaticus_matrix	5
boundary_null_distrib	6
categorical_boundary	7
define_boundary	8
ecoregions_crs	9
ecoregions_ext	9
ecoregions_matrix	10
gauss_random_field_sim	10
grassland_crs	11
grassland_ext	12
grassland_matrix	12
L.concolor_crs	13
L.concolor_ext	13
L.concolor_matrix	14
L.flavomaculatus_crs	14
L.flavomaculatus_ext	15
L.flavomaculatus_matrix	15
max_subgraph	16
mod_random_clust_sim	17
n_subgraph	18
Odirect	19
overlap_null_distrib	20
Ox	21
Oxy	23
plot_boundary	24
random_raster_sim	25
sobel_operator	26
T.cristatus_crs	26
T.cristatus_ext	27
T.cristatus_matrix	28
Index	29

A.delicatus_crs	<i>Afrivalus delicatus genetic groups projection</i>
-----------------	--

Description

Projection for A.delicatus_matrix

Usage

```
data(A.delicatus)
```

Format

Projection crs object

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

A.delicatus_ext *Afrixalus delicatus* genetic groups extent

Description

Extent for *A.delicatus_matrix*

Usage

```
data(A.delicatus)
```

Format

Numeric vector of length length 4

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

A.delicatus_matrix *Afrixalus delicatus genetic groups*

Description

Raster data representing interpolated genetic group assignments for *Afrixalus delicatus* based on analyses in Barratt et al. 2018.

Usage

```
data(A.delicatus)
```

Format

A matrix to be converted into a SpatRaster object with a EPSG:4210 projection.

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

A.sylvaticus_crs *Afrixalus sylvaticus genetic groups projection*

Description

Projection for A.sylvaticus_matrix

Usage

```
data(A.sylvaticus)
```

Format

Projection crs object

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

A.sylvaticus_ext *Afrixalus sylvaticus genetic groups extent*

Description

Extent for A.sylvaticus_matrix

Usage

```
data(A.sylvaticus)
```

Format

Numeric vector of length length 4

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

A.sylvaticus_matrix *Afrixalus sylvaticus genetic groups*

Description

Raster data representing interpolated genetic group assignments for *Afrixalus sylvaticus* based on analyses in Barratt et al. 2018.

Usage

```
data(A.sylvaticus)
```

Format

A matrix to be converted into a SpatRaster object with a EPSG:4210 projection.

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

boundary_null_distrib *Null distribution for overlap statistics*

Description

Creates custom probability distributions for two boundary statistics (number of subgraphs and length of the longest subgraph). Given a SpatRaster object, simulates n iterations of random raster surfaces from a neutral model.

Usage

```
boundary_null_distrib(
  x,
  convert = FALSE,
  cat = FALSE,
  threshold = 0.2,
  n_iterations = 10,
  model = "random",
  p = 0.5,
  progress = TRUE
)
```

Arguments

x	A SpatRaster object.
convert	TRUE if x contains numeric trait data that needs to be converted to boundary intensities. default = FALSE.
cat	TRUE if the input SpatRaster contains a categorical variable. default = FALSE.
threshold	A value between 0 and 1. The proportion of cells to keep as boundary elements. default = 0.2.
n_iterations	An integer indicating the number of iterations for the function. A value of 100 or 1000 is recommended to produce sufficient resolution for downstream statistical tests. default = 10.
model	Neutral model to use. Options: 'random' (stochastic), 'gaussian' (Gaussian random field), and 'random_cluster' (modified random clusters method)
p	If using modified random clusters, proportion of cells to be marked in percolated raster. Higher values of p produce larger clusters. Default: p = 0.5
progress	If progress = TRUE (default) a progress bar will be displayed.

Value

A list of two probability distribution functions for boundary statistics.

Author(s)

Amy Luo

References

Saura, S. & Martínez-Millán, J. (2000). Landscape patterns simulation with a modified random clusters method. *Landscape Ecology*, 15:661-678.

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

T.crist_bound_null <- boundary_null_distrib(T.cristatus, cat = TRUE, n_iterations = 100,
model = 'random_cluster')
```

categorical_boundary *Define the boundary elements of a SpatRaster with categorical data*

Description

Creates boundary element cells where patches of two categories meet.

Usage

```
categorical_boundary(x)
```

Arguments

x A SpatRaster object.

Value

A SpatRaster object with cell values 1 for boundary elements and 0 for other cells

Author(s)

Amy Luo

Examples

```
data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

grassland_boundaries <- categorical_boundary(grassland)
```

define_boundary	<i>Define the boundary elements of a SpatRaster with numeric data or boundary intensities</i>
-----------------	---

Description

Defines boundaries in a SpatRaster object by keeping a proportion of the cells with the highest boundary intensity values. If the SpatRaster contains trait values, the values can be converted to boundary/edge values (convert = T) using a Sobel-Feldman operator.

Usage

```
define_boundary(x, threshold = 0.2, convert = FALSE)
```

Arguments

x	A SpatRaster object.
threshold	A value between 0 and 1. The proportion of cells to keep as boundary elements. default = 0.2.
convert	logical. If TRUE, convert values of each cell from trait values to boundary intensities. default = FALSE.

Value

A SpatRaster object with cell values 1 for boundary elements and 0 for other cells

Author(s)

Amy Luo

References

Fortin, M.J. et al. (2000) Issues related to the detection of boundaries. *Landscape Ecology*, 15, 453-466. Jacquez, G.M., Maruca, I S. & Fortin M.-J. (2000) From fields to objects: A review of geographic boundary analysis. *Journal of Geographical Systems*, 3, 221, 241.

Examples

```
data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

grassland_boundaries <- define_boundary(grassland, 0.1)
```

ecoregions_crs *Ecoregion data for East Africa projection*

Description

Projection for ecoregions_matrix

Usage

data(ecoregions)

Format

Projection crs object

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

ecoregions_ext *Ecoregion data for East Africa extent*

Description

Extent for ecoregions_matrix

Usage

data(ecoregions)

Format

Numeric vector of length length 4

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

ecoregions_matrix *Ecoregion data for East Africa*

Description

Raster data of ecoregions in East Africa

Usage

```
data(ecoregions)
```

Format

A matrix to be converted into a SpatRaster object with a EPSG:4210 projection.

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

gauss_random_field_sim
Gaussian random field neutral model

Description

Simulates a gaussian random field as a neutral landscape of the same extent and resolution as the input raster, using the same spatial autocorrelation range as the input

Usage

```
gauss_random_field_sim(x)
```

Arguments

x A SpatRaster object.

Value

A SpatRaster object with boundary elements.

Author(s)

Amy Luo

References

James, P. M. A., Fleming, R.A., & Fortin, M.-J. (2010) Identifying significant scale-specific spatial boundaries using wavelets and null models: Spruce budworm defoliation in Ontario, Canada as a case study. *Landscape Ecology*, 6, 873-887.

Examples

```
data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

simulation <- gauss_random_field_sim(grassland)
terra::plot(simulation)
```

grassland_crs	<i>Grassland land cover projection</i>
---------------	--

Description

Projection for grassland_matrix

Usage

```
data(grassland)
```

Format

Projection crs object

Source

[doi:10.5061/dryad.bk3j9kdhz](https://doi.org/10.5061/dryad.bk3j9kdhz)

References

Cox et al. (2023) *Conservation Genetics* Radoux et al. (2019) *Remote Sens* 11:354.

grassland_ext	<i>Grassland land cover extent</i>
---------------	------------------------------------

Description

Extent for grassland_matrix

Usage

```
data(grassland)
```

Format

Numeric vector of length length 4

Source

[doi:10.5061/dryad.bk3j9kdhz](https://doi.org/10.5061/dryad.bk3j9kdhz)

References

Cox et al. (2023) Conservation Genetics Radoux et al. (2019) Remote Sens 11:354.

grassland_matrix	<i>Grassland land cover</i>
------------------	-----------------------------

Description

Raster land cover data from the LifeWatch Wallonia-Brussels ecotope database and used in Cox et al. 2023. Downsampled to match T. cristatus raster

Usage

```
data(grassland)
```

Format

A matrix to be converted into a SpatRaster object with a EPSG:4326 projection.

Source

[doi:10.5061/dryad.bk3j9kdhz](https://doi.org/10.5061/dryad.bk3j9kdhz)

References

Cox et al. (2023) Conservation Genetics Radoux et al. (2019) Remote Sens 11:354.

L.concolor_crs *Leptopelis concolor genetic groups projection*

Description

Projection

Usage

data(L.concolor)

Format

Projection crs object

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

L.concolor_ext *Leptopelis concolor genetic groups extent*

Description

Extent for L.concolor_matrix

Usage

data(L.concolor)

Format

Numeric vector of length length 4

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

L.concolor_matrix *Leptopelis concolor genetic groups*

Description

Raster data representing interpolated genetic group assignments for *Leptopelis concolor* based on analyses in Barratt et al. 2018.

Usage

```
data(L.concolor)
```

Format

A matrix to be converted into a SpatRaster object with a EPSG:4210 projection.

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

L.flavomaculatus_crs *Leptopelis flavomaculatus genetic groups projection*

Description

Projection for L.flavomaculatus_matrix

Usage

```
data(L.flavomaculatus)
```

Format

Projection crs object

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

L.flavomaculatus_ext *Leptopelis flavomaculatus* genetic groups extent

Description

Extent for *L.flavomaculatus_ext*

Usage

`data(L.flavomaculatus)`

Format

Numeric vector of length length 4

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

L.flavomaculatus_matrix
Leptopelis flavomaculatus genetic groups

Description

Raster data representing interpolated genetic group assignments for *Leptopelis flavomaculatus* based on analyses in Barratt et al. 2018.

Usage

`data(L.flavomaculatus)`

Format

A matrix to be converted into a `SpatRaster` object with a EPSG:4210 projection.

Source

[doi:10.5061/dryad.315km76](https://doi.org/10.5061/dryad.315km76)

References

Barratt et al. (2013) *Molecular Ecology* 27:4289–4308

max_subgraph	<i>Length of the longest subgraph</i>
--------------	---------------------------------------

Description

Statistical test for the length of the longest subgraph, or set of contiguous boundary elements.

Usage

```
max_subgraph(x, null_distrib)
```

Arguments

x A SpatRaster object with boundary elements.
null_distrib A list of probability functions output from `boundary_null_distrib()`.

Value

The length of the longest subgraph and a p-value.

Author(s)

Amy Luo

References

Jacquez, G.M., Maruca, I.S. & Fortin M.-J. (2000) From fields to objects: A review of geographic boundary analysis. *Journal of Geographical Systems*, 3, 221, 241.

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

Tcrist_boundaries <- categorical_boundary(T.cristatus)
T.crist_bound_null <- boundary_null_distrib(T.cristatus, cat = TRUE, n_iterations = 100,
model = 'random_cluster')

max_subgraph(Tcrist_boundaries, T.crist_bound_null)
```

mod_random_clust_sim *Modified random cluster neutral landscape model*

Description

Simulates a neutral landscape of the same extent and resolution as the input raster, with the same distribution of values.

Usage

```
mod_random_clust_sim(x, p)
```

Arguments

x	A SpatRaster object.
p	The proportion of cells to be marked in percolated raster. Higher values of p produce larger clusters.

Value

A SpatRaster object with boundary elements.

Author(s)

Amy Luo

References

Saura, S. & Martínez-Millán, J. (2000) Landscape patterns simulation with a modified random clusters method. *Landscape Ecology*, 15, 661 – 678.

Examples

```
data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

simulation <- mod_random_clust_sim(grassland, p = 0.6)
terra::plot(simulation)
```

n_subgraph	<i>Number of subgraphs</i>
------------	----------------------------

Description

Statistical test the for number of subgraphs, or sets of contiguous boundary elements, in the data.

Usage

```
n_subgraph(x, null_distrib)
```

Arguments

x A SpatRaster object with boundary elements.
null_distrib A list of probability functions output from boundary_null_distrib().

Value

The number of subgraphs in the raster and a p-value.

Author(s)

Amy Luo

References

Jacquez, G.M., Maruca, I S. & Fortin M.-J. (2000) From fields to objects: A review of geographic boundary analysis. *Journal of Geographical Systems*, 3, 221, 241.

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

T.crist_boundaries <- categorical_boundary(T.cristatus)
T.crist_bound_null <- boundary_null_distrib(T.cristatus, cat = TRUE, n_iterations = 100,
model = 'random_cluster')

n_subgraph(T.crist_boundaries, T.crist_bound_null)
```

Odirect

Direct overlap between boundary elements.

Description

Statistical test for the number of directly overlapping boundary elements of two traits.

Usage

```
Odirect(x, y, null_distrib)
```

Arguments

x A SpatRaster object with boundary elements.
y A SpatRaster object with boundary elements.
null_distrib A list of probability functions output from `overlap_null_distrib()`.

Value

The number of directly overlapping boundary elements and a p-value.

Author(s)

Amy Luo

References

Jacquez, G.M., Maruca, I.S. & Fortin, M.-J. (2000) From fields to objects: A review of geographic boundary analysis. *Journal of Geographical Systems*, 3, 221, 241. Fortin, M.-J., Drapeau, P. & Jacquez, G.M. (1996) Quantification of the Spatial Co-Occurrences of Ecological Boundaries. *Oikos*, 77, 51-60.

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

Tcrist_ovlp_null <- overlap_null_distrib(T.cristatus, grassland, rand_both = FALSE,
  x_cat = TRUE, n_iterations = 100, x_model = 'random_cluster')
Tcrist_boundaries <- categorical_boundary(T.cristatus)
grassland_boundaries <- define_boundary(grassland, 0.1)

Odirect(Tcrist_boundaries, grassland_boundaries, Tcrist_ovlp_null)
```

overlap_null_distrib *Null distribution for boundary overlap statistics*

Description

Creates custom probability distributions for three boundary overlap statistics (directly overlapping boundary elements, minimum distance between boundary elements in x to y, and minimum distance between elements in x and y). Given two SpatRaster objects with the same extent, projection, and resolution, simulates n iterations of random raster surfaces from neutral model(s).

Usage

```
overlap_null_distrib(
  x,
  y,
  rand_both,
  x_convert = FALSE,
  y_convert = FALSE,
  x_cat = FALSE,
  y_cat = FALSE,
  threshold = 0.2,
  n_iterations = 10,
  x_model = "random",
  y_model = "random",
  px = 0.5,
  py = 0.5,
  progress = TRUE
)
```

Arguments

x	A SpatRaster object. If rand_both = FALSE, only this raster will be modeled.
y	A SpatRaster object. If rand_both = FALSE, this raster does not change.
rand_both	TRUE if distribution of traits in x and y should be modeled.
x_convert	TRUE if x contains numeric trait data that needs to be converted to boundary intensities. default = FALSE.
y_convert	TRUE if y contains numeric trait data that needs to be converted to boundary intensities. default = FALSE.
x_cat	TRUE if x contains a categorical variable. default = FALSE.
y_cat	TRUE if y contains a categorical variable. default = FALSE.
threshold	A value between 0 and 1. The proportion of cells to keep as boundary elements. Default = 0.2.

<code>n_iterations</code>	An integer indicating the number of iterations for the function. A value of 100 or 1000 is recommended to produce sufficient resolution for downstream statistical tests. default = 10.
<code>x_model</code>	Neutral model to use. Options: 'random' (stochastic), 'gaussian' (Gaussian random field), and 'random_cluster' (modified random clusters method)
<code>y_model</code>	Neutral model to use for y.
<code>px</code>	If using modified random clusters for x, proportion of cells to be marked in percolated raster. Higher values of p produce larger clusters. Default = 0.5
<code>py</code>	If using modified random clusters for y, proportion of cells to be marked in percolated raster. Higher values of p produce larger clusters. Default = 0.5
<code>progress</code>	If progress = TRUE (default) a progress bar will be displayed.

Value

A list of probability distribution functions for boundary overlap statistics.

Author(s)

Amy Luo

References

Saura, S. & Martínez-Millán, J. (2000). Landscape patterns simulation with a modified random clusters method. *Landscape Ecology*, 15:661-678.

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

Tcrist_ovlp_null <- overlap_null_distrib(T.cristatus, grassland, rand_both = FALSE,
  x_cat = TRUE, n_iterations = 100, x_model = 'random_cluster')
```

Description

Statistical test for the average minimum distance between each boundary element in raster x and the nearest boundary element in raster y. Uses Euclidean distance. The boundaries of trait x depend on the boundaries of trait y.

Usage

```
Ox(x, y, null_distrib)
```

Arguments

x A SpatRaster object with boundary elements.
y A SpatRaster object with boundary elements.
null_distrib A list of probability functions output from `overlap_null_distrib()`.

Value

The average minimum distance and a p-value.

Author(s)

Amy Luo

References

Jacquez, G.M., Maruca, I.S. & Fortin, M.-J. (2000) From fields to objects: A review of geographic boundary analysis. *Journal of Geographical Systems*, 3, 221, 241. Fortin, M.-J., Drapeau, P. & Jacquez, G.M. (1996) Quantification of the Spatial Co-Occurrences of Ecological Boundaries. *Oikos*, 77, 51-60.

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

Tcrist_ovlp_null <- overlap_null_distrib(T.cristatus, grassland, rand_both = FALSE,
  x_cat = TRUE, n_iterations = 100, x_model = 'random_cluster')
Tcrist_boundaries <- categorical_boundary(T.cristatus)
grassland_boundaries <- define_boundary(grassland, 0.1)

Ox(Tcrist_boundaries, grassland_boundaries, Tcrist_ovlp_null)
```

Oxy	<i>Average minimum distance between boundary elements of two variables</i>
-----	--

Description

Statistical test for the average minimum distance between boundary elements in two raster layers. Uses Euclidean distance. Boundaries for each trait affect one another reciprocally (x affects y and y affects x).

Usage

```
Oxy(x, y, null_distrib)
```

Arguments

x	A SpatRaster object with boundary elements.
y	A SpatRaster object with boundary elements.
null_distrib	A list of probability functions output from <code>overlap_null_distrib()</code> .

Value

p-value

Author(s)

Amy Luo

References

Jacquez, G.M., Maruca, I.S. & Fortin, M.-J. (2000) From fields to objects: A review of geographic boundary analysis. *Journal of Geographical Systems*, 3, 221, 241. Fortin, M.-J., Drapeau, P. & Jacquez, G.M. (1996) Quantification of the Spatial Co-Occurrences of Ecological Boundaries. *Oikos*, 77, 51-60.

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

Tcrist_ovlp_null <- overlap_null_distrib(T.cristatus, grassland, rand_both = FALSE,
  x_cat = TRUE, n_iterations = 100, x_model = 'random_cluster')
Tcrist_boundaries <- categorical_boundary(T.cristatus)
```

```
grassland_boundaries <- define_boundary(grassland, 0.1)
Oxy(Tcrist_boundaries, grassland_boundaries, Tcrist_ovlp_null)
```

plot_boundary *Map the boundary elements of two raster layers*

Description

This is a wrapper function for ggplot2 that will produce a map of boundary elements for two traits and show where boundary elements intersect.

Usage

```
plot_boundary(x, y, color = NA, trait_names = NA)
```

Arguments

x	A SpatRaster object with boundary elements.
y	A SpatRaster object with boundary elements.
color	Optional. A character vector of up to three colors (x boundary, y boundary, and overlapping elements).
trait_names	Optional. A character vector with up to two elements (legend name for x and legend name for y).

Value

A ggplot2 object.

Author(s)

Amy Luo

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

Tcrist_boundaries <- categorical_boundary(T.cristatus)
grassland_boundaries <- define_boundary(grassland, 0.1)

plot_boundary(Tcrist_boundaries, grassland_boundaries)
```

random_raster_sim	<i>Stochastic neutral landscape model</i>
-------------------	---

Description

Simulates a spatially stochastic neutral landscape of the same extent and resolution as the input raster, with the same distribution of values.

Usage

```
random_raster_sim(x)
```

Arguments

x A SpatRaster object.

Value

A SpatRaster object with boundary elements.

Author(s)

Amy Luo

References

James, P. M. A., Fleming, R.A., & Fortin, M.-J. (2010) Identifying significant scale-specific spatial boundaries using wavelets and null models: Spruce budworm defoliation in Ontario, Canada as a case study. *Landscape Ecology*, 6, 873-887.

Examples

```
data(grassland)
grassland <- terra::rast(grassland_matrix, crs = grassland_crs)
terra::ext(grassland) <- grassland_ext

simulation <- random_raster_sim(grassland)
terra::plot(simulation)
```

sobel_operator	<i>Sobel-Feldman operator for edge detection</i>
----------------	--

Description

Uses a Sobel-Feldman operator (3x3 kernel) to detect internal edges in a SpatRaster object.

Usage

```
sobel_operator(x)
```

Arguments

x A SpatRaster object.

Value

A SpatRaster object with boundary values.

Author(s)

Amy Luo

Examples

```
data(T.cristatus)
T.cristatus <- terra::rast(T.cristatus_matrix, crs = T.cristatus_crs)
terra::ext(T.cristatus) <- T.cristatus_ext

edges <- sobel_operator(T.cristatus)
terra::plot(edges)
```

T.cristatus_crs	<i>Triturus cristatus genetic groups projection</i>
-----------------	---

Description

Projection for T.cristatus_matrix

Usage

```
data(T.cristatus)
```

Format

ces Barratt et al. (2013) Molecular Ecology 27:4289–4308
Projection crs object

Source

[doi:10.5061/dryad.bk3j9kdhz](https://doi.org/10.5061/dryad.bk3j9kdhz)

References

Cox et al. (2023) Conservation Genetics

T.cristatus_ext *Triturus cristatus* genetic groups extent

Description

Extent for *T.cristatus*_matrix

Usage

```
data(T.cristatus)
```

Format

Numeric vector of length length 4

Source

[doi:10.5061/dryad.bk3j9kdhz](https://doi.org/10.5061/dryad.bk3j9kdhz)

References

Cox et al. (2023) Conservation Genetics

T.cristatus_matrix *Triturus cristatus* genetic groups

Description

Raster data representing interpolated genetic group assignments for *Triturus cristatus* based on analyses in Cox et al. 2023

Usage

```
data(T.cristatus)
```

Format

A matrix to be converted into a SpatRaster object with a EPSG:4326 projection.

Source

[doi:10.5061/dryad.bk3j9kdhz](https://doi.org/10.5061/dryad.bk3j9kdhz)

References

Cox et al. (2023) Conservation Genetics

Index

* datasets

- A.delicatus_crs, 2
 - A.delicatus_ext, 3
 - A.delicatus_matrix, 4
 - A.sylvaticus_crs, 4
 - A.sylvaticus_ext, 5
 - A.sylvaticus_matrix, 5
 - ecoregions_crs, 9
 - ecoregions_ext, 9
 - ecoregions_matrix, 10
 - grassland_crs, 11
 - grassland_ext, 12
 - grassland_matrix, 12
 - L.concolor_crs, 13
 - L.concolor_ext, 13
 - L.concolor_matrix, 14
 - L.flavomaculatus_crs, 14
 - L.flavomaculatus_ext, 15
 - L.flavomaculatus_matrix, 15
 - T.cristatus_crs, 26
 - T.cristatus_ext, 27
 - T.cristatus_matrix, 28
-
- A.delicatus_crs, 2
 - A.delicatus_ext, 3
 - A.delicatus_matrix, 4
 - A.sylvaticus_crs, 4
 - A.sylvaticus_ext, 5
 - A.sylvaticus_matrix, 5
-
- boundary_null_distrib, 6
-
- categorical_boundary, 7
-
- define_boundary, 8
-
- ecoregions_crs, 9
 - ecoregions_ext, 9
 - ecoregions_matrix, 10
-
- gauss_random_field_sim, 10
 - grassland_crs, 11
 - grassland_ext, 12
 - grassland_matrix, 12
 - L.concolor_crs, 13
 - L.concolor_ext, 13
 - L.concolor_matrix, 14
 - L.flavomaculatus_crs, 14
 - L.flavomaculatus_ext, 15
 - L.flavomaculatus_matrix, 15
 - max_subgraph, 16
 - mod_random_clust_sim, 17
 - n_subgraph, 18
 - Odirect, 19
 - overlap_null_distrib, 20
 - Ox, 21
 - Oxy, 23
 - plot_boundary, 24
 - random_raster_sim, 25
 - sobel_operator, 26
 - T.cristatus_crs, 26
 - T.cristatus_ext, 27
 - T.cristatus_matrix, 28