

Package: ECTTDNN (via r-universe)

August 26, 2024

Type Package

Title Cointegration Based Timedelay Neural Network Model

Version 0.1.0

Author Pankaj Das [aut, cre], Achal Lama [aut], Girish Kumar Jha [aut]

Maintainer Pankaj Das <pankaj.das2@icar.gov.in>

Depends R (>= 3.3.0),urca,forecast,vars

Description This cointegration based Time Delay Neural Network Model hybrid model allows the researcher to make use of the information extracted by the cointegrating vector as an input in the neural network model.

Encoding UTF-8

LazyData true

License GPL-3

NeedsCompilation no

Repository CRAN

Date/Publication 2021-01-22 11:20:02 UTC

Contents

ECTTDNN	1
Index	3

ECTTDNN	<i>Cointegration Based Time Delay Neural Network Model</i>
---------	--

Description

This cointegration based Time Delay Neural Network Model hybrid model allows the researcher to make use of the information extracted by the cointegrating vector as an input in the neural network model.

Usage

```
ECTTDNN(data, type, t, lag_ann, hidden_nodes_ann, r)
```

Arguments

data	A Multivariate data
type	Type of cointegration test to be used. Either "trace" or "eigen" value based
t	Partition value for splitting the data set into training and testing
lag_ann	Number of lags used for the Time Delay Neural Network Model fitting
hidden_nodes_ann	Number of hidden nodes used in the Time Delay Neural Network Model
r	Number of repeats for the Time Delay Neural Network Model

Details

ECTTDNN uses cointegration based Timedelay Neural network model proposed by Das (2019). First the cointegration of the data series is identified by Johansen cointegration test. Then Error correction model is fitted for the estimation of parameters i.e. Beta and Error correction term (ECT). The estimated ECT is used as a auxiliary information in neural network fitting. Then the neural network model is used forecasting of data series.

Value

It returns the accuracy measures of the fitted cointegration based TDNN model.

Author(s)

Pankaj Das, Achal Lama, Girish Kumar Jha

References

Das (2019) <<http://krishikosh.egranth.ac.in/handle/1/5810147805>>

See Also

vars, urca, nnfor

Examples

```
data(finland)
data_example<-finland[,1:2]
ECTTDNN(data_example, "trace", 0.8, 1, 5, 5)
```

Index

* **Cointegration**

ECTTDNN, 1

* **ECT**

ECTTDNN, 1

* **Machine Learning**

ECTTDNN, 1

* **TDNN**

ECTTDNN, 1

ECTTDNN, 1