

Package: GameTheoryAllocation (via r-universe)

August 22, 2024

Type Package

Title Tools for Calculating Allocations in Game Theory

Version 1.0

Date 2016-07-20

Author Alejandro Saavedra-Nieves

Maintainer Alejandro Saavedra-Nieves
<alejandro.saavedra.nieves@gmail.com>

Depends R(>= 2.15.0),e1071, lpSolveAPI

Description Many situations can be modeled as game theoretic situations. Some procedures are included in this package to calculate the most important allocations rules in Game Theory: Shapley value, Owen value or nucleolus, among other. First, we must define as an argument the value of the unions of the involved agents with the characteristic function.

License GPL-2

LazyLoad yes

NeedsCompilation no

Repository CRAN

Date/Publication 2016-07-24 17:25:09

Contents

| | |
|--|---|
| GameTheoryAllocation-package | 2 |
| coalitions | 3 |
| EPM_allocation | 4 |
| isinthecore | 5 |
| nucleolus | 6 |
| Owen_value | 7 |
| Shapley_value | 8 |

| | |
|--------------|----------|
| Index | 9 |
|--------------|----------|

 GameTheoryAllocation-package

Tools for Calculating Allocations in Game Theory

Description

Many situations can be modeled as game theoretic situations. Some procedures are included in this package to calculate the most important allocations rules in Game Theory: Shapley value, Owen value or nucleolus, among other. First, we must define as an argument the value of the unions of the involved agents with the characteristic function.

Author(s)

A. Saavedra-Nieves

Maintainer: A. Saavedra-Nieves (alejandro.saavedra.nieves@gmail.com)

References

Frisk, M., Gothe-Lundgren, M.,Jornsten, K., Ronnqvist, M. (2010). Cost allocation in collaborative forest transportation. European Journal of Operational Research, Vol. 205, pp. 448-458.

Gillies, D.B. (1953). Some theorems on n-person games. PhD thesis, Princeton University.

Owen, G. (1977). Values of games with a priori unions. Mathematical Economics and Game Theory: Essays in Honor of Oskar Morgenstern (Eds.: O. Moeschlin R. Hein). Springer, New York.

Shapley, L.S. (1953). A value por n-person games. In H. Kuhn y A. Tucker (eds), Contributions to the theory of games II, Vol. 28, Annals of Mathematics Studies. Princeton University Press.

Schmeidler, D. (1969). The nucleolus of a characteristic function game, SIAM Journal of Applied Mathematics, vol. 17, pp. 1163-1170.

Examples

```
# Example 1
```

```
characteristic_function<-c(0,0.538, 0.761, 1.742, 0.554, 0.137, 0.293, 0.343)
isinthecore(characteristic_function,allocation=c(0.1,0.2,0.043),game="cost")
#[1] "The allocation is not in the core"
#NULL
```

```
isinthecore(characteristic_function,allocation=c(0.05,0.206,0.087),game="cost")
#[1] "The allocation is in the core"
#NULL
```

```
nucleolus(characteristic_function,game="cost")
#[1] "Nucleolus"
#      1      2 3
# 0.137 0.206 0
# Example 2
```

```

characteristic_function<-c(1,1,2,1,2,2,2)
Owen_value(characteristic_function,union=list(c(1,2),c(3)),game="cost")
#[1] "Owen Value"
#    1    2    3
# 0.25 0.25 1.5

```

coalitions

coalitions

Description

This function gives all the coalitions in a binary mode and usual way.

Usage

```
coalitions(n)
```

Arguments

n Number of the involved players

Value

A list with the following components:

| | |
|---------|---|
| Binary | A matrix where each row indicates a binary representation of the coalition in a binary mode. The second one, the usual way. |
| Classic | A vector with the associated representation of the coalitions. |

Author(s)

A. Saavedra-Nieves

Examples

```

coalitions(3)
#$Binary
#      [,1] [,2] [,3]
#[1,]  0   0   0
#[2,]  1   0   0
#[3,]  0   1   0
#[4,]  0   0   1
#[5,]  1   1   0
#[6,]  1   0   1
#[7,]  0   1   1
#[8,]  1   1   1
#
#$Classic
#[1] "0"           "'{ 1 }'"      "'{ 2 }'"      "'{ 3 }'"      "'{ 1,2 }'"
#[6] "'{ 1,3 }'"    "'{ 2,3 }'"    "'{ 1,2,3 }'"

```

EPM_allocation *Equal Profit Method allocation*

Description

This function gives the Equal Profit Method allocation described in Frisk et al. (2010).

Usage

```
EPM_allocation(characteristic_function, r = NA, info = NA, game = c("profit", "cost"))
```

Arguments

| | |
|-------------------------|--|
| characteristic_function | A vector with the characteristic function $v(S)$ (or $c(S)$, if we work with a cost game), according to the order of coalitions shown in coalitions function. |
| r | Incremental step for calculating the EPM-allocation. If no solution is found, we increase iteratively in r units the allowed excess to get an epsilon-core allocation. Procedure stops when a solution is found. |
| info | For knowing information about the resolution, make info=1 |
| game | Characters to indicate if the game is a cost or profit game. The possibles values are "cost" or "profit". |

Value

A vector with the allocation that EPM method proposes.

Author(s)

A. Saavedra-Nieves

References

Frisk, M., Gothe-Lundgren, M.,Jornsten, K., Ronnqvist, M. (2010). Cost allocation in collaborative forest transportation. European Journal of Operational Research, Vol. 205, pp. 448-458.

Examples

```
characteristic_function<-c(0,0.538, 0.761, 1.742, 0.554, 0.137, 0.293, 0.343)
EPM_allocation(characteristic_function,r=0.01,info=1,game="cost")
#[1] "EPM_allocation"
#[1] "The cost game has a non-empty core"
#   1     2     3
# 0.05 0.206 0.087
```

| | |
|-------------|---------------------------------------|
| isinthecore | <i>Isinthecore (core allocations)</i> |
|-------------|---------------------------------------|

Description

This function checks if the allocation belongs to the core of the TU game.

Usage

```
isinthecore(characteristic_function, allocation, game = c("profit", "cost"))
```

Arguments

| | |
|-------------------------|--|
| characteristic_function | A vector with the characteristic function $v(S)$ (or $c(S)$, if we work with a cost game), according to the order of coalitions shown in coalitions function. |
| allocation | A vector with the allocation where each component indicates the part of each agent. |
| game | Characters to indicate if the game is a cost or profit game. The possibles values are "cost" or "profit". |

Author(s)

A. Saavedra-Nieves

References

Gillies, D.B. (1953). Some theorems on n-person games. PhD thesis, Princeton University.

Examples

```
characteristic_function<-c(0,0.538, 0.761, 1.742, 0.554, 0.137, 0.293, 0.343)
isinthecore(characteristic_function,allocation=c(0.1,0.2,0.043),game="cost")
#[1] "The allocation is not in the core"
#NULL

isinthecore(characteristic_function,allocation=c(0.05,0.206,0.087),game="cost")
#[1] "The allocation is in the core"
#NULL
```

nucleolus

Nucleolus

Description

This function gives the nucleolus described in Schmeidler (1969).

Usage

```
nucleolus(characteristic_function, game = c("profit", "cost"))
```

Arguments

`characteristic_function`

A vector with the characteristic function $v(S)$ (or $c(S)$, if we work with a cost game), according to the order of coalitions shown in `coalitions` function.

`game`

Characters to indicate if the game is a cost or profit game. The possible values are "cost" or "profit".

Value

A vector with the allocation that nucleolus proposes.

Author(s)

A. Saavedra-Nieves

References

Schmeidler, D. (1969). The nucleolus of a characteristic function game, SIAM Journal of Applied Mathematics, vol. 17, pp. 1163-1170.

Examples

```
characteristic_function<-c(0,0.538, 0.761, 1.742, 0.554, 0.137, 0.293, 0.343)
nucleolus(characteristic_function,game="cost")
#[1] "Nucleolus"
#      1      2 3
# 0.137 0.206 0
```

| | |
|------------|--------------------------------|
| Owen_value | <i>Owen_value (Owen value)</i> |
|------------|--------------------------------|

Description

This function gives the Owen value described in Owen (1977).

Usage

```
Owen_value(characteristic_function, union, game = c("profit", "cost"))
```

Arguments

| | |
|-------------------------|--|
| characteristic_function | A vector with the characteristic function $v(S)$ (or $c(S)$, if we work with a cost game), according to the order of coalitions shown in coalitions function. |
| union | A list with a partition of the players set. Each element of this list is a union a priori, following the proposal of Owen. |
| game | Characters to indicate if the game is a cost or profit game. The possible values are "cost" or "profit". |

Value

A vector with the allocation that Owen value (Owen, 1977) proposes.

Author(s)

A. Saavedra-Nieves

References

Owen, G. (1977). Values of games with a priori unions. *Mathematical Economics and Game Theory: Essays in Honor of Oskar Morgenstern* (Eds.: O. Moeschlin R. Hein). Springer, New York.

Examples

```
characteristic_function<-c(1,1,2,1,2,2,2)
Owen_value(characteristic_function,union=list(c(1,2),c(3)),game="cost")
#[1] "Owen Value"
#   1   2   3
# 0.25 0.25 1.5

Shapley_value(characteristic_function,game="cost")
#[1] "Shapley Value"
#       1       2       3
# 0.3333333 0.3333333 1.3333333
```

Shapley_value *Shapley_value (Shapley Value)*

Description

This function gives the Shapley value introduced in Shapley (1953).

Usage

```
Shapley_value(characteristic_function, game = c("profit", "cost"))
```

Arguments

`characteristic_function`
 A vector with the characteristic function $v(S)$ (or $c(S)$, if we work with a cost game), according to the order of coalitions shown in `coalitions` function.

`game`
 Characters to indicate if the game is a cost or profit game. The possible values are "cost" or "profit".

Value

A vector with the allocation that Shapley value (Shapley, 1953) proposes.

Author(s)

A. Saavedra-Nieves

References

Shapley, L.S. (1953). A value for n -person games. In H. Kuhn y A. Tucker (eds), Contributions to the theory of games II, Vol. 28, Annals of Mathematics Studies. Princeton University Press.

Examples

```
characteristic_function<-c(1,1,2,1,2,2,2)

Shapley_value(characteristic_function,game="cost")
#[1] "Shapley Value"
#      1      2      3
# 0.333333 0.333333 1.333333
```


Index

- * **EPM_allocation**
 - EPM_allocation, 4
 - * **EPM**
 - EPM_allocation, 4
 - * **GameTheory**
 - GameTheoryAllocation-package, 2
 - * **coalition**
 - coalitions, 3
 - * **coa**
 - coalitions, 3
 - * **core_allocations**
 - isinthecore, 5
 - * **core**
 - isinthecore, 5
 - * **nucleolusgt**
 - nucleolus, 6
 - * **nucleolus**
 - nucleolus, 6
 - * **owen_value**
 - Owen_value, 7
 - * **owen**
 - Owen_value, 7
 - * **shapley_value**
 - Shapley_value, 8
 - * **shapley**
 - Shapley_value, 8
- coalitions, 3
- EPM_allocation, 4
- GameTheoryAllocation
(GameTheoryAllocation-package),
2
- GameTheoryAllocation-package, 2
- isinthecore, 5
- nucleolus, 6
- Owen_value, 7
- Shapley_value, 8