

Package: HMMextra0s (via r-universe)

August 20, 2024

Type Package

Title Hidden Markov Models with Extra Zeros

Version 1.1.0

Imports mvtnorm, ellipse

Suggests HiddenMarkov

Depends methods

Date 2021-08-02

Author Ting Wang, Wolfgang Hayek, and Alexander Pletzer

Maintainer Ting Wang <ting.wang@otago.ac.nz>

Description Contains functions for hidden Markov models with observations having extra zeros as defined in the following two publications, Wang, T., Zhuang, J., Obara, K. and Tsuruoka, H. (2016) <[doi:10.1111/rssc.12194](https://doi.org/10.1111/rssc.12194)>; Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) <[doi:10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360)>. The observed response variable is either univariate or bivariate Gaussian conditioning on presence of events, and extra zeros mean that the response variable takes on the value zero if nothing is happening. Hence the response is modelled as a mixture distribution of a Bernoulli variable and a continuous variable. That is, if the Bernoulli variable takes on the value 1, then the response variable is Gaussian, and if the Bernoulli variable takes on the value 0, then the response is zero too. This package includes functions for simulation, parameter estimation, goodness-of-fit, the Viterbi algorithm, and plotting the classified 2-D data. Some of the functions in the package are based on those of the R package 'HiddenMarkov' by David Harte. This updated version has included an example dataset and R code examples to show how to transform the data into the objects needed in the main functions. We have also made changes to increase the speed of some of the functions.

LazyData no

ZipData no

License GPL (>= 2)

URL https://www.stats.otago.ac.nz/?people=ting_wang

NeedsCompilation yes

Repository CRAN

Date/Publication 2021-08-03 04:20:05 UTC

Contents

HMMextra0s-package	2
cumdist.hmm0norm	4
hmm0norm	5
hmm0norm2d	7
Kii	10
plotVitloc2d	14
plotVitpath2d	15
sim.hmm0norm	17
sim.hmm0norm2d	18
Viterbi.hmm0norm	19
Viterbi.hmm0norm2d	20

Index [22](#)

HMMextra0s-package	<i>Hidden Markov Models with Extra Zeros Hidden Markov Models (HMMs) with Extra Zeros</i>
--------------------	---

Description

The DESCRIPTION file:

```

Package:      HMMextra0s
Type:         Package
Title:        Hidden Markov Models with Extra Zeros
Version:      1.1.0
Imports:      mvtnorm, ellipse
Suggests:    HiddenMarkov
Depends:      methods
Date:         2021-08-02
Author:       Ting Wang, Wolfgang Hayek, and Alexander Pletzer
Maintainer:   Ting Wang <ting.wang@otago.ac.nz>
Description:  Contains functions for hidden Markov models with observations having extra zeros as defined in the fol
LazyData:    no
ZipData:     no
License:     GPL(>=2)
URL:         https://www.stats.otago.ac.nz/?people=ting_wang

```

Packaged: 2021-08-02 01:56:30 UTC; twang
 NeedsCompilation: yes

Index of help topics:

HMMextra0s-package	Hidden Markov Models with Extra Zeros Hidden Markov Models (HMMs) with Extra Zeros
Kii	Tremor data in the Kii region in 2002 and 2003 for use in function <code>hmm0norm2d</code>
Viterbi.hmm0norm	Viterbi Path of a 1-D HMM with Extra Zeros
Viterbi.hmm0norm2d	Viterbi Path of a Bivariate HMM with Extra Zeros
cumdist.hmm0norm	Cumulative distribution of an HMM with Extra Zeros
hmm0norm	Parameter Estimation of an HMM with Extra Zeros
hmm0norm2d	Parameter Estimation of a bivariate HMM with Extra Zeros
plotVitloc2d	Plot the Classified 2-D Data of a Bivariate HMM With Extra Zeros
plotVitpath2d	Plot the Viterbi Path of a Bivariate HMM With Extra Zeros
sim.hmm0norm	Simulation of a 1-D HMM with Extra Zeros
sim.hmm0norm2d	Simulation of a Bivariate HMM with Extra Zeros

This package contains functions to estimate the parameters of the HMMs with extra zeros using `hmm0norm` (1-D HMM) and `hmm0norm2d` (2-D HMM), to calculate the cumulative distribution of the 1-D HMM using `cumdist.hmm0norm`, to estimate the Viterbi path using `Viterbi.hmm0norm` (1-D HMM) and `Viterbi.hmm0norm2d` (2-D HMM), to simulate this class of models using `sim.hmm0norm` (1-D HMM) and `sim.hmm0norm2d` (2-D HMM), to plot the classified 2-D data with different colours representing different hidden states using `plotVitloc2d`, and to plot the Viterbi path using `plotVitpath2d`.

Details

This package is used to estimate the parameters, carry out simulations, and estimate the Viterbi path for 1-D and 2-D HMMs with extra zeros as defined in the two publications in the reference (also briefly defined below). It contains examples using simulated data for how to set up initial values for a data analysis and how to plot the results.

An HMM is a statistical model in which the observed process is dependent on an unobserved Markov chain. A Markov chain is a sequence of states which exhibits a short-memory property such that the current state of the chain is dependent only on the previous state in the case of a first-order Markov chain. Assume that the Markov chain has m states, where m can be estimated from the data. Let $S_t \in \{1, \dots, m\}$ denote the state of the Markov chain at time t . The probability of a first-order Markov chain in state j at time t given the previous states is $P(S_t = j | S_{t-1}, \dots, S_1) = P(S_t = j | S_{t-1})$. These states are not observable. The observation Y_t at time t depends on the state S_t of the Markov chain.

In this framework, we are interested in estimating the transition probability matrix $\Gamma = (\gamma_{ij})_{m \times m}$ of the Markov chain that describes the migration pattern and the density function $f(y_t|S_t = i)$ that gives the distribution feature of observations in state i , where $\gamma_{ij} = P(S_t = j|S_{t-1} = i)$.

Let Z_t be a Bernoulli variable, with $Z_t = 1$ if an event is present at t , and $Z_t = 0$, otherwise. Let \mathbf{X}_t be the response variable (e.g., location of the tremor cluster in 2D space) at time t . We set $P(Z_t = 0|S_t = i) = 1 - p_i$ and $P(Z_t = 1|S_t = i) = p_i$. We assume that, given $Z_t = 1$ and $S_t = i$, \mathbf{X}_t follows a univariate or bivariate normal distribution, e.g. for a bivariate normal,

$$f(\mathbf{x}_t|Z_t = 1, S_t = i) = \frac{1}{2\pi|\boldsymbol{\Sigma}_i|^{1/2}} \exp\left(-\frac{1}{2}(\mathbf{x}_t - \boldsymbol{\mu}_i)^T \boldsymbol{\Sigma}_i^{-1}(\mathbf{x}_t - \boldsymbol{\mu}_i)\right).$$

The joint probability density function of Z_t and \mathbf{X}_t conditional on the system being in state i at time t is

$$f(\mathbf{x}_t, z_t|S_t = i) = (1 - p_i)^{1-z_t} \left[p_i \frac{1}{2\pi|\boldsymbol{\Sigma}_i|^{1/2}} \exp\left(-\frac{1}{2}(\mathbf{x}_t - \boldsymbol{\mu}_i)^T \boldsymbol{\Sigma}_i^{-1}(\mathbf{x}_t - \boldsymbol{\mu}_i)\right) \right]^{z_t},$$

where p_i , $\boldsymbol{\mu}_i = E(\mathbf{X}_t|S_t = i, Z_t = 1)$ and $\boldsymbol{\Sigma}_i = Var(\mathbf{X}_t|S_t = i, Z_t = 1)$ are parameters to be estimated.

Author(s)

Ting Wang, Wolfgang Hayek, and Alexander Pletzer

Maintainer: Ting Wang <ting.wang@otago.ac.nz>

References

Wang, T., Zhuang, J., Obara, K. and Tsuruoka, H. (2016) Hidden Markov Modeling of Sparse Time Series from Non-volcanic Tremor Observations. *Journal of the Royal Statistical Society, Series C, Applied Statistics*, 66, Part 4, 691-715.

Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) Identifying the recurrence patterns of non-volcanic tremors using a 2D hidden Markov model with extra zeros. *Journal of Geophysical Research*, doi: [10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360).

Some of the functions in the package are based on those of the R package ‘‘HiddenMarkov’’:

Harte, D. (2021) HiddenMarkov: Hidden Markov Models. R package version 1.8-13. URL: <https://cran.r-project.org/package=HiddenMarkov>

cumdist.hmm0norm

Cumulative distribution of an HMM with Extra Zeros

Description

Calculates the cumulative distribution of an HMM with extra zeros.

Usage

cumdist.hmm0norm(x, HMMest)

Arguments

`x` x is a value at which the cumulative distribution is evaluated.

`HMMest` is a list which contains pie, gamma, sig, mu, and delta (the HMM parameter estimates).

Value

`prob` is the calculated cumulative distribution.

Author(s)

Ting Wang

References

Wang, T., Zhuang, J., Obara, K. and Tsuruoka, H. (2016) Hidden Markov Modeling of Sparse Time Series from Non-volcanic Tremor Observations. *Journal of the Royal Statistical Society, Series C, Applied Statistics*, 66, Part 4, 691-715.

Examples

```
pie <- c(0.002,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(0.3,0.7,0.2),nrow=1)
sig <- matrix(c(0.2,0.1,0.1),nrow=1)
delta <- c(1,0,0)
y <- sim.hmm0norm(mu,sig,pie,gamma,delta, nsim=5000)
R <- as.matrix(y$x,ncol=1)
Z <- y$z
HMMEST <- hmm0norm(R, Z, pie, gamma, mu, sig, delta)
xx <- seq(0,1,0.05)
cumdist <- apply(t(xx),2,cumdist.hmm0norm,HMMest=HMMEST)
```

hmm0norm

Parameter Estimation of an HMM with Extra Zeros

Description

Calculates the parameter estimates of a 1-D HMM with observations having extra zeros.

Usage

```
hmm0norm(R, Z, pie, gamma, mu, sig, delta, tol=1e-6, print.level=1, fortran = TRUE)
```

Arguments

R	is the observed data. R is a $T * 1$ matrix, where T is the number of observations.
Z	is the binary data with the value 1 indicating that an event was observed and 0 otherwise. Z is a vector of length T .
pie	is a vector of length m , the j th element of which is the probability of $Z = 1$ when the process is in state j .
gamma	is the transition probability matrix ($m * m$) of the hidden Markov chain.
mu	is a $1 * m$ matrix, the j th element of which is the mean of the (Gaussian) distribution of the observations in state j .
sig	is a $1 * m$ matrix, the j th element of which is the standard deviation of the (Gaussian) distribution of the observations in state j .
delta	is a vector of length m , the initial distribution vector of the Markov chain.
tol	is the tolerance for testing convergence of the iterative estimation process. The default tolerance is 1e-6. For initial test of model fit to your data, a larger tolerance (e.g., 1e-3) should be used to save time.
print.level	controls the amount of output being printed. Default is 1. If <code>print.level=1</code> , only the log likelihoods and the differences between the log likelihoods at each step of the iterative estimation process, and the final estimates are printed. If <code>print.level=2</code> , the log likelihoods, the differences between the log likelihoods, and the estimates at each step of the iterative estimation process are printed.
fortran	is logical, and determines whether Fortran code is used; default is TRUE.

Value

pie	is the estimated probability of $Z = 1$ when the process is in each state.
mu	is the estimated mean of the (Gaussian) distribution of the observations in each state.
sig	is the estimated standard deviation of the (Gaussian) distribution of the observations in each state.
gamma	is the estimated transition probability matrix of the hidden Markov chain.
delta	is the estimated initial distribution vector of the Markov chain.
LL	is the log likelihood.

Author(s)

Ting Wang

References

Wang, T., Zhuang, J., Obara, K. and Tsuruoka, H. (2016) Hidden Markov Modeling of Sparse Time Series from Non-volcanic Tremor Observations. *Journal of the Royal Statistical Society, Series C, Applied Statistics*, 66, Part 4, 691-715.

Examples

```

pie <- c(0.002,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(0.3,0.7,0.2),nrow=1)
sig <- matrix(c(0.2,0.1,0.1),nrow=1)
delta <- c(1,0,0)
y <- sim.hmm0norm(mu,sig,pie,gamma,delta, nsim=5000)
R <- as.matrix(y$x,ncol=1)
Z <- y$z
yn <- hmm0norm(R, Z, pie, gamma, mu, sig, delta)
yn

```

hmm0norm2d

*Parameter Estimation of a bivariate HMM with Extra Zeros***Description**

Calculates the parameter estimates of an HMM with bivariate observations having extra zeros.

Usage

```
hmm0norm2d(R, Z, pie, gamma, mu, sig, delta, tol=1e-6, print.level=1, fortran = TRUE)
```

Arguments

R	is the observed data. R is a $T * 2$ matrix, where T is the number of observations.
Z	is the binary data with the value 1 indicating that an event was observed and 0 otherwise. Z is a vector of length T .
pie	is a vector of length m , the j th element of which is the probability of $Z = 1$ when the process is in state j .
gamma	is the transition probability matrix ($m * m$) of the hidden Markov chain.
mu	is an $m * 2$ matrix, the j th row of which is the mean of the bivariate (Gaussian) distribution of the observations in state j .
sig	is a $2 * 2 * m$ array. The matrix $\text{sig}[, , j]$ is the variance-covariance matrix of the bivariate (Gaussian) distribution of the observations in state j .
delta	is a vector of length m , the initial distribution vector of the Markov chain.
tol	is the tolerance for testing convergence of the iterative estimation process. Default is 1e-6. For initial test of model fit to your data, a larger tolerance (e.g., 1e-3) should be used to save time.
print.level	controls the amount of output being printed. Default is 1. If <code>print.level=1</code> , only the log likelihoods and the differences between the log likelihoods at each step of the iterative estimation process, and the final estimates are printed. If <code>print.level=2</code> , the log likelihoods, the differences between the log likelihoods, and the estimates at each step of the iterative estimation process are printed.

fortran is logical, and determines whether Fortran code is used; default is TRUE.

Details

Setting up initial values for the real world data can be challenging, especially when the model is large (the number of states is big). In the example below, we include a simple way to set up initial values. If the model is large, the model fitting process should be repeated for many different initial values. In the example below, we set the number of initial values to be $N = 2$ for the ease of compilation. For real-world data analysis, taking the 2D model for the tremor data in Wang et al. (2018) for example, we used at least $N = 1000$ initial values for the large models with more than 15 hidden states.

Value

pie	is the estimated probability of $Z = 1$ when the process is in each state.
mu	is the estimated mean of the bivariate (Gaussian) distribution of the observations in each state.
sig	is the estimated variance-covariance matrix of the bivariate (Gaussian) distribution of the observations in each state.
gamma	is the estimated transition probability matrix of the hidden Markov chain.
delta	is the estimated initial distribution vector of the Markov chain.
LL	is the log likelihood.

Author(s)

Ting Wang

References

Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) Identifying the recurrence patterns of non-volcanic tremors using a 2D hidden Markov model with extra zeros. *Journal of Geophysical Research*, doi: [10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360).

Examples

```
pie <- c(0.002,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(35.03,137.01,
              35.01,137.29,
              35.15,137.39),byrow=TRUE,nrow=3)
sig <- array(NA,dim=c(2,2,3))
sig[, ,1] <- matrix(c(0.005, -0.001,
                    -0.001,0.01),byrow=TRUE,nrow=2)
sig[, ,2] <- matrix(c(0.0007,-0.0002,
                    -0.0002,0.0006),byrow=TRUE,nrow=2)
sig[, ,3] <- matrix(c(0.002,0.0018,
                    0.0018,0.003),byrow=TRUE,nrow=2)
```



```

delta <- c(1,0,0)
y <- sim.hmm0norm2d(mu,sig,pie,gamma,delta, nsim=5000)
R <- y$x
Z <- y$z
yn <- hmm0norm2d(R, Z, pie, gamma, mu, sig, delta)
yn

# Setting up initial values when analysing real-world data
## nk is the number of states for the fitted model
### In this example we use nk=3

LL <- -10^200 ## A very small value to compare with
      ## the log likelihood from the model

nk = 3

gamma <- array(NA,dim=c(nk,nk))
mu <- array(NA,dim=c(nk,2))
sig <- array(NA,dim=c(2,2,nk))
pie <- array(NA,dim=c(1,nk))

kk <- 1
N <- 2
while(kk<N)
{
  temp <- matrix(runif(nk*nk,0,1),ncol=nk)
  diag(temp) = diag(temp) + rpois(1,6) * apply(temp, 1, sum)
  temp <- temp * matrix(rep(1/apply(temp, 1, sum), ncol(temp)), ncol=ncol(temp), byrow=FALSE)
  gamma <- temp

  R1min <- min((R[,1])[R[,1]>=1e-6])
  R1max <- max((R[,1])[R[,1]>=1e-6])
  R2min <- min((R[,2])[R[,2]>=1e-6])
  R2max <- max((R[,2])[R[,2]>=1e-6])
  temp <- cbind(runif(nk,R1min,R1max),runif(nk,R2min,R2max))
  temp <- temp[order(temp[,2]),]
  mu <- temp

  sdR1 <- sd((R[,1])[R[,1]>=1e-6])
  sdR2 <- sd((R[,2])[R[,2]>=1e-6])
  for (j in 1:nk){
    temp <- matrix(runif(4,0.0001,max(sdR1,sdR2)), ncol=2)
    temp[1,2] <- temp[2,1] <- runif(1,-1,1)* sqrt(prod(diag(temp)))
    sig[, ,j] <- temp
  }

  pie <- matrix(sort(c(runif(1, 0, 0.01),runif(nk-1, 0, 1))), nrow = 1, byrow = TRUE )

  delta <- c(6,runif(nk-1, 0,1))
  delta <- delta/sum(delta)

tryCatch({
  temp <- hmm0norm2d(R, Z, pie, gamma, mu, sig, delta)

```

```

kk<-kk+1
if( LL <= temp$LL){
  HMMest <- temp
  LL =HMMest$LL
  eval(parse(text=paste('HMM',kk,'est = HMMest',sep="")))
#   eval(parse(text=paste('save(HMM',kk,'est, file="HMM',kk,'est.image")',sep='')))
## Uncomment the line above if you would like to save the result into a .image file.
  }
}, error=function(e){})
print(kk)
}

```

Kii	<i>Tremor data in the Kii region in 2002 and 2003 for use in function <code>hmm0norm2d</code></i>
-----	---

Description

A data frame containing a subset (in years 2002 and 2003) of Kii tremor data used in Wang et al. (2018). The columns are named "year", "month", "day", "hour", "lat", "lon".

We provide some R code in the Examples below for how to convert this dataset into the variables R and Z used in the function `hmm0norm2d`. This dataset can be obtained directly from the Slow Earthquake Database <http://www-solid.eps.s.u-tokyo.ac.jp/~sloweq/>.

If you have your own way to convert the data into the variables R and Z, then you can go to the function `hmm0norm2d` directly.

Usage

```
data(Kii)
```

Format

A data frame with 1112 rows, each row representing the hour in which tremor events occurred. It contains the following variables:

year, month, day, hour time of tremor occurrence.

lat latitude of the tremor event in that hour.

lon longitude of the tremor event in that hour.

References

Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) Identifying the recurrence patterns of non-volcanic tremors using a 2D hidden Markov model with extra zeros. *Journal of Geophysical Research*, doi: [10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360). Obara, K., Tanaka, S., Maeda, T., & Matsuzawa, T. (2010) Depth-dependent activity of non-volcanic tremor in southwest Japan, *Geophysical Research Letters*, 37, L13306. doi: [10.1029/2010GL043679](https://doi.org/10.1029/2010GL043679). Maeda, T., & Obara, K. (2009) Spatio-temporal distribution of seismic energy radiation from low-frequency tremor in western Shikoku, Japan, *J. Geophys. Res.*, 114, B00A09, doi: [10.1029/2008JB006043](https://doi.org/10.1029/2008JB006043).

See Also[hmm0norm2d](#)**Examples**

```

data(Kii)
year <- Kii$year
month <- Kii$month
day <- Kii$day
hour <- Kii$hour
lat <- Kii$lat
lon <- Kii$lon

## Transform the time into days*100+hour. Can use other transformation.
## The purpose is to make sure that each hour of a day has a unique number.
xd <- NULL
for (i in 1:nrow(Kii))
  xd[i] <- julian(as.Date(paste(year[i],month[i],day[i],sep="-")))*100+hour[i]

## Create a unique number for each hour in the years 2002 and 2003
## This is to match with xd above, so that we can create the Z variable
## which is 0 for the hours without any tremor occurrence and
## 1 for the hours with tremor events.
a <- seq( julian(as.Date("2002-01-01")), julian(as.Date("2002-12-31")), 1 )*100
b <- seq( julian(as.Date("2003-01-01")), julian(as.Date("2003-12-31")), 1 )*100
aa <- rep(a,each=24)+rep(0:23,times=length(a))
bb <- rep(b,each=24)+rep(0:23,times=length(b))

## Combine all the tremor events which occurred
## in the same hour to be one tremor cluster.
## Kii has maximum 4 events in the same hour
## so we used the code below.
## One can adjust the code for regions with more
## tremor events in the same hour.
## indt: actual time as in each hour
Time <- c(aa,bb)
lt <- length(Time)
indt <- 1:lt

Tim <- Lat <- Lon <- NULL
j <- 1
while (j <= nrow(Kii)-3){
  i <- j
  if (xd[i+3]==xd[i] & xd[i+2]==xd[i] & xd[i+1]==xd[i]){
    Tim <- append(Tim,xd[i])
    Lat <- append(Lat,mean(lat[i:(i+3)]))
    Lon <- append(Lon,mean(lon[i:(i+3)]))
    j <- i+4
  }else{
    if (xd[i+2]==xd[i] & xd[i+1]==xd[i]){
      Tim <- append(Tim,xd[i])
      Lat <- append(Lat,mean(lat[i:(i+2)]))
    }
  }
}

```

```

        Lon <- append(Lon,mean(lon[i:(i+2)]))
        j <- i+3
      }else{
        if (xd[i+1]==xd[i]){
          Tim <- append(Tim,xd[i])
          Lat <- append(Lat,mean(lat[i:(i+1)]))
          Lon <- append(Lon,mean(lon[i:(i+1)]))
          j <- i+2
        }else{
          Tim <- append(Tim,xd[i])
          Lat <- append(Lat,lat[i])
          Lon <- append(Lon,lon[i])
          j <- i+1
        }
      }
    }
  }
}
Tim <- append(Tim,xd[(nrow(Kii)-1):nrow(Kii)])
Lat <- append(Lat,lat[(nrow(Kii)-1):nrow(Kii)])
Lon <- append(Lon,lon[(nrow(Kii)-1):nrow(Kii)])

## Create a data frame in which each hour is a point
## Those hours when there was no tremor, we set the
## number of tremors as 0

data1 <- array(0,dim=c(lt,3))
Thour <- NULL
for (i in 1:length(Tim)){
  use <- Time==Tim[i]
  idtem <- (1:lt)[use]
  Thour <- append(Thour,idtem)
  data1[idtem,2] <- Lat[i]
  data1[idtem,3] <- Lon[i]
}
data1[,1] <- indt ## Every hour is one time point

#####
##### Data for time series analysis #####
#####

lt <- length(indt)
Z <- rep(0,lt)
Z[Thour] <- 1
R <- data1[,2:3]

#####
# Setting up initial values for analysing real-world data
## nk is the number of states for the fitted model
### In this example we use nk=3
#####

LL <- -10^200 ## A very small value to compare with
## the log likelihood from the model

```

```

nk = 3

gamma <- array(NA,dim=c(nk,nk))
mu <- array(NA,dim=c(nk,2))
sig <- array(NA,dim=c(2,2,nk))
pie <- array(NA,dim=c(1,nk))

kk <- 1
N <- 2
while(kk<N)
{
  temp <- matrix(runif(nk*nk,0,1),ncol=nk)
  diag(temp) = diag(temp) + rpois(1,6) * apply(temp, 1, sum)
  temp <- temp * matrix(rep(1/apply(temp, 1, sum), ncol(temp)), ncol=ncol(temp), byrow=FALSE)
  gamma <- temp

  R1min <- min((R[,1])[R[,1]>=1e-6])
  R1max <- max((R[,1])[R[,1]>=1e-6])
  R2min <- min((R[,2])[R[,2]>=1e-6])
  R2max <- max((R[,2])[R[,2]>=1e-6])
  temp <- cbind(runif(nk,R1min,R1max),runif(nk,R2min,R2max))
  temp <- temp[order(temp[,2]),]
  mu <- temp

  sdR1 <- sd((R[,1])[R[,1]>=1e-6])
  sdR2 <- sd((R[,2])[R[,2]>=1e-6])
  for (j in 1:nk){
    temp <- matrix(runif(4,0.0001,max(sdR1,sdR2)), ncol=2)
    temp[1,2] <- temp[2,1] <- runif(1,-1,1)* sqrt(prod(diag(temp)))
    sig[, ,j] <- temp
  }

  pie <- matrix(sort(c(runif(1, 0, 0.01),runif(nk-1, 0, 1))), nrow = 1, byrow = TRUE )

  delta <- c(6,runif(nk-1, 0,1))
  delta <- delta/sum(delta)

  tryCatch({
    temp <- hmm0norm2d(R, Z, pie, gamma, mu, sig, delta)
    kk<-kk+1
    if( LL <= temp$LL){
      HMMest <- temp
      LL =HMMest$LL
      eval(parse(text=paste('HMM',kk,'est = HMMest',sep="")))
      # eval(parse(text=paste('save(HMM',kk,'est, file="HMM',kk,'est.image")',sep='')))
      ## Uncomment the line above if you would like to save the result into a .image file.
    }
  }, error=function(e){})
  print(kk)
}

```

plotVitloc2d

Plot the Classified 2-D Data of a Bivariate HMM With Extra Zeros

Description

Plot the classified 2-D data with different colours representing different hidden states (or different clusters) obtained from the Viterbi path and confidence contours.

Usage

```
plotVitloc2d(object, R, Z, HMMest, CI.level=0.95, npoints=100, cols=NA,
cex.lab=1.5, cex.axis=1.5, cex=1, cex.text=2)
```

Arguments

object	is a list containing y (the estimated Viterbi path) and v (the estimated probability of each time point being in each state). This object is returned from running <code>Viterbi.hmm0norm2d(R, Z, HMMest)</code> .
R	is the observed data. R is a $T * 2$ matrix, where T is the number of observations.
Z	is the binary data with the value 1 indicating that an event was observed and 0 otherwise. Z is a vector of length T .
HMMest	is a list which contains pie, gamma, sig, mu, and delta (the bivariate HMM parameter estimates).
CI.level	is a scalar or a vector, the confidence level for the ellipse contour of each state. Default is 0.95.
npoints	is the number of points used in the ellipse. Default is 100.
cols	is a vector defines the colors to be used for different states. If col=NA, then the default colors will be used.
cex.lab	specifies the size of the axis label text.
cex.axis	specifies the size of the tick label numbers/text.
cex	specifies the size of the points.
cex.text	specifies the size of the text indicting the state number.

Author(s)

Ting Wang and Jiancang Zhuang

References

Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) Identifying the recurrence patterns of non-volcanic tremors using a 2D hidden Markov model with extra zeros. *Journal of Geophysical Research*, doi: [10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360).

Examples

```

pie <- c(0.008,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(35.03,137.01,
              35.01,137.29,
              35.15,137.39),byrow=TRUE,nrow=3)
sig <- array(NA,dim=c(2,2,3))
sig[, ,1] <- matrix(c(0.005, -0.001,
                    -0.001,0.01),byrow=TRUE,nrow=2)
sig[, ,2] <- matrix(c(0.0007,-0.0002,
                    -0.0002,0.0006),byrow=TRUE,nrow=2)
sig[, ,3] <- matrix(c(0.002,0.0018,
                    0.0018,0.003),byrow=TRUE,nrow=2)
delta <- c(1,0,0)
y <- sim.hmm0norm2d(mu,sig,pie,gamma,delta, nsim=5000)
R <- y$x
Z <- y$z
HMMEST <- hmm0norm2d(R, Z, pie, gamma, mu, sig, delta)
Viterbi3 <- Viterbi.hmm0norm2d(R,Z,HMMEST)
plotVitloc2d(Viterbi3, R, Z,HMMEST)

```

plotVitpath2d

Plot the Viterbi Path of a Bivariate HMM With Extra Zeros

Description

Plot the 2-D data, Viterbi path and the probability of each time point being in each state over time.

Usage

```

plotVitpath2d(object, R, Z, HMMest, len.dat=96432, varb=8780,
              yearstart=2005, yearend=2012, cols=NA, cex.lab=1.5, cex.axis=1.5)

```

Arguments

object	is a list containing y (the estimated Viterbi path) and v (the estimated probability of each time point being in each state). This object is returned from running <code>Viterbi.hmm0norm2d(R, Z, HMMest)</code> .
R	is the observed data. R is a $T * 2$ matrix, where T is the number of observations.
Z	is the binary data with the value 1 indicating that an event was observed and 0 otherwise. Z is a vector of length T .
HMMest	is a list which contains pie, gamma, sig, mu, and delta (the bivariate HMM parameter estimates).
len.dat	is the length of the data, that is, the number of time points. Default is 96432.

varb	is an integer indicating the length of data that will be plotted on each page. The default is 8780.
yearstart	is the starting year of the data used. Default is 2005.
yearend	is the end year of the data used. Default is 2012.
cols	is a vector defines the colors to be used for different states. If col=NA, then the default colors will be used.
cex.lab	specifies the size of the axis label text.
cex.axis	specifies the size of the tick label numbers/text.

Details

The returned object has four panels. Top two panels: Observed latitudes and longitudes with the center $\hat{\mu}_i$ of each state overlaid as the red lines; third panel: tracked most likely state sequence of the HMM; bottom panel: the estimated probability of the data being in each state, with blank representing the probability of being in the last state (typically the plot looks better if the last state represents the background state with the minimum proportion of tremor occurrence). Some example plots are in the supplementary file of the reference Wang et al. (2018).

Author(s)

Ting Wang and Jiancang Zhuang

References

Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) Identifying the recurrence patterns of non-volcanic tremors using a 2D hidden Markov model with extra zeros. *Journal of Geophysical Research*, doi: [10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360).

Examples

```
pie <- c(0.008,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(35.03,137.01,
              35.01,137.29,
              35.15,137.39),byrow=TRUE,nrow=3)
sig <- array(NA,dim=c(2,2,3))
sig[, ,1] <- matrix(c(0.005, -0.001,
                    -0.001,0.01),byrow=TRUE,nrow=2)
sig[, ,2] <- matrix(c(0.0007,-0.0002,
                    -0.0002,0.0006),byrow=TRUE,nrow=2)
sig[, ,3] <- matrix(c(0.002,0.0018,
                    0.0018,0.003),byrow=TRUE,nrow=2)
delta <- c(1,0,0)
y <- sim.hmm0norm2d(mu,sig,pie,gamma,delta, nsim=5000)
R <- y$x
Z <- y$z
HMVEST <- hmm0norm2d(R, Z, pie, gamma, mu, sig, delta)
Viterbi3 <- Viterbi.hmm0norm2d(R,Z,HMVEST)
```



```
plotVitpath2d(Viterbi3, R, Z, HMEST, len.dat=5000, varb=5000, yearstart=2005, yearend=2005)
```

 sim.hmm0norm

Simulation of a 1-D HMM with Extra Zeros

Description

Simulates the observed process and the associated binary variable of a 1-D HMM with extra zeros.

Usage

```
sim.hmm0norm(mu, sig, pie, gamma, delta, nsim = 1, seed = NULL)
```

Arguments

pie	is a vector of length m , the j th element of which is the probability of $Z = 1$ when the process is in state j .
gamma	is the transition probability matrix ($m * m$) of the hidden Markov chain.
mu	is a $1 * m$ matrix, the j th element of which is the mean of the (Gaussian) distribution of the observations in state j .
sig	is a $1 * m$ matrix, the j th element of which is the standard deviation of the (Gaussian) distribution of the observations in state j .
delta	is a vector of length m , the initial distribution vector of the Markov chain.
nsim	is an integer, the number of observations to simulate.
seed	is the seed for simulation. Default seed=NULL.

Value

x	is the simulated observed process.
z	is the simulated binary data with the value 1 indicating that an event was observed and 0 otherwise.
mcy	is the simulated hidden Markov chain.

Author(s)

Ting Wang

References

Wang, T., Zhuang, J., Obara, K. and Tsuruoka, H. (2016) Hidden Markov Modeling of Sparse Time Series from Non-volcanic Tremor Observations. *Journal of the Royal Statistical Society, Series C, Applied Statistics*, 66, Part 4, 691-715.

Examples

```
pie <- c(0.002,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(0.3,0.7,0.2),nrow=1)
sig <- matrix(c(0.2,0.1,0.1),nrow=1)
delta <- c(1,0,0)
y <- sim.hmm0norm(mu,sig,pie,gamma,delta, nsim=5000)
```

 sim.hmm0norm2d

Simulation of a Bivariate HMM with Extra Zeros

Description

Simulates the observed process and the associated binary variable of a bivariate HMM with extra zeros.

Usage

```
sim.hmm0norm2d(mu, sig, pie, gamma, delta, nsim = 1, mc.hist = NULL, seed = NULL)
```

Arguments

pie	is a vector of length m , the j th element of which is the probability of $Z = 1$ when the process is in state j .
gamma	is the transition probability matrix ($m * m$) of the hidden Markov chain.
mu	is an $m * 2$ matrix, the j th row of which is the mean of the bivariate (Gaussian) distribution of the observations in state j .
sig	is a $2 * 2 * m$ array. The matrix <code>sig[, , j]</code> is the variance-covariance matrix of the bivariate (Gaussian) distribution of the observations in state j .
delta	is a vector of length m , the initial distribution vector of the Markov chain.
nsim	is an integer, the number of observations to simulate.
mc.hist	is a vector containing the history of the hidden Markov chain. This is mainly used for forecasting. If we fit an HMM to the data, and obtained the Viterbi path for the data, we can let <code>mc.hist</code> equal to the Viterbi path and then forecast future steps by simulation.
seed	is the seed for simulation. Default <code>seed=NULL</code> .

Value

x	is the simulated observed process.
z	is the simulated binary data with the value 1 indicating that an event was observed and 0 otherwise.
mcy	is the simulated hidden Markov chain.

Author(s)

Ting Wang

References

Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) Identifying the recurrence patterns of non-volcanic tremors using a 2D hidden Markov model with extra zeros. *Journal of Geophysical Research*, doi: [10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360).

Examples

```
## Simulating a sequence of data without using any history.
pie <- c(0.002,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(35.03,137.01,
              35.01,137.29,
              35.15,137.39),byrow=TRUE,nrow=3)
sig <- array(NA,dim=c(2,2,3))
sig[, ,1] <- matrix(c(0.005, -0.001,
                    -0.001,0.01),byrow=TRUE,nrow=2)
sig[, ,2] <- matrix(c(0.0007,-0.0002,
                    -0.0002,0.0006),byrow=TRUE,nrow=2)
sig[, ,3] <- matrix(c(0.002,0.0018,
                    0.0018,0.003),byrow=TRUE,nrow=2)
delta <- c(1,0,0)
y <- sim.hmm0norm2d(mu,sig,pie,gamma,delta, nsim=5000)

## Forecast future tremor occurrences and locations when tremor occurs.
R <- y$x
Z <- y$z
HMMEST <- hmm0norm2d(R, Z, pie, gamma, mu, sig, delta)
Viterbi3 <- Viterbi.hmm0norm2d(R,Z,HMMEST)
y <- sim.hmm0norm2d(mu,sig,pie,gamma,delta,nsim=2,mc.hist=Viterbi3$y)
# This only forecasts two steps forward when we use nsim=2.
# One can increase nsim to get longer simulated forecasts.
```

Viterbi.hmm0norm

Viterbi Path of a 1-D HMM with Extra Zeros

Description

Finds the most probable sequence of hidden states of an observed process.

Usage

```
Viterbi.hmm0norm(R, Z, HMMest)
```

Arguments

R	is the observed data. R is a $T * 1$ matrix, where T is the number of observations.
Z	is the binary data with the value 1 indicating that an event was observed and 0 otherwise. Z is a vector of length T .
HMMest	is a list which contains pie, gamma, sig, mu, and delta (the HMM parameter estimates).

Value

y	is the estimated Viterbi path.
v	is the estimated probability of each time point being in each state.

Author(s)

Ting Wang

References

Wang, T., Zhuang, J., Obara, K. and Tsuruoka, H. (2016) Hidden Markov Modeling of Sparse Time Series from Non-volcanic Tremor Observations. *Journal of the Royal Statistical Society, Series C, Applied Statistics*, 66, Part 4, 691-715.

Examples

```
pie <- c(0.002,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(0.3,0.7,0.2),nrow=1)
sig <- matrix(c(0.2,0.1,0.1),nrow=1)
delta <- c(1,0,0)
y <- sim.hmm0norm(mu,sig,pie,gamma,delta, nsim=5000)
R <- as.matrix(y$x,ncol=1)
Z <- y$z
HMMEST <- hmm0norm(R, Z, pie, gamma, mu, sig, delta)
Viterbi3 <- Viterbi.hmm0norm(R,Z,HMMEST)
```

Viterbi.hmm0norm2d *Viterbi Path of a Bivariate HMM with Extra Zeros*

Description

Finds the most probable sequence of hidden states of an observed process of a bivariate HMM with extra zeros.

Usage

```
Viterbi.hmm0norm2d(R, Z, HMMest)
```

Arguments

R	is the observed data. R is a $T * 2$ matrix, where T is the number of observations.
Z	is the binary data with the value 1 indicating that an event was observed and 0 otherwise. Z is a vector of length T .
HMMest	is a list which contains pie, gamma, sig, mu, and delta (the bivariate HMM parameter estimates).

Value

y	is the estimated Viterbi path.
v	is the estimated probability of each time point being in each state.

Author(s)

Ting Wang

References

Wang, T., Zhuang, J., Buckby, J., Obara, K. and Tsuruoka, H. (2018) Identifying the recurrence patterns of non-volcanic tremors using a 2D hidden Markov model with extra zeros. *Journal of Geophysical Research*, doi: [10.1029/2017JB015360](https://doi.org/10.1029/2017JB015360).

Examples

```
pie <- c(0.002,0.2,0.4)
gamma <- matrix(c(0.99,0.007,0.003,
                 0.02,0.97,0.01,
                 0.04,0.01,0.95),byrow=TRUE, nrow=3)
mu <- matrix(c(35.03,137.01,
              35.01,137.29,
              35.15,137.39),byrow=TRUE,nrow=3)
sig <- array(NA,dim=c(2,2,3))
sig[, ,1] <- matrix(c(0.005, -0.001,
                    -0.001,0.01),byrow=TRUE,nrow=2)
sig[, ,2] <- matrix(c(0.0007,-0.0002,
                    -0.0002,0.0006),byrow=TRUE,nrow=2)
sig[, ,3] <- matrix(c(0.002,0.0018,
                    0.0018,0.003),byrow=TRUE,nrow=2)
delta <- c(1,0,0)
y <- sim.hmm0norm2d(mu,sig,pie,gamma,delta, nsim=5000)
R <- y$x
Z <- y$z
HMMEST <- hmm0norm2d(R, Z, pie, gamma, mu, sig, delta)
Viterbi3 <- Viterbi.hmm0norm2d(R,Z,HMMEST)
```

Index

- * **2-D classification**
 - plotVitloc2d, [14](#)
 - plotVitpath2d, [15](#)
 - * **Viterbi**
 - plotVitloc2d, [14](#)
 - plotVitpath2d, [15](#)
 - * **datasets**
 - Kii, [10](#)
 - * **goodness-of-fit**
 - cumdist.hmm0norm, [4](#)
 - * **inversion**
 - Viterbi.hmm0norm, [19](#)
 - Viterbi.hmm0norm2d, [20](#)
 - * **methods**
 - hmm0norm, [5](#)
 - hmm0norm2d, [7](#)
 - * **optimize**
 - hmm0norm, [5](#)
 - hmm0norm2d, [7](#)
 - * **package**
 - HMMextra0s-package, [2](#)
 - * **plot**
 - plotVitloc2d, [14](#)
 - plotVitpath2d, [15](#)
 - * **simulation**
 - sim.hmm0norm, [17](#)
 - sim.hmm0norm2d, [18](#)
- cumdist.hmm0norm, [3, 4](#)
- hmm0norm, [3, 5](#)
- hmm0norm2d, [3, 7, 10, 11](#)
- HMMextra0s (HMMextra0s-package), [2](#)
- HMMextra0s-package, [2](#)
- Kii, [10](#)
- plotVitloc2d, [3, 14](#)
- plotVitpath2d, [15](#)
- sim.hmm0norm, [3, 17](#)
- sim.hmm0norm2d, [3, 18](#)
- Viterbi.hmm0norm, [3, 19](#)
- Viterbi.hmm0norm2d, [3, 20](#)