

Package: ISOweek (via r-universe)

August 31, 2024

Type Package

Title Week of the year and weekday according to ISO 8601

Version 0.6-2

Date 2011-09-07

Author Uwe Block <u.block.mz@googlemail.com>, using an algorithm by
Hatto von Hatzfeld <hatto@salesianer.de>

Maintainer Uwe Block <u.block.mz@googlemail.com>

Imports stringr

Suggests testthat

Description This is an substitute for the %V and %u formats which are
not implemented on Windows. In addition, the package offers
functions to convert from standard calender format yyyy-mm-dd
to and from ISO 8601 week format yyyy-Www-d.

License GPL (>= 2)

LazyLoad yes

Collate 'ISOweek.R' 'ISOweekday.R' 'date2ISOweek.R' 'ISOweek2date.R'
'ISOweek-internal.R'

Repository CRAN

Date/Publication 2011-09-07 07:25:10

Contents

date2ISOweek	2
ISOweek	3
ISOweek2date	4
ISOweekday	5

Index	6
--------------	----------

date2ISOweek	<i>Converts date from standard notation to week notation according to ISO 8601</i>
--------------	--

Description

This function returns the year, the week of the year, and the day of week of a given date according to ISO 8601. It is an substitute for the %Y-W%V-%u format which is not implemented on Windows.

Usage

```
date2ISOweek(date)
```

Arguments

date Vector which can be coerced to class Date

Details

According to ISO 8601, the year of the week can differ from the calendar year (see the examples).

Value

A character vector of year, week, and weekday in format "%Y-W%V-%u"

Author(s)

Uwe Block <u.block.mz@googlemail.com>

See Also

[strptime](#) for a description of the date formats and references on ISO 8601.

Examples

```
x <- paste(1999:2011, "-12-31", sep = "")
y <- as.Date(x)
data.frame(date = format(y), weekdate = date2ISOweek(y))
data.frame(date = x, weekdate = date2ISOweek(x))
```

ISOweek	<i>Week of the year according to ISO 8601</i>
---------	---

Description

This function returns the year and the week of the year of a given date according to ISO 8601. It is an substitute for the %Y-W%V format which is not implemented on Windows.

Usage

```
ISOweek(date)
```

Arguments

date Vector which can be coerced to class Date

Details

According to ISO 8601, the year of the week can differ from the calendar year (see the examples).

Value

A character vector of year and week in format "%Y-W%V"

Author(s)

Hatto von Hatzfeld <hatto@salesianer.de>, adopted to R by Uwe Block <u.block.mz@googlemail.com>

References

<http://www.salesianer.de/util/kalwoch.html>

See Also

[strptime](#) for a description of the date formats and references on ISO 8601. [isoWeekYear](#) for an alternative implementation.

Examples

```
x <- paste(1999:2011, "-12-31", sep = "")
y <- as.Date(x)
data.frame(date = format(y), week = ISOweek(y))
data.frame(date = x, week = ISOweek(x))
```

ISOweek2date	<i>Converts date from week notation according to ISO 8601 to standard notation</i>
--------------	--

Description

This function returns the date of a given weekdate (year, week of the year, day of week according to ISO 8601). It is the inverse function to date2ISOweek.

Usage

```
ISOweek2date(weekdate)
```

Arguments

weekdate A character vector of year, week, and weekday in format "%Y-W%-%u"

Details

According to ISO 8601, the year of the week can differ from the calendar year (see the examples).

Value

A vector of class Date

Author(s)

Uwe Block <u.block.mz@googlemail.com>

See Also

[strptime](#) for a description of the date formats and references on ISO 8601.

Examples

```
w <- paste("2009-W53", 1:7, sep = "-")
data.frame(weekdate = w, date = ISOweek2date(w))
# convert from calendar date to week date and back to calendar date
x <- paste(1999:2011, "-12-31", sep = "")
w <- date2ISOweek(x)
d <- ISOweek2date(w)
data.frame(date = x, weekdate = w, date2 = d)
```

ISOweekday

Day of week according to ISO 8601

Description

This function returns the weekday of a given date according to ISO 8601. It is an substitute for the "%u" format which is not implemented on Windows.

Usage

```
ISOweekday(date)
```

Arguments

date Vector which can be coerced to class Date

Value

An integer vector of weekdays (1-7, Monday is 1)

Author(s)

Uwe Block <u.block.mz@googlemail.com>

See Also

[strptime](#)

Examples

```
x <- paste(1999:2011, "-12-31", sep = "")
y <- as.Date(x)
data.frame(date = format(y), weekday = ISOweekday(y))
data.frame(date = x, weekday = ISOweekday(x))
```

Index

`date2ISOweek`, [2](#)

`ISOweek`, [3](#)

`ISOweek2date`, [4](#)

`ISOweekday`, [5](#)

`isoWeekYear`, [3](#)

`strptime`, [2–5](#)