

# Package: LARF (via r-universe)

August 26, 2024

**Type** Package

**Title** Local Average Response Functions for Instrumental Variable  
Estimation of Treatment Effects

**Version** 1.4

**Date** 2016-07-25

**Author** Weihua An and Xuefu Wang, Indiana University Bloomington

**Maintainer** Weihua An <weihuaan@indiana.edu>

**Description** Provides instrumental variable estimation of treatment effects when both the endogenous treatment and its instrument are binary. Applicable to both binary and continuous outcomes.

**Imports** Formula

**License** GPL-3

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-07-26 12:04:14

## Contents

c401k . . . . .	2
cvlm . . . . .	3
Generate.Powers . . . . .	4
larf . . . . .	4
larf.fit . . . . .	7
npse . . . . .	8
predict.larf . . . . .	9
print.larf . . . . .	10
summary.larf . . . . .	11
vcov.larf . . . . .	11

<b>Index</b>	<b>13</b>
--------------	-----------

---

c401k

c401k

---

### Description

Cross-sectional data with 9,275 observations including 11 variables on eligibility for and participation in 401(k) along with income and demographic information.

### Usage

```
data(c401k)
```

### Format

```
pira participation in IRA, participation = 1  
nettfa net family financial assets in $1000  
p401k participation in 401(k), participation = 1  
e401k eligibility for 401(k), eligible = 1  
inc income  
incsq income square  
marr marital status, married = 1  
male sex, male = 1  
age age  
agesq age square  
fsize family size
```

### Details

An exemplary data to illustrate the usage of `larf`. The data includes both a binary outcome (`pira`) and a continuous outcome (`nettfa`). The treatment is participation in 401k, `p401k`. Eligibility for 401(k), `e401k`, is used as an instrument for `p401k`.

### Source

The Wooldridge Data Sets (Wooldridge 2010), originally entitled "401ksubs.dta" in Stata format, available at <http://www.stata.com/texts/eacsap/>.

### References

Wooldridge, Jeffrey M. 2010. *Econometric Analysis of Cross Section and Panel Data*. 2nd Edition. MIT Press.

### See Also

[larf](#), [larf.fit](#)

**Examples**

```
data(c401k)
```

---

cvlm

*Cross-validation of a Linear Regression Model*

---

**Description**

Provides cross-validation of a linear regression model

**Usage**

```
cvlm(form.lm, data, m=10, seed = NULL)
```

**Arguments**

form.lm	formula of the regression model.
data	data including outcome and covaraites.
m	the number of folds to be used in cross-validation.
seed	random starting number used to replicate cross-validation.

**Details**

This function finds the optimal order of the covariates power series through cross-validation.

**Value**

sumres	Sum of residual squares divided by degree of freedom.
df	Degree of freedom which equals to the number of valid predictions minus the number of parameters.
m	the number of folds to be used in cross-validation.
seed	The random seed.

**Note**

In making the code, we adopted part of the CVlm in DAAG (Maindonald and Braun, 2015).

<https://cran.r-project.org/package=DAAG>

**Author(s)**

Weihua An, Departments of Sociology and Statistics, Indiana University Bloomington, <weihuaan@indiana.edu>.  
Xuefu Wang, Department of Statistics, Indiana University Bloomington, <wangxuef@umail.iu.edu>.

**See Also**

[larf](#), [npse](#)

---

Generate.Powers	<i>Generating Powers Series of Variables</i>
-----------------	--

---

**Description**

Internal function used by [npse](#) to generate covariates power series.

**Usage**

```
Generate.Powers(X, lambda)
```

**Arguments**

X	covariates.
lambda	the maximal order of power series.

**Author(s)**

Weihua An, Departments of Statistics and Sociology, Indiana University Bloomington, <weihuaan@indiana.edu>.  
Xuefu Wang, Department of Statistics, Indiana University Bloomington, <wangxuef@umail.iu.edu>.

**See Also**

[larf](#), [npse](#)

---

larf	<i>Local Average Response Functions for Instrumental Variable Estimation of Treatment Effects</i>
------	---

---

**Description**

The function provides instrumental variable estimation of treatment effects when both the endogenous treatment and its instrument are binary. Applicable to both binary and continuous outcomes.

**Usage**

```
larf(formula, treatment, instrument, data, method = "LS",  
      AME = FALSE, optimizer = "Nelder-Mead", zProb = NULL)
```

## Arguments

formula	specification of the outcome model in the form like either $y \sim x_1 + x_2$ or $y \sim X$ where $X$ is a matrix containing all the covariates excluding the treatment. Also support multi-part formulas (Zeileis and Croissant, 2010). For example, $y + d \sim x_1 + x_2 \mid z$ , where $d$ represents the treatment and $z$ the instrument.
treatment	A vector containing the binary treatment.
instrument	A vector containing the binary instrument for the endogenous treatment.
data	an optional data frame. If unspecified, the data will be taken from the working environment.
method	the estimation method to be used. The default is "LS", standing for least squares. "ML", standing for maximum likelihood, is an alternative.
AME	whether average marginal effects (AME) should be reported. The default is FALSE, in which case marginal effects at the means (MEM) are reported.
optimizer	the optimization algorithm for the ML method. It should be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B", "SANN", or "Brent". See <code>optim</code> in R for more detail.
zProb	a vector containing the probability of receiving the treatment inducement (i.e., <code>instrument = 1</code> ) that have been estimated by semiparametrical methods.

## Details

`larf` is the high-level interface to the work-horse function `larf.fit`. A set of standard methods (including `print`, `summary`, `coef`, `vcov`, `fitted`, `resid`, `predict`) can be used to extract the corresponding information from a `larf` object.

The function provides instrumental variable estimation of treatment effects when both the endogenous treatment and its instrument (i.e., the treatment inducement) are binary. The method (Abadie, 2003) involves two steps. First, pseudo-weights are constructed from the probability of receiving the treatment inducement. By default the function estimates the probability by a Probit regression. But it also allows users to employ the probability that has been estimated by semiparametric methods. Second, the pseudo-weights are used to estimate the local average response function of the outcome conditional on the treatment and covariates. The function provides both least squares and maximum likelihood estimates of the conditional treatment effects.

## Value

<code>coefficients</code>	Estimated coefficients.
<code>SE</code>	Standard errors of the estimated coefficients.
<code>MargEff</code>	Estimated marginal effects, available only for binary outcomes.
<code>MargStdErr</code>	Standard errors of the estimated marginal effects, available only for binary outcomes.
<code>vcov</code>	Variance covariance matrix of the estimated coefficients.
<code>fitted.values</code>	Predicted outcomes based on the estimated model. They are probabilities when the outcome is binary.

**Note**

We derived part of the code from the Matlab code written by Professor Alberto Abadie, available at <http://www.hks.harvard.edu/fs/aabadie/larf.html>. We thank Onur Altindag and Behzad Kianian for helpful suggestions on improving the computation.

**Author(s)**

Weihua An, Departments of Sociology and Statistics, Indiana University Bloomington, <weihuaan@indiana.edu>. Xuefu Wang, Department of Statistics, Indiana University Bloomington, <wangxuefu@mail.iu.edu>.

**References**

Abadie, Alberto. 2003. "Semiparametric Instrumental Variable Estimation of Treatment Response Models." *Journal of Econometrics* 113: 231-263.

An, Weihua and Xuefu Wang. 2016. "LARF: Instrumental Variable Estimation of Causal Effects through Local Average Response Functions." *Journal of Statistical Software* 71(1): 1-13.

Zeileis, Achim and Yves Croissant. 2010. "Extended Model Formulas in R: Multiple Parts and Multiple Responses." *Journal of Statistical Software* 34(1): 1-13. <http://www.jstatsoft.org/v34/i01/>.

**See Also**

[larf.fit, c401k](#)

**Examples**

```
data(c401k)
attach(c401k)

## Not run:
# Continuous outcome. Treatment effects of participation in 401(k)
# on net family financial assest
est1 <- larf(netffa ~ inc + age + agesq + marr + fsize, treatment = p401k,
instrument = e401k, data = c401k)
summary(est1)

# Nonparametric estimates of the probability of
# receiving the treatment inducement
library(mgcv)
firstStep <- gam(e401k ~ s(inc) + s(age) + s(agesq) + marr + s(fsize),
data=c401k, family=binomial(link = "probit"))
zProb <- firstStep$fitted
est2<- larf(netffa ~ inc + age + agesq + marr + fsize, treatment = p401k,
instrument = e401k, data = c401k, zProb = zProb)
summary(est2)

# Binary outcome. Treatment effects of participation in 401(k)
# on participation in IRA
est3 <- larf(pira ~ inc + age + agesq + marr + fsize, treatment = p401k,
instrument = e401k, data = c401k)
summary(est3)
```

```
## End(Not run)
```

---

`larf.fit`*Fitting the Local Average Response Function*

---

## Description

It is the work-horse function for its high-level interface `larf`.

## Usage

```
larf.fit(Y, X, D, Z, method, AME, optimizer, zProb)
```

## Arguments

<code>Y</code>	a vector containing the outcome.
<code>X</code>	a matrix containing the covariates excluding the treatment.
<code>D</code>	a vector containing the binary treatment.
<code>Z</code>	a vector containing the binary instrument for the endogenous treatment.
<code>method</code>	the estimation method to be used. The default is "LS", standing for least squares. "ML", standing for maximum likelihood, is an alternative.
<code>AME</code>	whether average marginal effects (AME) should be reported. The default is FALSE, in which case marginal effects at the means (MEM) are reported.
<code>optimizer</code>	the optimization algorithm for the ML method. It should be one of "Nelder-Mead", "BFGS", "CG", "L-BFGS-B", "SANN", or "Brent". See <code>optim</code> in R for more detail.
<code>zProb</code>	a vector containing the probability of receiving the treatment inducement (i.e., <code>instrument = 1</code> ) that have been estimated by semiparametrical methods.

## Author(s)

Weihua An and Xuefu Wang, Departments of Sociology and Statistics, Indiana University Bloomington

## See Also

[larf](#), [c401k](#)

npse

*Nonparametric Power Series Estimation***Description**

Use the optimal order of power series of covariates to predict outcome. The optimal order of power series is determined by cross-validation.

**Usage**

```
npse(formula, order = 3, m = 10, seed = NULL)
```

**Arguments**

formula	specification of the outcome model in the form like either $z \sim x_1 + x_2$ or $z \sim X$ where $X$ is the covariate matrix.
order	the maximal order of power series to be used.
m	the number of folds to be used in cross-validation.
seed	random starting number used to replicate cross-validation.

**Details**

This function predicts the outcome based on the optimal order of covariates power series. The optimal order of the power series is determined by cross-validation. For example, it can be used to predict the probability of receiving treatment inducement based on covariates.

**Value**

fitted	Predicted outcomes based on the estimated model. They are probabilities when the outcome is binary.
Lambda	The optimal order of power series determined by cross-validation.
Data.opt	The data including $z$ and the optimal covariates power series.
CV.Res	The residual sum of squares of the cross-validations.
seed	The random seed.

**Author(s)**

Weihua An, Departments of Sociology and Statistics, Indiana University Bloomington, <weihuaan@indiana.edu>. Xuefu Wang, Department of Statistics, Indiana University Bloomington, <wangxuef@umail.iu.edu>.

**References**

Abadie, Alberto. 2003. "Semiparametric Instrumental Variable Estimation of Treatment Response Models." *Journal of Econometrics* 113: 231-263.



**See Also**[larf](#), [larf.fit](#)**Examples**

```

data(c401k)
attach(c401k)

## Not run:
# binary outcome
Z <- c401k$e401k

# covariates
X <- as.matrix(c401k[,c("inc", "male", "fsize" )])

# get nonparametric power series estimation of the regression of Z on X
zp <- npse(Z~X, order = 5, m = 10, seed = 681)

# sum of residual squares of the cross-validations
zp$CV.Res

# the optimal order of the power series
zp$Lambda

# summary of the predictions based on the optimal power series
summary(zp$fitted)

## End(Not run)

```

---

predict.larf

*Predictions Based on the Estimated LARF*


---

**Description**

Predict new outcomes based on the model fitted by [larf](#).

**Usage**

```

## S3 method for class 'larf'
predict(object, newCov, newTreatment, ...)

```

**Arguments**

object	an object of class <code>larf</code> as fitted by <a href="#">larf</a> .
newCov	A matrix containing the new covariates.
newTreatment	A vector containing the new binary treatment.
...	currently not used.

**Details**

Predicted outcomes are based on the estimated coefficients and new covariates and/or new treatment. The predicted outcomes are probabilities when the outcome is binary.

**Value**

predicted.values

The function returns a vector of the predicted outcomes.

**Author(s)**

Weihua An and Xuefu Wang, Departments of Statistics and Sociology, Indiana University Bloomington

**See Also**

[larf](#), [larf.fit](#)

---

print.larf

*Print Results of the Estimated LARF*

---

**Description**

Methods to display brief results of a [larf](#) object.

**Usage**

```
## S3 method for class 'larf'  
print(x, digits = 4, ...)
```

**Arguments**

x	an object of class "larf" as fitted by <a href="#">larf</a> .
digits	The number of significant digits to be printed in the reports of the results.
...	currently not used.

**Author(s)**

Weihua An and Xuefu Wang, Departments of Statistics and Sociology, Indiana University Bloomington

**See Also**

[larf](#), [larf.fit](#)

---

summary.larf	<i>Summary of the Estimated LARF</i>
--------------	--------------------------------------

---

**Description**

Summary of an object in the [larf](#) class.

**Usage**

```
## S3 method for class 'larf'  
summary(object, ...)
```

**Arguments**

object	an object of class "larf" as fitted by <a href="#">larf</a> .
...	currently not used.

**Author(s)**

Weihua An and Xuefu Wang, Departments of Statistics and Sociology, Indiana University Bloomington

**See Also**

[larf](#), [larf.fit](#)

---

vcov.larf	<i>Variance Covariance Matrix of the Parameters in the Estimated LARF</i>
-----------	---

---

**Description**

Methods to display the variance covariance matrix of the model parameters estimated by [larf](#).

**Usage**

```
## S3 method for class 'larf'  
vcov(object, ...)
```

**Arguments**

object	an object of class "larf" as fitted by <a href="#">larf</a> .
...	currently not used.

**Author(s)**

Weihua An and Xuefu Wang, Departments of Statistics and Sociology, Indiana University Bloomington

**See Also**

[larf](#), [larf.fit](#)

# Index

c401k, [2](#), [6](#), [7](#)

cvlm, [3](#)

Generate.Powers, [4](#)

larf, [2-4](#), [4](#), [5](#), [7](#), [9-12](#)

larf.fit, [2](#), [5](#), [6](#), [7](#), [9-12](#)

npse, [3](#), [4](#), [8](#)

predict.larf, [9](#)

print.larf, [10](#)

print.summary.larf (summary.larf), [11](#)

summary.larf, [11](#)

vcov.larf, [11](#)