

Package: LFM (via r-universe)

June 10, 2026

Type Package

Title Laplace Factor Model Analysis and Evaluation

Date 2026-6-10

Version 0.3.4

Description Enables the generation of Laplace factor models across diverse Laplace distributions and facilitates the application of Sparse Online Principal Component (SOPC), Incremental Principal Component (IPC), Perturbation Principal Component (PPC), Stochastic Approximation Principal Component (SAPC), Sparse Principal Component (SPC) and other PC methods and Farm Test methods to these models. Evaluates the efficacy of these methods within the context of Laplace factor models by scrutinizing parameter estimation accuracy, mean square error, and the degree of sparsity.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.2

Imports stats, MASS, LaplacesDemon, matrixcalc, relliptical, elasticnet

NeedsCompilation no

Language en-US

Author Guangbao Guo [aut, cre], Siqi Liu [aut]

Depends R (>= 3.5.0)

LazyData true

BuildManual yes

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

Maintainer Guangbao Guo <ggb11111111@163.com>

Repository <https://cran.r-universe.dev>

Date/Publication 2026-06-10 12:10:22 UTC

RemoteUrl <https://github.com/cran/LFM>

RemoteRef HEAD

RemoteSha cac7c4419b7ee2ce6f4e43682721294c49af33e7

Contents

Australian	3
bankruptcy	4
Breast	4
concrete	5
DGulPC	6
DPPC	7
factor.tests	7
FanPC	8
Ftest	9
GulPC	11
Heart	12
ionosphere	13
IPC	14
Iris	15
LFM	15
OPC	16
PC1	17
PC2	18
PPC1	19
PPC2	20
protein	21
review	21
riboflavin	22
riboflavin100	23
rlaplace	24
SAPC	25
Sonar	26
SOPC	27
SPC	28
vehicle	29
wholesale	30
Wine	31
yacht_hydrodynamics	32

Index

33

Australian

Australian

Description

This dataset contains information about credit card applications. All attribute names and values have been changed to meaningless symbols to protect confidentiality. The dataset includes a mix of continuous and categorical attributes, with some missing values.

Usage

```
data(Australian)
```

Format

A data frame with 690 rows and 15 columns representing different features related to credit card applications.

- A1: Categorical - 0, 1 (formerly: a, b)
- A2: Continuous
- A3: Continuous
- A4: Categorical - 1, 2, 3 (formerly: p, g, gg)
- A5: Categorical - 1 to 14 (formerly: ff, d, i, k, j, aa, m, c, w, e, q, r, cc, x)
- A6: Categorical - 1 to 9 (formerly: ff, dd, j, bb, v, n, o, h, z)
- A7: Continuous
- A8: Categorical - 1, 0 (formerly: t, f)
- A9: Categorical - 1, 0 (formerly: t, f)
- A10: Continuous
- A11: Categorical - 1, 0 (formerly: t, f)
- A12: Categorical - 1, 2, 3 (formerly: s, g, p)
- A13: Continuous
- A14: Continuous
- A15: Class attribute - 1, 2 (formerly: +, -)

Examples

```
# Load the dataset
data(Australian)

# Print the first few rows of the dataset
print(head(Australian))
```

bankruptcy

Bankruptcy data

Description

The data set contain the ratio of retained earnings (RE) to total assets, and the ratio of earnings before interests and taxes (EBIT) to total assets of 66 American firms recorded in the form of ratios. Half of the selected firms had filed for bankruptcy.

Usage

```
data(bankruptcy)
```

Format

A data frame with the following variables:

Y The status of the firm: 0 bankruptcy or 1 financially sound;

RE Ratio of retained earnings to total assets;

EBIT Ratio of earnings before interests and taxes to total assets

Examples

```
data(bankruptcy)
```

Breast

Breast

Description

This dataset contains original clinical cases reported by Dr. Wolberg. The data are grouped chronologically, reflecting the time periods when the samples were collected. The dataset includes various attributes related to breast cancer diagnosis.

Usage

```
data(Breast)
```

Format

A data frame with 699 rows and several columns representing different features related to breast cancer diagnosis.

- Sample_code_number: Identification number for the sample.
- Clump_Thickness: 1-10
- Uniformity_of_Cell_Size: 1-10
- Uniformity_of_Cell_Shape: 1-10
- Marginal_Adhesion: 1-10
- Single_Epithelial_Cell_Size: 1-10
- Bare_Nuclei: 1-10 (some values may be missing or revised)
- Bland_Chromatin: 1-10
- Normal_Nucleoli: 1-10
- Mitoses: 1-10
- Class: 2 (benign) or 4 (malignant)

Examples

```
# Load the dataset
data(Breast)

# Print the first few rows of the dataset
print(head(Breast))
```

concrete

Concrete Slump Test Data

Description

This dataset contains measurements related to the slump test of concrete, including input variables (concrete ingredients) and output variables (slump, flow, and compressive strength).

Usage

```
concrete
```

Format

A data frame with 103 rows and 10 columns.

- Cement: Amount of cement (kg in one M³ concrete).
- Slag: Amount of slag (kg in one M³ concrete).
- Fly_ash: Amount of fly ash (kg in one M³ concrete).
- Water: Amount of water (kg in one M³ concrete).

- SP: Amount of superplasticizer (kg in one M³ concrete).
- Coarse_Aggr: Amount of coarse aggregate (kg in one M³ concrete).
- Fine_Aggr: Amount of fine aggregate (kg in one M³ concrete).
- SLUMP: Slump of the concrete (cm).
- FLOW: Flow of the concrete (cm).
- Compressive_Strength: 28-day compressive strength of the concrete (MPa).

Examples

```
# Load the dataset
data(concrete)

# Print the first few rows of the dataset
print(head(concrete))
```

DGulPC

Distributed general unilateral loading principal component

Description

Distributed general unilateral loading principal component

Usage

```
DGulPC(data, m, n1, K)
```

Arguments

data	is a total data set
m	is the number of principal component
n1	is the length of each data subset
K	is the number of nodes

Value

AU1,AU2,DU3,Shat

Examples

```
library(LFM)
data_from_package <- Wine
data_a <- Wine
DGulPC(data_a,m=3,n1=128,K=2)
```

DPPC

Distributed projection principal component

Description

Distributed projection principal component

Usage

```
DPPC(data, m, n1, K)
```

Arguments

data	is a total data set
m	is the number of principal component
n1	is the length of each data subset
K	is the number of nodes

Value

Apro,pro,Sigmahathatpro

Examples

```
library(LFM)
data_from_package <- Wine
data_a <- Wine
DPPC(data_a,m=3,n1=128,K=2)
```

factor.tests

Factor Model Testing with Wald, GRS, PY tests and FDR control

Description

Performs comprehensive factor model testing including joint tests (Wald, GRS, PY), individual asset t-tests, and False Discovery Rate control.

Usage

```
factor.tests(ret, fac, q.fdr = 0.05)
```

Arguments

ret	A $T \times N$ matrix representing the excess returns of N assets at T time points.
fac	A $T \times K$ matrix representing the returns of K factors at T time points.
q.fdr	The significance level for FDR (False Discovery Rate) testing, defaulting to 5%.

Value

A list containing the following components:

alpha	N-vector of estimated alphas for each asset
tstat	N-vector of t-statistics for testing individual alphas
pval	N-vector of p-values for individual alpha tests
Wald	Wald test statistic for joint alpha significance
p_Wald	p-value for Wald test
GRS	GRS test statistic (finite-sample F-test)
p_GRS	p-value for GRS test
PY	Pesaran and Yamagata test statistic
p_PY	p-value for PY test
reject_fdr	Logical vector indicating which assets have significant alphas after FDR correction
fdr_p	Adjusted p-values using Benjamini-Hochberg procedure
power_proxy	Number of significant assets after FDR correction

Examples

```

set.seed(42)
T <- 120
N <- 25
K <- 3
fac <- matrix(rnorm(T * K), T, K)
beta <- matrix(rnorm(N * K), N, K)
alpha <- rep(0, N)
alpha[1:3] <- 0.4 / 100 # 3 non-zero alphas
eps <- matrix(rnorm(T * N, sd = 0.02), T, N)
ret <- alpha + fac %*% t(beta) + eps
results <- factor.tests(ret, fac, q.fdr = 0.05)

# View results
cat("Wald test p-value:", results$p_Wald, "\n")
cat("GRS test p-value:", results$p_GRS, "\n")
cat("PY test p-value:", results$p_PY, "\n")
cat("Significant assets after FDR:", results$power_proxy, "\n")

```

Description

This function performs Factor Analysis via Principal Component (FanPC) on a given data set. It calculates the estimated factor loading matrix (AF), specific variance matrix (DF), and the mean squared errors.

Usage

```
FanPC(data, m)
```

Arguments

`data` A matrix of input data.
`m` is the number of principal component

Value

AF,DF,SigmahatF

Examples

```
library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F*%*%t(A)+epsilon
results <- FanPC(data, m)
print(results)
```

Ftest

Apply the Farmtest method to the Laplace factor model

Description

This function simulates data from a Laplace factor model and applies the FarmTest for multiple hypothesis testing. It calculates the false discovery rate (FDR) and power of the test.

Usage

```
Ftest(
  data,
  p1,
  alpha = 0.05,
  K = -1,
  alternative = c("two.sided", "less", "greater")
)
```

Arguments

data	A matrix or data frame of simulated or observed data from a Laplace factor model.
p1	The number or proportion of non-zero hypotheses.
alpha	The significance level for controlling the false discovery rate (default: 0.05).
K	The number of factors to estimate (default: -1, meaning auto-detect).
alternative	The alternative hypothesis: "two.sided", "less", or "greater" (default: "two.sided").

Value

A list containing the following elements:

FDR	The false discovery rate, which is the proportion of false positives among all discoveries (rejected hypotheses).
Power	The statistical power of the test, which is the probability of correctly rejecting a false null hypothesis.
PValues	A vector of p-values associated with each hypothesis test.
RejectedHypotheses	The total number of hypotheses that were rejected by the FarmTest.
reject	Indices of rejected hypotheses.
means	Estimated means.

Examples

```
library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
p1=40
results <- Ftest(data, p1)
print(results$FDR)
print(results$Power)
```

GulPC

Apply the GulPC method to the Laplace factor model

Description

This function performs General Unilateral Loading Principal Component (GulPC) analysis on a given data set. It calculates the estimated values for the first layer and second layer loadings, specific variances, and the mean squared errors.

Usage

```
GulPC(data, m)
```

Arguments

data	A matrix of input data.
m	is the number of first layer principal component

Value

AU1,AU2,DU3,SigmaUhat

Examples

```
library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- GulPC(data, m)
print(results)
```

Heart

Heart

Description

This dataset contains information about heart disease diagnosis, including various clinical attributes and the presence of heart disease in patients. The dataset is commonly used for classification tasks to predict the presence of heart disease.

Usage

```
data(Heart)
```

Format

A data frame with multiple rows and 14 columns representing different features related to heart disease diagnosis.

- age: Age in years (integer).
- sex: Sex (1 = male; 0 = female) (categorical).
- cp: Chest pain type (categorical).
- trestbps: Resting blood pressure (in mm Hg on admission to the hospital) (integer).
- chol: Serum cholesterol in mg/dl (integer).
- fbs: Fasting blood sugar > 120 mg/dl (1 = true; 0 = false) (categorical).
- restecg: Resting electrocardiographic results (categorical).
- thalach: Maximum heart rate achieved (integer).
- exang: Exercise-induced angina (1 = yes; 0 = no) (categorical).
- oldpeak: ST depression induced by exercise relative to rest (integer).
- slope: The slope of the peak exercise ST segment (categorical).
- ca: Number of major vessels (0-3) colored by fluoroscopy (integer).
- thal: Thalassemia (3 = normal; 6 = fixed defect; 7 = reversible defect) (categorical).
- num: Diagnosis of heart disease (angiographic disease status) (integer).

Examples

```
# Load the dataset
data(Heart)

# Print the first few rows of the dataset
print(head(Heart))
```

ionosphere

ionosphere Data

Description

This dataset contains radar returns from the ionosphere, collected by a system in Goose Bay, Labrador. The dataset is used for classifying radar returns as 'good' or 'bad' based on the presence of structure in the ionosphere.

Usage

```
data(ionosphere)
```

Format

A data frame with multiple rows and 35 columns representing different features related to radar returns.

- Attribute1: Continuous feature.
- Attribute2: Continuous feature.
- Attribute3: Continuous feature.
- Attribute4: Continuous feature.
- Attribute5: Continuous feature.
- Attribute6: Continuous feature.
- Attribute7: Continuous feature.
- Attribute8: Continuous feature.
- Attribute9: Continuous feature.
- Attribute10: Continuous feature.
- ...: Additional continuous features (up to Attribute34).
- Class: Binary classification target ('good' or 'bad').

Examples

```
# Load the dataset
data(ionosphere)

# Print the first few rows of the dataset
print(head(ionosphere))
```

IPC

Apply the IPC method to the Laplace factor model

Description

This function performs Incremental Principal Component Analysis (IPC) on the provided data. It updates the estimated factor loadings and uniquenesses as new data points are processed, calculating mean squared errors and loss metrics for comparison with true values.

Usage

```
IPC(data, m, eta)
```

Arguments

data	The data used in the IPC analysis.
m	is the number of principal component
eta	is the proportion of online data to total data

Value

Ai,Di

Examples

```
library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- IPC(data, m, eta=0.1)
print(results)
```

Iris

Iris Data

Description

The Iris dataset is a classic and widely-used dataset in the field of machine learning and statistics. It contains measurements of sepal length, sepal width, petal length, and petal width for three species of iris plants. The dataset is commonly used for classification tasks.

Usage

```
data(Iris)
```

Format

A data frame with 150 rows and 5 columns representing different features of iris plants.

- `Sepal.Length`: Sepal length in centimeters (continuous).
- `Sepal.Width`: Sepal width in centimeters (continuous).
- `Petal.Length`: Petal length in centimeters (continuous).
- `Petal.Width`: Petal width in centimeters (continuous).
- `Species`: Species of iris plant (categorical): Iris Setosa, Iris Versicolor, or Iris Virginica.

Examples

```
# Load the dataset
data(Iris)

# Print the first few rows of the dataset
print(head(Iris))
```

LFM

Generate Laplace factor models

Description

The function is to generate Laplace factor model data. The function supports various distribution types for generating the data, including: - `'truncated_laplace'`: Truncated Laplace distribution - `'log_laplace'`: Univariate Symmetric Log-Laplace distribution - `'Asymmetric Log_Laplace'`: Log-Laplace distribution - `'Skew-Laplace'`: Skew-Laplace distribution

Usage

```
LFM(n, p, m, distribution_type)
```

Arguments

n	An integer specifying the sample size.
p	An integer specifying the sample dimensionality or the number of variables.
m	An integer specifying the number of factors in the model.
distribution_type	A character string indicating the type of distribution to use for generating the data.

Value

A list containing the following elements:

data	A numeric matrix of the generated data.
A	A numeric matrix representing the factor loadings.
D	A numeric matrix representing the uniquenesses, which is a diagonal matrix.

Examples

```
library(MASS)
library(matrixcalc)
library(relliptical)
n <- 1000
p <- 10
m <- 5
sigma1 <- 1
sigma2 <- matrix(c(1,0.7,0.7,1), 2, 2)
distribution_type <- "truncated_laplace"
results <- LFM(n, p, m, distribution_type)
print(results)
```

 OPC

Apply the OPC method to the Laplace factor model

Description

This function computes Online Principal Component Analysis (OPC) for the provided input data, estimating factor loadings and uniquenesses. It calculates mean squared errors and sparsity for the estimated values compared to true values.

Usage

```
OPC(data, m, eta)
```

Arguments

data	is a highly correlated online data set
m	is the number of principal component
eta	is the proportion of online data to total data

Value

Ao,Do

Examples

```

library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- OPC(data, m, eta=0.1)
print(results)

```

PC1

Apply the traditional principal component method to the Laplace factor model

Description

This function performs Principal Component Analysis (PCA) on a given data set to reduce dimensionality. It calculates the estimated values for the loadings, specific variances, and the covariance matrix.

Usage

```
PC1(data, m = m)
```

Arguments

data	The total data set to be analyzed.
m	The number of principal components to retain in the analysis.

Value

Ahat, Dhat

Examples

```

library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- PC1(data, m)
print(results)

```

PC2

*Apply the PC method to the Laplace factor model***Description**

This function performs principal component analysis (PCA) on a given data set to reduce dimensionality. It calculates the estimated values for the loadings, specific variances, and the covariance matrix.

Usage

```
PC2(data, m)
```

Arguments

<code>data</code>	The total data set to be analyzed.
<code>m</code>	The number of principal components to retain in the analysis.

Value

Ahat,Dhat,Sigmahat

Examples

```

library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))

```

```

sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- PPC1(data, m)
print(results)

```

PPC1

Apply the PPC method to the Laplace factor model

Description

This function computes Perturbation Principal Component Analysis (PPC) for the provided input data, estimating factor loadings and uniquenesses. It calculates mean squared errors and loss metrics for the estimated values compared to true values.

Usage

```
PPC1(data, m)
```

Arguments

data	A matrix of input data.
m	The number of principal components.

Value

Apro,Dpro,Sigmahatpro

Examples

```

library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- PPC1(data, m)
print(results)

```

 PPC2

Apply the PPC method to the Laplace factor model

Description

This function performs Projected Principal Component Analysis (PPC) on a given data set to reduce dimensionality. It calculates the estimated values for the loadings, specific variances, and the covariance matrix.

Usage

```
PPC2(data, m)
```

Arguments

data	The total data set to be analyzed.
m	The number of principal components.

Value

Apro,Dpro,Sigmahatpro

Examples

```
library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- PPC2(data, m)
print(results)
```

protein

Protein Secondary Structure Data

Description

This dataset contains protein sequences and their corresponding secondary structures, including beta-sheets (E), helices (H), and coils (_).

Usage

```
protein
```

Format

A data frame with multiple rows and columns representing protein sequences and their secondary structures.

- Sequence: Amino acid sequence (using 3-letter codes).
- Structure: Secondary structure of the protein (E for beta-sheet, H for helix, _ for coil).
- Parameters: Additional parameters for neural networks (to be ignored).
- Biophysical_Constants: Biophysical constants (to be ignored).

Examples

```
# Load the dataset
data(protein)

# Print the first few rows of the dataset
print(head(protein))
```

review

Review

Description

This dataset contains travel reviews from TripAdvisor.com, covering destinations in 11 categories across East Asia. Each traveler's rating is mapped to a scale from Terrible (0) to Excellent (4), and the average rating for each category per user is provided.

Usage

```
review
```

Format

A data frame with multiple rows and 12 columns.

- `User_ID`: Unique identifier for each user (Categorical).
- `Art_Galleries`: Average user feedback on art galleries.
- `Dance_Clubs`: Average user feedback on dance clubs.
- `Juice_Bars`: Average user feedback on juice bars.
- `Restaurants`: Average user feedback on restaurants.
- `Museums`: Average user feedback on museums.
- `Resorts`: Average user feedback on resorts.
- `Parks_Picnic_Spots`: Average user feedback on parks and picnic spots.
- `Beaches`: Average user feedback on beaches.
- `Theaters`: Average user feedback on theaters.
- `Religious_Institutions`: Average user feedback on religious institutions.

Examples

```
# Load the dataset
data(review)

# Print the first few rows of the dataset
print(head(review))
```

 riboflavin

Riboflavin Production Data

Description

This dataset contains measurements of riboflavin (vitamin B2) production by *Bacillus subtilis*, a Gram-positive bacterium commonly used in industrial fermentation processes. The dataset includes $n = 71$ observations with $p = 4088$ predictors, representing the logarithm of the expression levels of 4088 genes. The response variable is the log-transformed riboflavin production rate.

Usage

```
data(riboflavin)
```

Format

- y** Log-transformed riboflavin production rate (original name: `q_RIBFLV`). This is a continuous variable indicating the efficiency of riboflavin production by the bacterial strain.
- x** A matrix of dimension 71×4088 containing the logarithm of the expression levels of 4088 genes. Each column corresponds to a gene, and each row corresponds to an observation (experimental condition or time point).

Examples

```
# Load the riboflavin dataset
data(riboflavin)

# Display the dimensions of the dataset
print(dim(riboflavin$x))
print(length(riboflavin$y))
```

riboflavin100

Riboflavin Production Data (Top 100 Genes)

Description

This dataset is a subset of the riboflavin production data by *Bacillus subtilis*, containing $n = 71$ observations. It includes the response variable (log-transformed riboflavin production rate) and the 100 genes with the largest empirical variances from the original dataset.

Usage

```
data(riboflavin100)
```

Format

- y** Log-transformed riboflavin production rate (original name: q_RIBFLV). This is a continuous variable indicating the efficiency of riboflavin production by the bacterial strain.
- x** A matrix of dimension 71×100 containing the logarithm of the expression levels of the 100 genes with the largest empirical variances.

Examples

```
# Load the riboflavin100 dataset
data(riboflavin100)

# Display the dimensions of the dataset
print(dim(riboflavin100$x))
print(length(riboflavin100$y))
```

`rlaplace`*Generate Random Variables from the Laplace Distribution*

Description

Generates random samples from the Laplace (double exponential) distribution with location parameter 0 and scale parameter b .

The probability density function is

$$f(x) = \frac{1}{2b} \exp\left(-\frac{|x|}{b}\right),$$

where $b > 0$ is the scale parameter.

Random numbers are generated using the inverse transform method.

Usage

```
rlaplace(n, b = 1)
```

Arguments

<code>n</code>	An integer specifying the number of observations to generate.
<code>b</code>	A positive numeric value specifying the scale parameter of the Laplace distribution. The default value is 1.

Details

If $X \sim Laplace(0, b)$, then

$$E(X) = 0,$$

and

$$Var(X) = 2b^2.$$

This function is used internally by the Laplace Factor Model (LFM) package for generating Laplace-distributed error terms.

Value

A numeric vector of length n containing random observations from the Laplace distribution.

Examples

```

set.seed(123)

x <- rlaplace(1000)

mean(x)
var(x)

hist(x,
      breaks = 30,
      main = "Laplace Random Sample",
      xlab = "x")

```

SAPC

Apply the SAPC method to the Laplace factor model

Description

This function calculates several metrics for the SAPC method, including the estimated factor loadings and uniquenesses, and various error metrics comparing the estimated matrices with the true matrices.

Usage

```
SAPC(data, m, eta)
```

Arguments

<code>data</code>	The data used in the SAPC analysis.
<code>m</code>	is the number of principal component
<code>eta</code>	is the proportion of online data to total data

Value

Asa,Dsa

Examples

```

library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)

```

```
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- SAPC(data, m, eta=0.1)
print(results)
```

Sonar

Sonar

Description

This dataset contains sonar signals bounced off a metal cylinder (mines) and a roughly cylindrical rock. The task is to classify whether the signal is from a mine or a rock based on the sonar signal patterns.

Usage

```
data(Sonar)
```

Format

A data frame with 208 rows and 61 columns representing different features of sonar signals.

- Attribute1: Continuous feature representing energy within a frequency band.
- Attribute2: Continuous feature representing energy within a frequency band.
- Attribute3: Continuous feature representing energy within a frequency band.
- ...: Additional continuous features (up to Attribute60).
- Class: Categorical target variable ('M' for mine, 'R' for rock).

Examples

```
# Load the dataset
data(Sonar)

# Print the first few rows of the dataset
print(head(Sonar))
```

SOPC

Apply the SOPC method to the Laplace factor model

Description

This function calculates various metrics for the sparse online principle component (SOPC) analysis on the Laplace factor model.

Usage

```
SOPC(data, m, gamma, eta)
```

Arguments

data	A numeric matrix containing the data used in the SOPC analysis.
m	is the number of principal component
gamma	is a sparse parameter
eta	is the proportion of online data to total data

Value

Aso,Dso

Examples

```
library(MASS)
library(matrixcalc)
library(LaplacesDemon)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- SOPC(data, m, gamma=0.03, eta=0.1)
print(results)
```

 SPC

Apply the SPC method to the Laplace factor model

Description

This function performs Sparse Principal Component Analysis (SPC) on the input data. It estimates factor loadings and uniquenesses while calculating mean squared errors and loss metrics for comparison with true values.

Usage

```
SPC(data, m, gamma)
```

Arguments

data	The data used in the SPC analysis.
m	is the number of principal component
gamma	is a sparse parameter

Value

A list containing:

As	Estimated factor loadings, a matrix of estimated factor loadings from the SPC analysis.
Ds	Estimated uniquenesses, a vector of estimated uniquenesses corresponding to each variable.

Examples

```
library(LaplacesDemon)
library(MASS)
n=1000
p=10
m=5
mu=t(matrix(rep(runif(p,0,1000),n),p,n))
mu0=as.matrix(runif(m,0))
sigma0=diag(runif(m,1))
F=matrix(mvrnorm(n,mu0,sigma0),nrow=n)
A=matrix(runif(p*m,-1,1),nrow=p)
lanor <- rlaplace(n*p,0,1)
epsilon=matrix(lanor,nrow=n)
D=diag(t(epsilon)%*%epsilon)
data=mu+F%*%t(A)+epsilon
results <- SPC(data, m, gamma=0.03)
print(results)
```

 vehicle

In Vehicle Coupon Recommendation Data

Description

This dataset contains information about coupon recommendations made to drivers in a vehicle, including various contextual features and the outcome of whether the coupon was accepted.

Usage

vehicle

Format

A data frame with multiple rows and 27 columns representing different features related to coupon recommendations.

- destination: Driver's destination - No Urgent Place, Home, Work.
- passanger: Passengers in the car - Alone, Friend(s), Kid(s), Partner.
- weather: Current weather - Sunny, Rainy, Snowy.
- temperature: Temperature in Fahrenheit - 55, 80, 30.
- time: Time of day - 2PM, 10AM, 6PM, 7AM, 10PM.
- coupon: Type of coupon - Restaurant(<\$20), Coffee House, Carry out & Take away, Bar, Restaurant(\$20-\$50).
- expiration: Coupon expiration - 1d (1 day), 2h (2 hours).
- gender: Driver's gender - Female, Male.
- age: Driver's age group - 21, 46, 26, 31, 41, 50plus, 36, below21.
- maritalStatus: Driver's marital status - Unmarried partner, Single, Married partner, Divorced, Widowed.
- has_Children: Whether the driver has children - 1, 0.
- education: Driver's education level - Some college - no degree, Bachelors degree, Associates degree, High School Graduate, Graduate degree (Masters or Doctorate), Some High School.
- occupation: Driver's occupation - Various categories including Unemployed, Student, etc.
- income: Driver's income range - Various ranges such as \$37500 - \$49999, \$62500 - \$74999, etc.
- Bar: Frequency of bar visits per month - never, less1, 1~3, gt8, nan4~8.
- CoffeeHouse: Frequency of coffeehouse visits per month - never, less1, 4~8, 1~3, gt8, nan.
- CarryAway: Frequency of getting take-away food per month - n4~8, 1~3, gt8, less1, never.
- RestaurantLessThan20: Frequency of visiting restaurants with average expense <\$20 per month - 4~8, 1~3, less1, gt8, never.
- Restaurant20To50: Frequency of visiting restaurants with average expense \$20-\$50 per month - 1~3, less1, never, gt8, 4~8, nan.

- toCoupon_GEQ15min: Driving distance to the coupon location greater than 15 minutes - 0, 1.
- toCoupon_GEQ25min: Driving distance to the coupon location greater than 25 minutes - 0, 1.
- direction_same: Whether the coupon location is in the same direction as the current destination - 0, 1.
- direction_opp: Whether the coupon location is in the opposite direction of the current destination - 1, 0.
- Y: Whether the coupon was accepted - 1, 0.

Examples

```
# Load the dataset
data(vehicle)

# Print the first few rows of the dataset
print(head(vehicle))
```

wholesale

Wholesale Customers Data

Description

This dataset contains the annual spending amounts of wholesale customers on various product categories, along with their channel and region information.

Usage

```
wholesale
```

Format

A data frame with 440 rows and 8 columns.

- FRESH: Annual spending (m.u.) on fresh products.
- MILK: Annual spending (m.u.) on milk products.
- GROCERY: Annual spending (m.u.) on grocery products.
- FROZEN: Annual spending (m.u.) on frozen products.
- DETERGENTS_PAPER: Annual spending (m.u.) on detergents and paper products.
- DELICATESSEN: Annual spending (m.u.) on delicatessen products.
- CHANNEL: Customers' channel - Horeca (Hotel/Restaurant/Café) or Retail channel (Nominal).
- REGION: Customers' region - Lisbon, Oporto or Other (Nominal).

Examples

```
# Load the dataset
data(wholesale)
```

Wine

Wine Data

Description

The Wine dataset contains the results of a chemical analysis of wines grown in the same region in Italy but derived from three different cultivars. The analysis determined the quantities of 13 constituents found in each of the three types of wines. This dataset is commonly used for classification tasks to determine the origin of wines based on their chemical properties.

Usage

```
data(Wine)
```

Format

A data frame with 178 rows and 14 columns representing different features of wines.

- Class: Categorical target variable indicating the type of wine (1, 2, or 3).
- Alcohol: Continuous feature representing the alcohol content.
- Malic_acid: Continuous feature representing the malic acid content.
- Ash: Continuous feature representing the ash content.
- Alcalinity_of_ash: Continuous feature representing the alcalinity of ash.
- Magnesium: Integer feature representing the magnesium content.
- Total_phenols: Continuous feature representing the total phenols content.
- Flavanoids: Continuous feature representing the flavanoids content.
- Nonflavanoid_phenols: Continuous feature representing the nonflavanoid phenols content.
- Proanthocyanins: Continuous feature representing the proanthocyanins content.
- Color_intensity: Continuous feature representing the color intensity.
- Hue: Continuous feature representing the hue.
- OD280_OD315_of_diluted_wines: Continuous feature representing the OD280/OD315 of diluted wines.
- Proline: Continuous feature representing the proline content.

Examples

```
# Load the dataset
data(Wine)

# Print the first few rows of the dataset
print(head(Wine))
```

yacht_hydrodynamics *Yacht Hydrodynamics Data*

Description

This dataset contains the hydrodynamic characteristics of sailing yachts, including design parameters and performance metrics.

Usage

```
yacht_hydrodynamics
```

Format

A data frame with 308 rows and 7 columns.

- Residuary Resistance: Residuary resistance per unit weight of displacement (performance metric).
- Longitudinal Position of Center of Buoyancy: Longitudinal position of the center of buoyancy.
- Prismatic Coefficient: Prismatic coefficient.
- Length-Displacement Ratio: Length-displacement ratio.
- Beam-Draft Ratio: Beam-draft ratio.
- Length-Beam Ratio: Length-beam ratio.
- Froude Number: Froude number.

Examples

```
# Load the dataset
data(yacht_hydrodynamics)

# Print the first few rows of the dataset
print(head(yacht_hydrodynamics))
```

Index

* datasets

- Australian, [3](#)
 - bankruptcy, [4](#)
 - Breast, [4](#)
 - concrete, [5](#)
 - Heart, [12](#)
 - ionosphere, [13](#)
 - Iris, [15](#)
 - protein, [21](#)
 - review, [21](#)
 - riboflavin, [22](#)
 - riboflavin100, [23](#)
 - Sonar, [26](#)
 - vehicle, [29](#)
 - wholesale, [30](#)
 - Wine, [31](#)
 - yacht_hydrodynamics, [32](#)
- Australian, [3](#)
- bankruptcy, [4](#)
- Breast, [4](#)
- concrete, [5](#)
- DGuIPC, [6](#)
- DPPC, [7](#)
- factor_tests, [7](#)
- FanPC, [8](#)
- Ftest, [9](#)
- GuIPC, [11](#)
- Heart, [12](#)
- ionosphere, [13](#)
- IPC, [14](#)
- Iris, [15](#)
- LFM, [15](#)
- OPC, [16](#)
- PC1, [17](#)
- PC2, [18](#)
- PPC1, [19](#)
- PPC2, [20](#)
- protein, [21](#)
- review, [21](#)
- riboflavin, [22](#)
- riboflavin100, [23](#)
- rlaplace, [24](#)
- SAPC, [25](#)
- Sonar, [26](#)
- SOPC, [27](#)
- SPC, [28](#)
- vehicle, [29](#)
- wholesale, [30](#)
- Wine, [31](#)
- yacht_hydrodynamics, [32](#)