

Package: NightDay (via r-universe)

August 28, 2024

Type Package
Title Night and Day Boundary Plot Function
Version 1.0.1.1
Date 2011-04-27
Author Max Hughes-Brandl
Maintainer Max Hughes-Brandl <gordonmax@hotmail.de>
Description Computes and plots the boundary between night and day.
License GPL
LazyLoad yes
Depends R(>= 2.9.9), maps
Repository CRAN
Date/Publication 2018-04-16 15:01:30 UTC
NeedsCompilation no

Contents

NightDay-package	1
NightDay	2
plot.NighDay	3
Index	5

NightDay-package	<i>Night and Day Boundary Plot Funtion</i>
------------------	--

Description

Computes and plots the boundary between night and day.

Details

Package: NightDay
 Type: Package
 Version: 1.0
 Date: 2011-01-27
 License: GPL
 LazyLoad: yes

Author(s)

Max Hughes-Brandl

Maintainer: <gordonmax@hotmail.de>

Examples

```

Time <- Sys.time()
timezone <- 1

plot(NightDay(Time, timezone), maps = 'world')
```

NightDay

Night and Day Boundary Computation Function

Description

Calculates the declination of the sun, the greenwhich hour angle and the latitudes of the of the sun movements throughout one day.

Usage

```
NightDay(time, timezone)
```

Arguments

time	needs to be of following format: %Y-%m-%d (%Y Year with century, %m Month as decimal number (01-12), %d Day of the month as decimal number (01-31)), %H:%M:%S (%H Hours as decimal number (00-23), %M Minute as decimal number (00-59), %S Second as decimal number (00-61))
timezone	has to be an integer, e.g. a number between -11 and +11 (0 for GMT, +1 for CMT, etc.)

Value

Time	is an object of class 'POSIXlt' representing the input time.
tz	is an integer representing the input timezone
Latitude	is a vector fo doubles containing the Latitudes of the night and day boundary.
Declination	returns a double of the sun declination.
GHA	returns a double of the greenwhich hour angle.

Note

The function *NightDay* can be used in combination with your own maps and plot functions.

Author(s)

Max Hughes-Brandl

Examples

```
Time <- Sys.time()
timezone <- 1

NightDay(Time, timezone)
```

plot.NighDay	<i>Night and Day Boundary Plot Funtion</i>
--------------	--

Description

Plots the boundary between night and day.

Usage

```
## S3 method for class 'NightDay'
plot(x, maps = 'world', add = FALSE, ...)
```

Arguments

x	an object of class NightDay.
maps	only 'world' implemented.
add	logical indicating whether the plot is added to an existing device.
...	additional arguments, currently not implemented.

Note

The function plot depends on library('maps').

Author(s)

Max Hughes-Brandl

Examples

```
Time <- Sys.time()
timezone <- 1

plot(NightDay(Time, timezone))
```

Index

NightDay, [2](#)

NightDay-package, [1](#)

plot.NighDay, [3](#)

plot.NightDay (plot.NighDay), [3](#)