

Package: PolisheR (via r-universe)

November 29, 2024

Title Interfacing 'NaileR' with 'Shiny'

Version 1.0.0

Description A very small package for more convenient use of 'NaileR'.
You provide a data set containing a latent variable you want to understand. It generates a description and an interpretation of this latent variable using a Large Language Model. For perceptual data, it describes the stimuli used in the experiment.

License GPL (>= 2)

Encoding UTF-8

RoxygenNote 7.3.2

Imports dplyr, NaileR, shiny

Depends R (>= 3.5.0)

Suggests SensoMineR

NeedsCompilation no

Author Sébastien Lê [aut, cre]
(<<https://orcid.org/0000-0001-8814-6714>>)

Maintainer Sébastien Lê <sebastien.le@institut-agro.fr>

Repository CRAN

Date/Publication 2024-11-29 09:20:06 UTC

Config/pak/sysreqs cmake make libicu-dev libssl-dev zlib1g-dev

Contents

shiny_nail_qda	2
Index	3

shiny_nail_qda	<i>Launch a Shiny app for analyzing Quantitative Descriptive Analysis data (QDA)</i>
----------------	--

Description

This function launches a Shiny app for analyzing QDA data with the 'Nailer' package. The app allows users to explore and analyze their QDA dataset.

Usage

```
shiny_nail_qda(dataset)
```

Arguments

dataset A data frame containing the data to be analyzed.

Value

This function does not return a value; it launches a Shiny app.

Examples

```
if(interactive()){  
  # Processing time is often longer than ten seconds  
  # because the function uses a large language model.  
  
  library(SensoMineR)  
  data(chocolates)  
  shiny_nail_qda(sensochoc)  
  
}
```

Index

shiny_nail_qda, [2](#)