

# Package: RankResponse (via r-universe)

November 1, 2024

**Type** Package

**Title** Ranking Responses in a Single Response Question or a Multiple Response Question

**Version** 4.0.0

**Imports** stats

**Author** Hsiuying Wang, Yu-Chun Lin, Wan-Ting Huang

**Maintainer** Hsiuying Wang <wang@stat.nycu.edu.tw>

**Description** Methods for ranking responses of a single response question or a multiple response question are described in the two papers: 1. Wang, H. (2008). Ranking Responses in Multiple-Choice Questions. *Journal of Applied Statistics*, 35, 465-474. <[DOI:10.1080/02664760801924533](https://doi.org/10.1080/02664760801924533)> 2. Wang, H. and Huang, W. H. (2014). Bayesian Ranking Responses in Multiple Response Questions. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 177, 191-208. <[DOI:10.1111/rssa.12009](https://doi.org/10.1111/rssa.12009)>.

**License** GPL (>= 2)

**Encoding** UTF-8

**RoxygenNote** 7.1.2

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2022-05-11 11:50:05 UTC

## Contents

rank.gs . . . . .	2
rank.wald . . . . .	3
rankL2R . . . . .	5
rankLN . . . . .	6

<b>Index</b>	<b>8</b>
--------------	----------

rank.gs

*Rank Responses based on the Generalized Score Test***Description**

Rank responses of a single response question or a multiple response question by the generalized score test procedure.

**Usage**

```
rank.gs(data, alpha = 0.05, ranktype = 1)
```

**Arguments**

data	A m by n matrix $d_{ij}$ , where $d_{ij} = 0$ or 1. If the $i$ th respondent selects the $j$ th response, then $d_{ij} = 1$ , otherwise $d_{ij} = 0$ .
alpha	The significance level is used to control the type I error rate. The default is 0.05.
ranktype	A numerical value specifies which type of ranking method is used. The default is 1 (see 'Details').

**Details**

Suppose that the question has  $k$  responses. Let  $\pi_j$  denote the probability that the  $j$ th response is selected. Using the survey data,  $\pi_j$  can be estimated.

If ranktype is 1, the ranking rule is the following steps. Let  $\pi_{(j)}$  denote the order statistic. If the hypothesis  $\pi_{(k)} = \pi_{(k-1)}$  is rejected, we rank the response corresponding to  $\pi_{(k)}$  first. If it is not rejected, we compare  $\pi_{(k)}$  with  $\pi_{(j)}$ ,  $j \leq k - 2$  sequentially.

If ranktype is 2, the rank of the  $i$ th response can be defined as

$$R_i = k - \sum_{j=1, j \neq i}^k I(\pi_i > \pi_j)$$

**Value**

rank.gs returns a table contains the estimated probabilities of the responses being selected in the first line and the ranks of the responses in the second line.

**Author(s)**

Hsiuying Wang <wang@stat.nycu.edu.tw>, Wan-Ting Huang <wthuang.sc09@nycu.edu.tw>, Yu-Chun Lin <restart79610@hotmail.com>

**References**

Wang, H. (2008). Ranking Responses in Multiple-Choice Questions. *Journal of Applied Statistics*, 35, 465-474.

Wang, H. and Huang, W. H. (2014). Bayesian Ranking Responses in Multiple Response Questions. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 177, 191-208.

**See Also**

[rankL2R](#), [rankLN](#), [rank.wald](#)

**Examples**

```
set.seed(12345)
# This is an example to rank k responses in a multiple response question
# when the number of respondents is 1000.
# In this example, we do not use a real data, but generate data in the first six lines.
k <- 5
data <- matrix(NA, nrow = 1000, ncol = k)
for(i in 1:k){
  p <- runif(1)
  data[, i] <- sample(c(0, 1), 1000, p = c(p, 1-p), replace = TRUE)
}
## or upload the true data
rank.gs(data)
```

---

rank.wald

*Rank Responses based on the Wald Test*

---

**Description**

Rank responses of a single response question or a multiple response question by the wald test procedure.

**Usage**

```
rank.wald(data, alpha = 0.05, ranktype = 1)
```

**Arguments**

data	A m by n matrix $d_{ij}$ , where $d_{ij} = 0$ or 1. If the $i$ th respondent selects the $j$ th response, then $d_{ij} = 1$ , otherwise $d_{ij} = 0$ .
alpha	The significance level is used to control the type I error rate. The default is 0.05.
ranktype	A numerical value specifies which type of ranking method is used. The default is 1 (see 'Details').

**Details**

Suppose that the question has  $k$  responses. Let  $\pi_j$  denote the probability that the  $j$ th response is selected. Using the survey data,  $\pi_j$  can be estimated.

If ranktype is 1, the ranking rule is the following steps. Let  $\pi_{(j)}$  denote the order statistic. If the hypothesis  $\pi_{(k)} = \pi_{(k-1)}$  is rejected, we rank the response corresponding to  $\pi_{(k)}$  first. If it is not rejected, we compare  $\pi_{(k)}$  with  $\pi_{(j)}$ ,  $j \leq k - 2$  sequentially.

If ranktype is 2, the rank of the  $i$ th response can be defined as

$$R_i = k - \sum_{j=1, j \neq i}^k I(\pi_i > \pi_j)$$

### Value

rank.wald returns a table contains the estimated probabilities of the responses being selected in the first line and the ranks of the responses in the second line.

### Author(s)

Hsiuying Wang <wang@stat.nycu.edu.tw>, Wan-Ting Huang <wthuang.sc09@nycu.edu.tw>, Yu-Chun Lin <restart79610@hotmail.com>

### References

Wang, H. (2008). Ranking Responses in Multiple-Choice Questions. *Journal of Applied Statistics*, 35, 465-474.

Wang, H. and Huang, W. H. (2014). Bayesian Ranking Responses in Multiple Response Questions. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 177, 191-208.

### See Also

[rankL2R](#), [rankLN](#), [rank.gs](#)

### Examples

```
set.seed(12345)
# This is an example to rank k responses in a multiple response question
# when the number of respondents is 1000.
# In this example, we do not use a real data, but generate data in the first six lines.
k <- 5
data <- matrix(NA, nrow = 1000, ncol = k)
for(i in 1:k){
  p <- runif(1)
  data[, i] <- sample(c(0, 1), 1000, p = c(p, 1-p), replace = TRUE)
}
## or upload the true data
rank.wald(data)
```

---

rankL2R	<i>Rank responses under the Bayesian framework according to the loss function in Method 3 of Wang and Huang (2004).</i>
---------	---

---

### Description

Rank responses of a single response question or a multiple response question under the Bayesian framework according to the loss function in Method 3 of Wang and Huang (2004).

### Usage

```
rankL2R(data, response.number, prior.parameter, e)
```

### Arguments

data	A $m$ by $n$ matrix $d_{ij}$ , where $d_{ij} = 0$ or $1$ . If the $i$ th respondent selects the $j$ th response, then $d_{ij} = 1$ , otherwise $d_{ij} = 0$ .
response.number	The number of the responses.
prior.parameter	The parameter vector of the Dirichlet prior distribution, where the vector dimension is $2^{\text{response.number}}$ .
e	A cut point used in the loss function which depends on the economic costs.

### Value

The rankL2R returns the estimated probabilities of the responses being selected in the first line and the ranks of the responses in the second line.

### Author(s)

Hsiuying Wang <wang@stat.nycu.edu.tw> , Yu-Chun Lin <restart79610@hotmail.com>

### References

Wang, H. and Huang, W. H. (2014). Bayesian Ranking Responses in Multiple Response Questions. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 177, 191-208.

### See Also

[rankLN](#), [rank.wald](#), [rank.gs](#)

**Examples**

```

set.seed(12345)
# This is an example to rank k responses in a multiple response question
# when the number of respondents is 1000 and the value e is 0.15.
# In this example, we do not use a real data, but generate data in the first six lines.
k <- 3
data <- matrix(NA, nrow = 1000, ncol = k)
for(i in 1:k){
  p <- runif(1)
  data[, i] <- sample(c(0, 1), 1000, p = c(p, 1-p), replace = TRUE)
}
## or upload the true data
response.number <- 3
prior.parameter <- c(5, 98, 63, 7, 42, 7, 7, 7)
e <- 0.15
rankL2R(data, response.number, prior.parameter, e)

```

---

rankLN	<i>Rank responses under the Bayesian framework according to the loss function in Method 1 of Wang and Huang (2004).</i>
--------	---

---

**Description**

Rank responses of a single response question or a multiple response question under the Bayesian framework according to the loss function in Method 1 of Wang and Huang (2004).

**Usage**

```
rankLN(data, response.number, prior.parameter, c)
```

**Arguments**

data	A m by n matrix $d_{ij}$ , where $d_{ij} = 0$ or 1. If the $i$ th respondent selects the $j$ th response, then $d_{ij} = 1$ , otherwise $d_{ij} = 0$ .
response.number	The number of the responses.
prior.parameter	The parameter vector of the Dirichlet prior distribution, where the vector dimension is $2^{\text{response.number}}$ .
c	The value of c in the loss function

**Value**

The rankLN returns the estimated probabilities of the responses being selected in the first line and the ranks of the responses in the second line.

**Author(s)**

Hsiuying Wang <wang@stat.nycu.edu.tw> , Yu-Chun Lin <restart79610@hotmail.com>

**References**

Wang, H. and Huang, W. H. (2014). Bayesian Ranking Responses in Multiple Response Questions. *Journal of the Royal Statistical Society: Series A (Statistics in Society)*, 177, 191-208.

**See Also**

[rankL2R](#), [rank.wald](#), [rank.gs](#)

**Examples**

```
set.seed(12345)
# This is an example to rank k responses in a multiple response question
# when the number of respondents is 1000 and the value e2R is 0.15.
# In this example, we do not use a real data, but generate data in the first six lines.
k <- 3
data <- matrix(NA, nrow = 1000, ncol = k)
for(i in 1:k){
  p <- runif(1)
  data[, i] <- sample(c(0, 1), 1000, p = c(p, 1-p), replace = TRUE)
}
## or upload the true data
response.number <- 3
prior.parameter <- c(5, 98, 63, 7, 42, 7, 7, 7)
c <- 0.05
rankLN(data, response.number, prior.parameter, c)
```

# Index

rank.gs, [2](#), [4](#), [5](#), [7](#)  
rank.wald, [3](#), [3](#), [5](#), [7](#)  
rankL2R, [3](#), [4](#), [5](#), [7](#)  
rankLN, [3–5](#), [6](#)