

Package: THETASVM (via r-universe)

May 26, 2026

Type Package

Title Time Series Forecasting using THETA-SVM Hybrid Model

Version 0.1.0

Depends R (>= 2.3.1), stats,forecast, tseries, TSSVM

Description Testing, Implementation, and Forecasting of the THETA-SVM hybrid model. The THETA-SVM hybrid model combines the distinct strengths of the THETA model and the Support Vector Machine (SVM) model for time series forecasting. For method details see Bhattacharyya et al. (2022) <[doi:10.1007/s11071-021-07099-3](https://doi.org/10.1007/s11071-021-07099-3)>.

Encoding UTF-8

License GPL-3

NeedsCompilation no

Author Fasila K. P. [aut, ctb], Mrinmoy Ray [aut, cre], Rajeev Ranjan Kumar [aut, ctb], K. N. Singh [aut, ctb], Amrender Kumar [aut, ctb], Santosha Rathod [aut, ctb]

Maintainer Mrinmoy Ray <mrinmoy4848@gmail.com>

Repository <https://cran.r-universe.dev>

Date/Publication 2025-10-28 08:30:08 UTC

RemoteUrl <https://github.com/cran/THETASVM>

RemoteRef HEAD

RemoteSha 55e336acb59109c3b8a0cfb386a1c3b01de88b29

Contents

THSVM	2
Index	4

 THSVM

Theta-SVM hybrid model fitting

Description

The THSVM function fit THETA-SVM hybrid model for time series data.

Usage

```
THSVM(data, h)
```

Arguments

data	Input univariate time series (ts) data.
h	The forecast horizon.

Details

This package allows you to fit the THETA-SVM hybrid model.

Value

Test_Result	Checking the suitability of data for hybrid modelling
THETA coefficients	Coefficients of the fitted THETA
SVM Summary	Summary of the fitted SVM model on residuals obtained from the fitted THETA model
Optimal Lag	Optimal Lag of the fitted SVM model
MAPE	Mean Absolute Percentage Error (MAPE) of the fitted hybrid model
MSE	Mean Square Error (MSE) of fitted hybrid model
fitted	Fitted values of hybrid model
forecasted.values	h step ahead forecasted values employing hybrid model

Author(s)

Fasila K. P., Mrinmoy Ray, Rajeev Ranjan Kumar, K. N. Singh, Amrender Kumar, Santosha Rathod

References

Bhattacharyya, A., Chakraborty, T., and Rai, S. N. (2022). Stochastic forecasting of COVID-19 daily new cases across countries with a novel hybrid time series model. *Nonlinear Dynamics*, 107(3), 3025–3040.

THSVM

3

See Also

ARSVM, ARIMAANN

Examples

```
data=lynx  
THSVM(data,5)
```

Index

* **THETA-SVM**

THSVM, [2](#)

THSVM, [2](#)