

Package: TestAnaAPP (via r-universe)

December 11, 2024

Title A 'shiny' App for Test Analysis and Visualization

Version 1.1.2

Maintainer Youxiang Jiang <jiangyouxiang34@163.com>

Description This application provides exploratory and confirmatory factor analysis, classical test theory, unidimensional and multidimensional item response theory, and continuous item response model analysis, through the 'shiny' interactive interface. In addition, it offers rich functionalities for visualizing and downloading results. Users can download figures, tables, and analysis reports via the interactive interface.

Depends ggplot2 (>= 3.4.3), mirt (>= 1.42), shinydashboard (>= 0.7.2), EstCRM (>= 1.6), shiny (>= 1.7.5)

License GPL (>= 3)

Encoding UTF-8

RoxygenNote 7.3.2

Imports DT (>= 0.29), golem (>= 0.4.1), officedown (>= 0.3.0), stringr (>= 1.5.0), dplyr (>= 1.1.2), bruceR (>= 2023.8.23), officer (>= 0.6.2), openxlsx (>= 4.2.5.2), rmarkdown (>= 2.24), plotrix (>= 3.8-2), cowplot (>= 1.1.1), flextable (>= 0.9.2), shinycssloaders (>= 1.0.0), tidyverse (>= 1.3.0), difR (>= 5.1), lordif (>= 0.3-3), latticeExtra (>= 0.6-30), semPlot (>= 1.1.6)

Suggests testthat (>= 3.2.1.1)

URL <https://github.com/jiangyouxiang/TestAnaAPP>

BugReports <https://github.com/jiangyouxiang/TestAnaAPP/issues>

NeedsCompilation no

Author Youxiang Jiang [cre, aut, ths] (0000-0003-4557-5038), Qing Zeng [aut, ths], Hongbo Wen [aut, ths] (0000-0001-8620-9734)

Repository CRAN

Date/Publication 2024-11-09 04:00:02 UTC

Config/pak/sysreqs libcairo2-dev chromium cmake libfontconfig1-dev
libfreetype6-dev libfribidi-dev libglpk-dev make
libharfbuzz-dev texlive libicu-dev libjpeg-dev libpng-dev
libtiff-dev libxml2-dev libssl-dev libx11-dev zlib1g-dev

Contents

run_app	2
-------------------	---

Index	3
--------------	---

run_app	<i>By using run_app() function in 'TestAnaAPP' package without any arguments, you can perform your test analysis in a friendly interactive interface.</i>
---------	---

Description

By using run_app() function in 'TestAnaAPP' package without any arguments, you can perform your test analysis in a friendly interactive interface.

Usage

```
run_app()
```

Value

No explicit return value. The function is called for its side effects, which include running the interactive application.

Examples

```
if(interactive()){
    TestAnaAPP::run_app()
}
```

Index

run_app, [2](#)