

Package: Ts (via r-universe)

May 19, 2026

Type Package

Title Calculation of the Surface Temperature (Ts) from Geospatial Raster Data

Version 1.0.1

Date 2026-02-13

Description Provides functions to calculate the Surface Temperature (Ts) from geospatial raster data. These functions use albedo, Normalized Difference Vegetation Index (NDVI), and air temperature (Ta) to estimate Ts, facilitating hydrological, ecological, and remote sensing analyses.

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.2

Imports stats, terra

Suggests testthat (>= 3.0.0)

NeedsCompilation no

Author Gaelle Hamelin [aut, cre] (ORCID:
<<https://orcid.org/0009-0007-2148-7937>>)

Maintainer Gaelle Hamelin <gaelle.hamelin@institut-agro.fr>

Repository <https://cran.r-universe.dev>

Date/Publication 2026-02-17 22:20:09 UTC

RemoteUrl <https://github.com/cran/Ts>

RemoteRef HEAD

RemoteSha d19c6da8194cfe0bb0142c9a94804dd929c4e184

Contents

calculate_Ts	2
Index	3

calculate_Ts	<i>Calculate the Surface Temperature (Ts)</i>
--------------	---

Description

This function calculates the surface temperature (Ts) from three rasters: albedo, NDVI, and air temperature (Ta). The resulting Ts raster will have the same unit as Ta.

Usage

```
calculate_Ts(albedo, ndvi, Ta, output_path = NULL, verbose = FALSE)
```

Arguments

albedo	RasterLayer/SpatRaster of albedo values
ndvi	RasterLayer/SpatRaster of NDVI values
Ta	RasterLayer/SpatRaster of air temperature (Ta) in Kelvin
output_path	File path to save the Ts raster (optional)
verbose	Logical; if TRUE, prints information about dry/wet edges, T_min/T_max, and unit info. Default is TRUE.

Value

SpatRaster of surface temperature (Ts) in the same unit as Ta

Examples

```
library(terra)

albedo_raster <- rast(system.file("extdata", "albedo_mini.tif", package = "Ts"))
Ta_raster     <- rast(system.file("extdata", "Ta_mini.tif", package = "Ts"))
ndvi_raster   <- rast(system.file("extdata", "ndvi_mini.tif", package = "Ts"))

output_path <- tempfile(fileext = ".tif")

calculate_Ts(
  albedo = albedo_raster,
  Ta      = Ta_raster,
  ndvi    = ndvi_raster,
  output_path = output_path,
  verbose = TRUE
)

print(output_path)
```

Index

calculate_Ts, 2