

Package: apdesign (via r-universe)

August 21, 2024

Title An Implementation of the Additive Polynomial Design Matrix

Version 1.0.0

Description An implementation of the additive polynomial (AP) design matrix. It constructs and appends an AP design matrix to a data frame for use with longitudinal data subject to seasonality.

Depends R (>= 3.2.3)

License GPL-3

LazyData true

Imports Matrix (>= 1.2)

RoxygenNote 5.0.1

Suggests testthat

NeedsCompilation no

Author Tyler Matta [aut, cre], Quinn Lathrop [ctb], Yeow Meng Thum [ctb]

Maintainer Tyler Matta <tyler.matta@gmail.com>

Repository CRAN

Date/Publication 2016-11-15 07:16:42

Contents

apdesign	2
apdesign_i	3
indv_change	4
mean_change	4

Index	5
--------------	----------

apdesign	<i>apdesign: AP coding apdesign returns a data frame with additive polynomial coding</i>
----------	--

Description

apdesign: AP coding apdesign returns a data frame with additive polynomial coding

Usage

```
apdesign(data, id_var, time_var, center_time, cycle_var, center_cycle,
        max_degree = c(1, 1))
```

Arguments

data	A data frame.
id_var	A character that indicates the subject identifier in data.
time_var	A character that indicates the within-cycle time indicator in data.
center_time	A numeric specifying the within-cycle time to center on.
cycle_var	A character that indicates the cycle indicator in data.
center_cycle	A numeric specifying the cycle to center on.
max_degree	A vector of numerics specifying the highest degree for each polynomial.

Value

Output will be a data frame.

Examples

```
id <- c(rep(1,10), rep(2, 10))
y <- c(c(10, 15, 21, 20, 23, 25, 27, 25, 28, 29),
      c(12, 16, 18, 20, 20, 22, 28, 27, 29, 31))
time <- c(c(0.2, 0.5, 0.7), c(0.3, 0.6, 0.75, 0.89), c(0.1, 0.3, 0.8),
         c(0.3, 0.6, 0.7, 0.85), c(0.2, 0.7, 0.79), c(0.2, 0.5, 0.75))
cycle <- c(rep(1, 3), rep(2, 4), rep(3, 3), rep(1, 4), rep(2, 3), rep(3, 3))
df <- data.frame(id, y, time, cycle)
apdesign(data = df, id = "id", time_var = "time", cycle_var = "cycle",
        center_cycle = 1, center_time = 0, max_degree = c(2,1))
```

apdesign_i	<i>apdesign_i: AP coding for a single subject</i>
------------	---

Description

apdesign_i: AP coding for a single subject

Usage

```
apdesign_i(data, cycle_var, center_cycle, time_var, center_time,  
          max_degree = c(1, 1), matrices = FALSE)
```

Arguments

data	A data frame.
cycle_var	A character that indicates the cycle indicator in data.
center_cycle	A numeric specifying the cycle to center on.
time_var	A character that indicates the within-cycle time indicator in data.
center_time	A numeric specifying the within-cycle time to center on.
max_degree	A vector of numerics specifying the highest degree for each polynomial.
matrices	If TRUE, will print the AP, D1 and D2 matrices.

Value

Output will be a matrix.

Examples

```
y <- c(10, 15, 21, 20, 23, 25, 27, 25, 28, 29)  
time <- c(c(0.2, 0.5, 0.7), c(0.3, 0.6, 0.75, 0.89), c(0.1, 0.3, 0.8))  
cycle <- c(rep(1, 3), rep(2, 4), rep(3, 3))  
df <- data.frame(y, time, cycle)  
apdesign_i(data = df, time_var = "time", cycle_var = "cycle",  
          center_cycle = 1, center_time = 0, max_degree = c(2,1))
```

indv_change

Repeated measures data over three years

Description

A dataset of longitudinal responses of 36 study participants over a three years span.

Usage

indv_change

Format

A data frame with 234 observations and 5 variables:

id subject identifier

cycle cycle number

cycle_time time since the start of the cycle, in weeks

start_time time since the start of the study, in weeks

response outcome measure

mean_change

Data for a single time trend over three years

Description

A dataset of mean responses of study participants over a three years span.

Usage

mean_change

Format

A data frame with 9 observations and 4 variables:

cycle cycle number

cycle_time time since the start of the cycle, in weeks

start_time time since the start of the study, in weeks

response outcome measure

Index

* datasets

indv_change, 4

mean_change, 4

apdesign, 2

apdesign_i, 3

indv_change, 4

mean_change, 4