

# Package: argosfilter (via r-universe)

September 18, 2024

**Version** 0.70

**Date** 2022-09-12

**Title** Argos Locations Filter

**Author** Carla Freitas [aut, cre]

**Maintainer** Carla Freitas <carla.freitas.brandt@hi.no>

**Description** Filters animal satellite tracking data obtained from the Argos system(<<https://www.argos-system.org/>>), following the algorithm described in Freitas et al (2008) <[doi:10.1111/j.1748-7692.2007.00180.x](https://doi.org/10.1111/j.1748-7692.2007.00180.x)>. It is especially indicated for telemetry studies of marine animals, where Argos locations are predominantly of low-quality.

**License** GPL (>= 2)

**NeedsCompilation** no

**Depends** R (>= 3.5.0)

**Repository** CRAN

**Date/Publication** 2022-09-13 11:10:05 UTC

## Contents

bearing	2
dist.next	3
dist.prev	3
distance	4
distance_m	5
internal.angles	5
radian	6
sdafilter	6
seal	8
vmask	9

<b>Index</b>	<b>11</b>
--------------	-----------

---

bearing	<i>Bearing between geographical locations</i>
---------	---

---

### Description

Function `bearing` calculates the bearing, in degrees, between two geographical locations. Function `bearingTrack` calculates the bearing between a sequence of locations.

### Usage

```
bearing(lat1, lat2, lon1, lon2)
bearingTrack(lat, lon)
```

### Arguments

<code>lat1</code>	latitude of the first location, in decimal degrees
<code>lat2</code>	latitude of the second location, in decimal degrees
<code>lon1</code>	longitude of the first location, in decimal degrees
<code>lon2</code>	longitude of the second location, in decimal degrees
<code>lat</code>	vector of latitudes, in decimal degrees
<code>lon</code>	vector of longitudes, in decimal degrees

### Details

Bearings are calculated using spherical trigonometry. Formulas are given in Zwillinger (2003).

### Value

`bearing` returns the bearing, in degrees, between the first location and the second location. 0 is North. `bearingTrack` returns a vector of bearings between the sequence of locations.

### Author(s)

Carla Freitas

### References

Zwillinger D. (2003) *Standard Mathematical Tables and Formulae*, 31st edition. Chapman & Hall/CRC, Boca Raton, FL.

### See Also

[distance](#)

**Examples**

```
# Bearing between two geographical locations:
lat1<-rnorm(1,80)
lat2<-rnorm(1,80)
lon1<-rnorm(1,20)
lon2<-rnorm(1,20)
bearing(lat1,lat2,lon1,lon2)

# Bearing between a sequence of 10 geographical locations:
lat<-rnorm(10,80)
lon<-rnorm(10,20)
bearingTrack(lat,lon)
```

---

dist.next	<i>Internal function for package argosfilter</i>
-----------	--

---

**Description**

Internal function for package argosfilter

**Details**

This function is not to be called by the user.

**Value**

No return value

---

dist.prev	<i>Internal function for package argosfilter</i>
-----------	--

---

**Description**

Internal function for package argosfilter

**Details**

This function is not to be called by the user.

**Value**

No return value

---

distance	<i>Great circle distance between geographical coordinates</i>
----------	---

---

### Description

Function `distance` calculates the distance, in km, between two geographical locations following the great circle route. Function `distanceTrack` calculates the distance, in km, between a sequence of locations.

### Usage

```
distance(lat1, lat2, lon1, lon2)
distanceTrack(lat, lon)
```

### Arguments

<code>lat1</code>	latitude of the first location, in decimal degrees
<code>lat2</code>	latitude of the second location, in decimal degrees
<code>lon1</code>	longitude of the first location, in decimal degrees
<code>lon2</code>	longitude of the second location, in decimal degrees
<code>lat</code>	vector of latitudes, in decimal degrees
<code>lon</code>	vector of longitudes, in decimal degrees

### Details

Distances are calculated using spherical trigonometry. See details on formulae in Zwillinger (2003).

### Value

`distance` returns the distance between the two locations. `distanceTrack` returns a vector of distances between the sequence of locations. In both cases, distances are given in km.

### Author(s)

Carla Freitas

### References

Zwillinger D. (2003) *Standard Mathematical Tables and Formulae*, 31st edition. Chapman & Hall/CRC, Boca Raton, FL.

### See Also

[bearing](#)

**Examples**

```
# Distance between two geographical locations
lat1<-rnorm(1,80)
lon1<-rnorm(1,20)
lat2<-rnorm(1,80)
lon2<-rnorm(1,20)
distance(lat1,lat2,lon1,lon2)

# Distance between a sequence of 10 geographical locations:
lat<-rnorm(10,80)
lon<-rnorm(10,20)
distanceTrack(lat,lon)
```

---

distance_m	<i>Internal function for package argosfilter</i>
------------	--

---

**Description**

Internal function for package argosfilter

**Details**

This function is not to be called by the user.

**Value**

No return value

---

internal.angles	<i>Internal function for package argosfilter</i>
-----------------	--

---

**Description**

Internal function for package argosfilter

**Details**

This function is not to be called by the user.

**Value**

No return value

radian                      *Degrees to radians*

---

**Description**

Converts degrees to radians

**Usage**

```
radian(degree)
```

**Arguments**

degree                      vector of values in degrees

**Value**

Returns a vector of values in radians.

**Author(s)**

Carla Freitas

**Examples**

```
# Convert latitudes and longitudes from decimal degrees to radians
lat<-rnorm(10,80)
lon<-rnorm(10,20)
lat_rad<-radian(lat)
lon_rad<-radian(lon)
```

---

sdafilter                      *Filter Argos locations*

---

**Description**

This function filters location data obtained from Argos, using the Freitas et al. (2008) algorithm.

**Usage**

```
sdafilter(lat, lon, dtime, lc, vmax = 2, ang = c(15, 25), distlim = c(2500, 5000))
```

**Arguments**

lat	a numeric vector of latitudes, in decimal degrees
lon	a numeric vector of longitudes, in decimal degrees
dtime	a vector of class POSIXct with date and time for each location
lc	a numeric or character vector of Argos location classes. Argos locations Z can be entered as "Z", "z" or -9
vmax	speed threshold, in m/s. Default is 2 m/s
ang	angles of the spikes to be removed. Default is c(15,25). No spikes are removed if ang=-1
distlim	lengths of the above spikes, in meters. Default is c(2500,5000)

**Details**

Locations are filtered using the algorithm described in Freitas et al. (2008). The algorithm first removes all locations with location class Z (-9), which are the points for which the location process failed. Then all locations requiring unrealistic swimming speeds are removed, using the McConnell et al. (1992) algorithm, unless the point is located at less than 5 km from the previous location. This procedure enables retaining good quality locations for which high swimming speeds result from location being taken very close to each other in time. The default maximum speed threshold is 2 m/s. The last step is optional, and enables to remove unlikely spikes from the animal's path. The angles of the spikes should be specified in ang, and their respective length in distlim. The default is c(15,25) for ang and c(2500,5000) for distlim, meaning that all spikes with angles smaller than 15 and 25 degrees will be removed if their extension is higher than 2500 m and 5000 m respectively. No spikes are removed if ang=-1. ang and distlim vectors must have the same length.

**Value**

Returns a vector with the following elements: "removed" (location removed by the filter), "not" (location not removed) and "end\_location" (location at the end of the track where the algorithm could not be applied).

**Author(s)**

Carla Freitas, with contributions from Anne Goarant and Catriona MacLeod

**References**

- Freitas, C., Lydersen, C., Ims, R.A., Fedak, M.A. and Kovacs, K.M. (2008) A simple new algorithm to filter marine mammal Argos locations *Marine Mammal Science* 24:315-325.
- McConnell, B.J., Chambers, C. and Fedak, M.A. (1992) Foraging ecology of southern elephant seals in relation to the bathymetry and productivity of the Southern Ocean. *Antarctic Science* 4:393-398.

**See Also**

[vmask](#)

**Examples**

```

data(seal)
lat<-seal$lat
lon<-seal$lon
dtime<-seal$dtime
lc<-seal$lc

# plot unfiltered data
plot(lon,lat,col="lightgrey",type="l",xlim=c(5,18),
ylim=c(77.1,79.1),xlab="Longitude",ylab="Latitude")

# filter by speed only
mfilter<-vmask(lat,lon,dtime,2)
mfilter[1:10]
lines(lon[which(mfilter=="not")],lat[which(mfilter=="not")],col="red")

# filter data using sdafilter
cfilter<-sdafilter(lat, lon, dtime, lc)
cfilter[1:20]
lines(lon[which(cfilter=="not")],lat[which(cfilter=="not")],col="blue")

# check number of locations (by location class) removed by each filter
table(lc,mfilter)
table(lc,cfilter)

```

---

seal

*Satellite tracking data from a ringed seal*


---

**Description**

Satellite tracking data from a ringed seal tagged in Svalbard, Norway. Data were provided by C. Lydersen and K. M. Kovacs (Norwegian Polar Institute).

**Usage**

```
data(seal)
```

**Format**

A data frame with 1561 observations on the following 4 variables.

`dtime` a vector of class POSIXt with date and time for each location

`lat` a numeric vector with latitudes, in decimal degrees

`lon` a numeric vector with longitudes, in decimal degrees

`lc` a numeric vector with location classes LC (-9 refers to LC Z, -2 to LC B and -1 to LC A)

**Examples**

```
data(seal)
lat<-seal$lat
lon<-seal$lon
# plot unfiltered data
plot(lon,lat)
```

---

vmask

*Filter locations for speed*

---

**Description**

This function filters location data obtained from Argos, using the MacConnell al. (1992) algorithm.

**Usage**

```
vmask(lat, lon, dtime, vmax)
```

**Arguments**

lat	a numeric vector of latitudes, in decimal degrees
lon	a numeric vector of longitudes, in decimal degrees
dtime	a vector of class POSIXct with date and time for each location
vmax	speed threshold, in m/s

**Details**

Locations are filtered using the algorithm described in MacConnell et al. (1992). Since this algorithm calculates for each location the root mean square (rms) of the speeds to the previous, 2nd previous, next and 2nd next location, high swimming speeds can be obtained for points that are adjacent to outlier locations. Therefore, when the algorithm is applied to a set of locations, only the peaks in rms (that are above the maximum speed) are removed. Other locations are not removed even if above the speed limit. rms is then recalculated n times until all locations are below the speed threshold.

**Value**

Returns a vector with the following elements: "removed" (location removed by the filter), "not" (location not removed) and "end\_location" (location at the end of the track where the algorithm could not be applied).

**Author(s)**

Carla Freitas

## References

McConnell, B.J., Chambers, C. and Fedak, M.A. (1992) Foraging ecology of southern elephant seals in relation to the bathymetry and productivity of the Southern Ocean. *Antarctic Science* 4:393-398.

## See Also

[sdafilter](#)

## Examples

```
data(seal)
lat<-seal$lat
lon<-seal$lon
dtime<-seal$dtime
lc<-seal$lc

# filter by speed
mfilter<-vmask(lat,lon,dtime,2)

# plot unfiltered (grey) and filtered data (green)
plot(lon,lat,col="lightgrey",type="l",xlim=c(5,18),
ylim=c(77.1,79.1),xlab="Longitude",ylab="Latitude")
lines(lon[which(mfilter=="not")],lat[which(mfilter=="not")],col="darkgreen")
```

# Index

## \* datasets

seal, 8

## \* spatial

bearing, 2

dist.next, 3

dist.prev, 3

distance, 4

distance\_m, 5

internal.angles, 5

radian, 6

sdafilter, 6

vmask, 9

bearing, 2, 4

bearingTrack (bearing), 2

dist.next, 3

dist.prev, 3

distance, 2, 4

distance\_m, 5

distanceTrack (distance), 4

internal.angles, 5

radian, 6

sdafilter, 6, 10

seal, 8

vmask, 7, 9