

Package: bdlp (via r-universe)

August 22, 2024

Version 0.9-2

Date 2021-01-03

Title Transparent and Reproducible Artificial Data Generation

Depends R (>= 3.0.0), graphics

Imports GenOrd, MultiOrd, stringdist, rgl, RSQLite, MASS, DBI,
methods, grDevices, stats, utils

Description The main function generateDataset() processes a user-supplied .R file that contains metadata parameters in order to generate actual data. The metadata parameters have to be structured in the form of metadata objects, the format of which is outlined in the package vignette. This approach allows to generate artificial data in a transparent and reproducible manner.

License GPL-2

LazyLoad yes

Author Rainer Dangl [aut, cre]

Maintainer Rainer Dangl <rainer.dangl@bildung.gv.at>

RoxygenNote 7.1.1

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2021-01-10 15:10:05 UTC

Contents

addCluster	2
checkSetup	3
createFileskeleton	3
deleteCluster	4
generateData	5

generateData,metadata.binary-method	5
generateData,metadata.functional-method	6
generateData,metadata.metric-method	6
generateData,metadata.ordinal-method	7
generateData,metadata.randomstring-method	7
generateDatabase	8
getRandomstrings	9
initializeObject	9
metadata.binary-class	10
metadata.functional-class	10
metadata.general-class	11
metadata.metric-class	11
metadata.ordinal-class	11
metadata.randomstring-class	11
plot3dMetadata	12
plot3dMetadata,metadata.metric-method	12
plotMetadata	13
plotMetadata,metadata.binary-method	13
plotMetadata,metadata.functional-method	14
plotMetadata,metadata.metric-method	14
plotMetadata,metadata.ordinal-method	15
sampleGrid	15
saveSetup	16
summarizeSetup	17

Index 18

addCluster	<i>Add an empty cluster to a metadata object</i>
------------	--

Description

Add an empty cluster to a metadata object

Usage

```
addCluster(m)
```

Arguments

m	A metadata object
---	-------------------

Value

A metadata object with an empty additional cluster

Examples

```
require(MASS)
m <- new("metadata.metric",
        clusters = list(c1 = list(n = 25, mu = c(4,5), Sigma=diag(1,2)),
                        c2 = list(n = 25, mu = c(-1,-2), Sigma=diag(1,2))),
        genfunc = mvrnorm)
m2 <- addCluster(m)
```

checkSetup	<i>Performs various consistency checks on a setup file</i>
------------	--

Description

Performs various consistency checks on a setup file

Usage

```
checkSetup(file)
```

Arguments

file	A .R file with a new simulation setup
------	---------------------------------------

createFileskeleton	<i>Create a new setup file template</i>
--------------------	---

Description

Create a new setup file template

Usage

```
createFileskeleton(
  newname,
  mail,
  inst,
  author,
  type = c("metric", "functional", "ordinal", "binary", "randomstring", "wordnet"),
  infotable = NULL,
  ref = "Unpublished",
  codefile = F
)
```

Arguments

newname	The name of the new setup (and subsequently the file name)
mail	The contact e-mail address of the author
inst	The institution of the author
author	The full name of the author
type	The data type of this setup
infotable	The setup summary table
ref	The reference to the publication where the setup was used
codefile	If functions that are needed for the data generation of the setup are stored in some other .R file, the path can be supplied

deleteCluster	<i>Delete a cluster from a metadata object</i>
---------------	--

Description

Delete a cluster from a metadata object

Usage

```
deleteCluster(m, clnumber)
```

Arguments

m	A metadata object
clnumber	The cluster to delete

Value

A metadata object

Examples

```
require(MASS)
m <- new("metadata.metric",
        clusters = list(c1 = list(n = 25, mu = c(4,5), Sigma=diag(1,2)),
                       c2 = list(n = 25, mu = c(-1,-2), Sigma=diag(1,2))),
        genfunc = mvrnorm)
m2 <- deleteCluster(m, 2)
```

generateData	<i>Generate a dataset from a metadata object</i>
--------------	--

Description

Generate a dataset from a metadata object

Usage

```
generateData(m)
```

Arguments

m A metadata object

Value

A dataset as specified by the metadata object

Examples

```
require(MASS)
m <- new("metadata.metric",
        clusters = list(c1 = list(n = 25, mu = c(4,5), Sigma=diag(1,2)),
                       c2 = list(n = 25, mu = c(-1,-2), Sigma=diag(1,2))),
        genfunc = mvrnorm)
generateData(m)
```

generateData,metadata.binary-method	<i>Generate a dataset from a metadata object</i>
-------------------------------------	--

Description

Generate a dataset from a metadata object

Usage

```
## S4 method for signature 'metadata.binary'
generateData(m)
```

Arguments

m A metadata object

Value

A dataset as specified by the metadata object

`generateData,metadata.functional-method`
Generate a dataset from a metadata object

Description

Generate a dataset from a metadata object

Usage

```
## S4 method for signature 'metadata.functional'  
generateData(m)
```

Arguments

`m` A metadata object

Value

A dataset as specified by the metadata object

`generateData,metadata.metric-method`
Generate a dataset from a metadata object

Description

Generate a dataset from a metadata object

Usage

```
## S4 method for signature 'metadata.metric'  
generateData(m)
```

Arguments

`m` A metadata object

Value

A dataset as specified by the metadata object

`generateData,metadata.ordinal-method`

Generate a dataset from a metadata object

Description

Generate a dataset from a metadata object

Usage

```
## S4 method for signature 'metadata.ordinal'  
generateData(m)
```

Arguments

m A metadata object

Value

A dataset as specified by the metadata object

`generateData,metadata.randomstring-method`

Generate a dataset from a metadata object

Description

Generate a dataset from a metadata object

Usage

```
## S4 method for signature 'metadata.randomstring'  
generateData(m)
```

Arguments

m A metadata object

Value

A dataset as specified by the metadata object

generateDatabase *Generates a number of datasets from one metadata scenario*

Description

Generates a number of datasets from one metadata scenario

Usage

```
generateDatabase(
  name = NULL,
  setnr = NULL,
  draws = 1,
  seedinfo = list(100, paste(R.version$major, R.version$minor, sep = "."), RNGkind()),
  metaseedinfo = list(100, paste(R.version$major, R.version$minor, sep = "."),
    RNGkind()),
  file = NULL,
  seedincrement = 1
)
```

Arguments

name	The path to the setup file
setnr	The metadata scenario, as taken from the info table
draws	The number of datasets that are drawn from the metadata scenario
seedinfo	The random number generator seed parameters
metaseedinfo	If necessary, a separate set of random number generator parameters for the metadata (e.g. cluster centers)
file	A custom file name for the output database. Defaults to the pattern setup-name_setnr_seed.db
seedincrement	The random number seed will by default increase by 1 for each draw from the base seed given in seedinfo unless specified otherwise here

Value

An SQLite database that contains the desired number of data sets drawn from a certain metadata scenario

Examples

```
## Not run:
source(system.file("dangl2014.R", package="bdlp"))
generateDatabase(name="dangl2014.R", setnr=1, draws=10)
unlink("dangl2014_set_1_seed_100.db")

## End(Not run)
```

getRandomstrings *Generates random strings*

Description

Generates random strings

Usage

```
getRandomstrings(  
  center = NULL,  
  maxdist = NULL,  
  length = nchar(center),  
  n = 1,  
  method = "lv"  
)
```

Arguments

center	Reference string, i.e. the cluster center
maxdist	The maximum allowed string distance
length	The length of the string
n	Number of strings to be generated
method	The string distance method used to calculate the string, defaults to Levenstein distance

Value

A character string

Examples

```
getRandomstrings(center="hello", maxdist = 2, n = 5)
```

initializeObject *Initialize a new metadata object*

Description

Initialize a new metadata object

Usage

```
initializeObject(
  type,
  k,
  genfunc,
  seed = list(100, paste(R.version$major, R.version$minor, sep = "."), RNGkind())
)
```

Arguments

type	The data type for the new object
k	Number of clusters
genfunc	The distribution function for data generation
seed	The random number seed parameters for the data generation

Value

A metadata object

Examples

```
require(MASS)
initializeObject(type = "metric", k = 3, genfunc = mvrnorm)
```

metadata.binary-class *A class that represents a metadata object for binary data*

Description

A class that represents a metadata object for binary data

metadata.functional-class
A class that represents a metadata object for functional data

Description

A class that represents a metadata object for functional data

metadata.general-class

A class to represent a metadata object

Description

A class to represent a metadata object

Fields

clusters A list of cluster information

genfunc A string specifying a distribution for the random numbers

seedinfo A list with the parameters for the random number generator

metadata.metric-class *A class that represents a metadata object for metric data*

Description

A class that represents a metadata object for metric data

Fields

standardization If standardization is needed, function can be supplied

metadata.ordinal-class

A class that represents a metadata object for ordinal data

Description

A class that represents a metadata object for ordinal data

metadata.randomstring-class

A class that represents a metadata object for string data

Description

A class that represents a metadata object for string data

plot3dMetadata *3d plot of a metric metadata object*

Description

3d plot of a metric metadata object

Usage

```
plot3dMetadata(m)
```

Arguments

m A metadata object (for metric data)

Value

A 3d plot using function plot3d from package rgl

Examples

```
require(MASS)
m <- new("metadata.metric",
        clusters = list(c1 = list(n = 25, mu = c(4,5,4), Sigma=diag(1,3)),
                       c2 = list(n = 25, mu = c(-1,-2,-2), Sigma=diag(1,3))),
        genfunc = mvrnorm)
plot3dMetadata(m)
```

plot3dMetadata,metadata.metric-method
3d plot of a metric metadata object

Description

3d plot of a metric metadata object

Usage

```
## S4 method for signature 'metadata.metric'
plot3dMetadata(m)
```

Arguments

m A metadata object (for metric data)

Value

A 3d plot using function plot3d from package rgl

plotMetadata	<i>Plot a metadata object</i>
--------------	-------------------------------

Description

Plot a metadata object

Usage

```
plotMetadata(m)
```

Arguments

m A metadata object

Value

A plot, created by generating an instance of the dataset from the metadata object

Examples

```
require(MASS)
m <- new("metadata.metric",
        clusters = list(c1 = list(n = 25, mu = c(4,5), Sigma=diag(1,2)),
                       c2 = list(n = 25, mu = c(-1,-2), Sigma=diag(1,2))),
        genfunc = mvrnorm)
plotMetadata(m)
```

plotMetadata,metadata.binary-method	<i>Plot a metadata object</i>
-------------------------------------	-------------------------------

Description

Plot a metadata object

Usage

```
## S4 method for signature 'metadata.binary'
plotMetadata(m)
```

Arguments

m A metadata object

Value

A plot, created by generating an instance of the dataset from the metadata object

`plotMetadata,metadata.functional-method`
Plot a metadata object

Description

Plot a metadata object

Usage

```
## S4 method for signature 'metadata.functional'  
plotMetadata(m)
```

Arguments

`m` A metadata object

Value

A plot, created by generating an instance of the dataset from the metadata object

`plotMetadata,metadata.metric-method`
Plot a metadata object

Description

Plot a metadata object

Usage

```
## S4 method for signature 'metadata.metric'  
plotMetadata(m)
```

Arguments

`m` A metadata object

Value

A plot, created by generating an instance of the dataset from the metadata object

```
plotMetadata,metadata.ordinal-method
      Plot a metadata object
```

Description

Plot a metadata object

Usage

```
## S4 method for signature 'metadata.ordinal'
plotMetadata(m)
```

Arguments

`m` A metadata object

Value

A plot, created by generating an instance of the dataset from the metadata object

```
sampleGrid      Sample grid points for functional data
```

Description

Sample grid points for functional data

Usage

```
sampleGrid(total_n, minT, maxT, granularity, regular = FALSE)
```

Arguments

<code>total_n</code>	Number of Observations
<code>minT</code>	Minimum number of time points sampled
<code>maxT</code>	Maximum number of time points sampled
<code>granularity</code>	Number of possible time points in total
<code>regular</code>	If TRUE, maxT time points are sampled at the same time points for each function

Value

A binary matrix indicating whether the function should be evaluated at a given time point

Examples

```
sampleGrid(total_n = 10, minT = 4, maxT = 10, granularity = 20)
```

```
saveSetup
```

Saves a list of metadata objects to a new setup file

Description

Saves a list of metadata objects to a new setup file

Usage

```
saveSetup(
  name,
  author,
  mail,
  inst,
  cit = "Unpublished",
  objects,
  table,
  seedinfo = list(100, paste(R.version$major, R.version$minor, sep = "."), RNGkind()),
  metaseedinfo = list(100, paste(R.version$major, R.version$minor, sep = "."),
    RNGkind()),
  custom_funcs = NULL,
  custom_name = NULL
)
```

Arguments

name	The name of the new setup (and thus also the filename)
author	Full name of the author
mail	Contact e-mail address of the author
inst	Institution of the author
cit	Reference to the publication where the setup was used, defaults to unpublished
objects	List of metadata objects
table	Info table for the setup
seedinfo	Random number generator parameters for the data sets
metaseedinfo	Random number generator parameters for the metadata
custom_funcs	Custom functions that are needed to generate the meta(data)
custom_name	Custom filename that deviates from the authorYear format

Value

A .R file that can be processed by `create.dataset`

Examples

```
require(MASS)
a = new("metadata.metric",
      clusters = list(c1 = list(n = 25, mu = c(4,5), Sigma=diag(1,2)),
                    c2 = list(n = 25, mu = c(-1,-2), Sigma=diag(1,2))),
      genfunc = mvrnorm)
b = new("metadata.metric",
      clusters = list(c1 = list(n = 44, mu = c(1,2), Sigma=diag(1,2)),
                    c2 = list(n = 66, mu = c(-5,-6), Sigma=diag(1,2))),
      genfunc = mvrnorm)

## Not run:
saveSetup(name="doe2002.R", author="John Dow", mail="john.doe@edu.com",
         inst="Example University", cit="Simple Data, pp. 23-24", objects=list(a, b),
         table=data.frame(n = c(50, 110), k = c(2,2), shape = c("spherical", "spherical")))
unlink("doe2002.R")

## End(Not run)
```

summarizeSetup	<i>Returns the setup summary</i>
----------------	----------------------------------

Description

Returns the setup summary

Usage

```
summarizeSetup(name)
```

Arguments

name	The name of the setup
------	-----------------------

Value

The summary table of name

Index

[addCluster](#), [2](#)

[checkSetup](#), [3](#)
[createFileskeleton](#), [3](#)

[deleteCluster](#), [4](#)

[generateData](#), [5](#)
[generateData,metadata.binary-method](#), [5](#)
[generateData,metadata.functional-method](#),
[6](#)
[generateData,metadata.metric-method](#), [6](#)
[generateData,metadata.ordinal-method](#),
[7](#)
[generateData,metadata.randomstring-method](#),
[7](#)
[generateDatabase](#), [8](#)
[getRandomstrings](#), [9](#)

[initializeObject](#), [9](#)

[metadata.binary-class](#), [10](#)
[metadata.functional-class](#), [10](#)
[metadata.general-class](#), [11](#)
[metadata.metric-class](#), [11](#)
[metadata.ordinal-class](#), [11](#)
[metadata.randomstring-class](#), [11](#)

[plot3dMetadata](#), [12](#)
[plot3dMetadata,metadata.metric-method](#),
[12](#)
[plotMetadata](#), [13](#)
[plotMetadata,metadata.binary-method](#),
[13](#)
[plotMetadata,metadata.functional-method](#),
[14](#)
[plotMetadata,metadata.metric-method](#),
[14](#)
[plotMetadata,metadata.ordinal-method](#),
[15](#)

[sampleGrid](#), [15](#)
[saveSetup](#), [16](#)
[summarizeSetup](#), [17](#)