

# Package: bvarnet (via r-universe)

May 27, 2026

**Title** Bayesian Estimation of Dynamic VAR Models using STAN

**Version** 1.0.0

**Author** Florian Metwaly [aut, cre, cph] (ORCID:  
<<https://orcid.org/0009-0001-8357-7870>>)

**Maintainer** Florian Metwaly <[f.j.metwaly@uva.nl](mailto:f.j.metwaly@uva.nl)>

**Description** Bayesian estimation of multilevel Vector Autoregression (VAR) models using Stan. Supports Gaussian, Binary, and Ordinal (adjacent category) outcome variables with random effects and customizable priors.

**License** GPL (>= 3)

**Encoding** UTF-8

**URL** <https://flo1met.github.io/bvarnet/>,  
<https://github.com/flo1met/bvarnet>

**BugReports** <https://github.com/flo1met/bvarnet/issues>

**RoxygenNote** 7.3.3

**Additional\_repositories** <https://mc-stan.org/r-packages/>

**Imports** instantiate, logspline, mvtnorm, posterior

**Suggests** cmdstanr, bayesplot, knitr, qgraph, rmarkdown, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Config/Needs/website** pkgdown

**VignetteBuilder** knitr

**Depends** R (>= 3.5)

**LazyData** true

**NeedsCompilation** yes

**Repository** <https://cran.r-universe.dev>

**Date/Publication** 2026-05-27 09:00:02 UTC

**RemoteUrl** <https://github.com/cran/bvarnet>

**RemoteRef** HEAD

**RemoteSha** efb5244562916e7e18c0b35bbe00240a390c4c6

## Contents

bf_table	2
bvar	3
compare_to_truth	6
extract_draws	6
extract_network_matrix	7
extract_param	8
extract_random_effects	8
extract_temporal	9
format.bvarnet_prior	10
get_default_priors	10
print.bvarnet	11
print.bvarnet_prior	11
print.bvarnet_priors	12
print.summary.bvarnet	12
prior	13
set_priors	13
sim_var	14
studentlife	16
summary.bvarnet	16
<b>Index</b>	<b>18</b>

---

bf_table	<i>Compute Savage-Dickey Bayes factors</i>
----------	--

---

### Description

Computes Savage-Dickey density ratio Bayes factors for each (requested set of) parameter in the model. By default, all applicable parameters are tested and returned in a tidy data frame. The `type` argument controls which parameter groups are included; the `variable` argument can be used to filter to effects involving specific variables. The `log_BF10` argument allows including the natural log of the Bayes factor in the output, and `round` controls numeric rounding of the results.

### Usage

```
bf_table(
  object,
  type = "all",
  lag = 1L,
  null_value = 0,
  variable = NULL,
  log_BF10 = FALSE,
  round = 5L
)
```

**Arguments**

object	A bvarnet object returned by <code>bvar()</code> .
type	Character vector specifying which parameter groups to test. Use "all" (default) to include all applicable groups automatically. Available options: "ar" Autoregressive effects (self-loops). Per-cell BFs for the lag specified by lag, plus a joint BF. "cl" Cross-lagged effects. Same structure as "ar". "intercepts" Intercept parameters. Skipped automatically for ordinal outcomes. "fe" Non-intercept fixed effects (covariates). "lag_fe" Joint BFs for lag $\times$ covariate interaction terms. Only available when the model was fitted with <code>fe_interactions</code> containing lag terms. "temporal" Joint BF for the entire temporal structure (all AR + CL parameters across all lags). When lag $\times$ covariate interactions are present, additional omnibus rows are included.
lag	Integer; which lag block to use (default 1). Applies to "ar" and "cl" types.
null_value	Numeric scalar; the null hypothesis value (default 0).
variable	Character vector or NULL (default). One or more variable names. When set, only effects involving these variables are included.
log_BF10	Logical; if TRUE, an additional log_BF10 column (natural log of BF10) is appended to the output. Default is FALSE.
round	Integer or NULL; number of decimal places to round numeric output columns. Default is 5. Set to NULL to disable rounding.

**Value**

A data frame with columns: type, predictor, outcome, BF10 (and optionally log\_BF10).

---

bvar *Fit a Bayesian multilevel VAR network model*

---

**Description**

The `bvar` function estimates the posterior distribution of the specified Bayesian (Multilevel) Vector Autoregression.

**Usage**

```
bvar(
  id_col,
  time_col,
  y_cols,
  x_cols = NULL,
  center_x = FALSE,
```

```

fe_interactions = NULL,
re_interactions = NULL,
re_cols = NULL,
re_temporal = FALSE,
K = 1,
na_action = c("listwise"),
skip_lag = TRUE,
data,
family = c("bernoulli", "ordinal", "gaussian"),
priors = set_priors(),
iter = 4000,
warmup = 1000,
chains = 4,
cores = 1,
seed = NULL,
adapt_delta = NULL,
max_treedepth = NULL,
save_data = FALSE
)

```

### Arguments

<code>id_col</code>	Character. Name of the subject/group identifier column.
<code>time_col</code>	Character. Name of the time column.
<code>y_cols</code>	Character vector. Names of the outcome columns.
<code>x_cols</code>	Character vector or NULL. Names of the covariate columns.
<code>center_x</code>	Logical. Grand-mean centre covariates before fitting? Default FALSE.
<code>fe_interactions</code>	List or NULL. Fixed-effect interaction terms to add to the design matrix. Each element is a character vector of column names to interact, or <code>c("lag", "x")</code> to interact all lag columns with a covariate.
<code>re_interactions</code>	List or NULL. Random-effect interaction terms.
<code>re_cols</code>	Character vector. Columns from X and/or "Intercept" to include as random slopes.
<code>re_temporal</code>	Logical. Include random slopes on lag predictors? Default FALSE.
<code>K</code>	Integer. AR order. Default 1.
<code>na_action</code>	Character. Missing-data strategy; currently only "listwise".
<code>skip_lag</code>	Logical. If TRUE (default), rows with irregular time gaps have their lag set to zero rather than being dropped.
<code>data</code>	Data frame in long format.
<code>family</code>	Character scalar or vector. Observation model per node. A scalar is recycled to all <code>y_cols</code> . A vector of length <code>length(y_cols)</code> (named or positional) specifies per-node families. Valid values: "bernoulli", "ordinal", "gaussian".

priors	A <code>bvagnet_priors</code> object from <code>set_priors()</code> . Defaults to <code>set_priors()</code> (package defaults).
iter	Integer. Number of post-warmup iterations per chain. Default 4000.
warmup	Integer. Number of warmup iterations per chain. Default 1000.
chains	Integer. Number of MCMC chains. Default 4.
cores	Integer. Number of chains to run in parallel. Default 1.
seed	Integer or NULL. RNG seed.
adapt_delta	Numeric in (0, 1). Target average proposal acceptance probability during warmup adaptation. Higher values (e.g., 0.95–0.99) reduce divergences at the cost of slower sampling. Default NULL (CmdStan default of 0.8).
max_treedepth	Integer. Maximum depth of the NUTS binary tree. Increasing this allows the sampler to take more leapfrog steps per iteration, which can help with difficult posteriors (e.g., funnels in hierarchical logistic models) but increases computation. Default NULL (CmdStan default of 10).
save_data	Logical. If TRUE, store the preprocessed (sorted, listwise-deleted) estimation data in the <code>data_used</code> slot of the returned object for reproducibility and downstream analyses. Default FALSE.

## Value

A `bvagnet` object (a named list) with slots: `draws`, `convergence`, `diagnostics`, `timing`, `metadata`, `return_codes`, `family`, `standata`, `priors`. If `save_data = TRUE`, also includes `data_used` (the cleaned estimation data frame).

## Examples

```
## Not run:
# Run bvar on studentlife data
data(studentlife, package = "bvagnet")
fit <- bvar(
  id_col = "id",
  time_col = "time",
  y_cols = c("anxious", "calm", "conventional", "critical", "dependable"),
  re_temporal = TRUE,
  K = 1,
  data = studentlife,
  family = "ordinal",
  priors = set_priors(),
  seed = 1337)

summary(fit)

## End(Not run)
```

---

compare_to_truth	<i>Compare fitted model parameters to simulation truth</i>
------------------	--

---

### Description

Extracts posterior summaries from a fitted `bvarnet` object and compares them to the true parameter values used for data generation.

### Usage

```
compare_to_truth(
  fit,
  truth,
  ci_width = 0.9,
  bayes_factor = FALSE,
  null_value = 0
)
```

### Arguments

<code>fit</code>	A fitted <code>bvarnet</code> object (output from <code>bvar()</code> ).
<code>truth</code>	The truth component from <code>sim_var()</code> output.
<code>ci_width</code>	Numeric. Width of the credible interval (default 0.90).
<code>bayes_factor</code>	Logical; if TRUE, compute Savage-Dickey BFs for beta and phi parameters and append BF01, BF10, and <code>bf_correct</code> columns. <code>bf_correct</code> is TRUE when $BF_{01} > 1$ for true null parameters (true value == null_value) and $BF_{10} > 1$ for true non-null parameters. Default FALSE.
<code>null_value</code>	Numeric scalar; the null hypothesis value for Bayes factor computation (default 0). Only used when <code>bayes_factor = TRUE</code> .

### Value

A data frame with columns: `parameter`, `node`, `true_value`, `post_mean`, `post_sd`, `ci_lower`, `ci_upper`, `covered` (logical), and optionally `BF01`, `BF10`, `bf_correct`.

---

extract_draws	<i>Extract raw posterior draws for a single parameter block</i>
---------------	---

---

### Description

Returns an (`iterations * chains`) by `params` matrix with Stan-indexed column names (e.g. `"beta[1,1]"`, `"phi[2,3]"`).

**Usage**

```
extract_draws(object, parameter = c("beta", "phi", "sd_u", "sigma", "kappa"))
```

**Arguments**

`object`            A `bvarnet` object returned by `bvar`.

`parameter`        Character. One of "beta", "phi", "sd\_u", "sigma", or "kappa".

**Value**

A numeric matrix with one row per posterior draw and one column per Stan parameter element.

---

```
extract_network_matrix
```

*Extract a network matrix of temporal coefficients*

---

**Description**

Returns a named  $p \times p$  matrix of posterior summary statistics for the VAR lag coefficients at a chosen lag, suitable for network visualisation (e.g., with **igraph** or **qgraph**).

**Usage**

```
extract_network_matrix(
  object,
  lag = 1L,
  stat = c("mean", "median", "q5", "q95")
)
```

**Arguments**

`object`            A `bvarnet` object returned by `bvar`.

`lag`                Integer. Which lag block. Default 1.

`stat`               Character. Summary statistic to fill the matrix with: "mean" (default), "median", "q5", or "q95".

**Value**

A named  $p \times p$  numeric matrix. Element  $[i, j]$  gives the effect of variable  $i$  (lagged) on variable  $j$  (outcome). Row and column names are the outcome variable names.

---

extract_param	<i>Extract labelled parameter summaries from a fitted bvartnet model</i>
---------------	--

---

### Description

Returns a single flat data frame with posterior summaries (mean, median, 5th/95th percentiles) and convergence diagnostics (Rhat, ESS) for all model parameters.

### Usage

```
extract_param(object, bayes_factor = FALSE, null_value = 0, type = NULL)
```

### Arguments

object	A bvartnet object returned by <code>bvar()</code> .
bayes_factor	Logical; if TRUE, append BF01 and BF10 columns computed via the Savage-Dickey density ratio for beta and phi parameters. Default FALSE.
null_value	Numeric scalar; the null hypothesis value for Bayes factor computation (default 0). Only used when bayes_factor = TRUE.
type	Character vector or NULL (default). If supplied, only rows matching the given type(s) are returned. Valid values are: "Intercept", "Fixed Effect", "Autoregressive", "Cross-lagged", "Random Effect SD", "Residual SD", "Threshold".

### Value

A data frame with columns: type, predictor, outcome, mean, median, q5, q95, rhat, ess\_bulk, ess\_tail, and optionally BF01, BF10.

---

extract_random_effects	<i>Extract random-effect summaries</i>
------------------------	--

---

### Description

Returns random-effect standard deviations (group-level variance), subject-level posterior means, or the full posterior draws of the subject-level random effects u.

### Usage

```
extract_random_effects(object, what = c("sd", "mean_u", "draws_u"))
```

**Arguments**

object	A bvarnet object returned by <a href="#">bvar</a> .
what	Character. What to extract: "sd" Data frame of random-effect SD summaries (from <code>extract_param</code> ). "mean_u" 3D array [node, subject, re] of posterior means of subject-level effects. "draws_u" 4D array [draw, node, subject, re] of full posterior draws.

**Value**

Depends on what; see above.

---

extract_temporal	<i>Extract temporal (VAR lag) effects</i>
------------------	---

---

**Description**

Returns a data frame of autoregressive and/or cross-lagged parameter summaries with convergence diagnostics, filtered by lag and effect type.

**Usage**

```
extract_temporal(
  object,
  lag = NULL,
  effect = c("all", "ar", "cl"),
  bayes_factor = FALSE,
  null_value = 0
)
```

**Arguments**

object	A bvarnet object returned by <a href="#">bvar</a> .
lag	Integer or NULL. If specified, only effects from this lag are returned. Default NULL (all lags).
effect	Character. One of "all" (default), "ar" (autoregressive only), or "cl" (cross-lagged only).
bayes_factor	Logical; if TRUE, append BF columns. Default FALSE.
null_value	Numeric; null hypothesis for BF. Default 0.

**Value**

A data frame with columns type, predictor, outcome, mean, median, q5, q95, rhat, ess\_bulk, ess\_tail, and optionally BF01, BF10.

---

```
format.bvarnet_prior Format a bvarnet_prior for printing
```

---

**Description**

Format a bvarnet\_prior for printing

**Usage**

```
## S3 method for class 'bvarnet_prior'
format(x, half = FALSE, ...)
```

**Arguments**

x	A bvarnet_prior object.
half	Logical; if TRUE prepends "Half-" to indicate a half-prior (used for positive-constrained parameters like sd_u and sigma).
...	Ignored.

**Value**

A character string.

---

```
get_default_priors Get the default prior specification for a given model family
```

---

**Description**

Returns a bvarnet\_priors object showing the default priors that apply to a particular model configuration. Parameters irrelevant to the chosen family or model structure are omitted, so the returned object reflects what the sampler will actually use.

**Usage**

```
get_default_priors(family = NULL, has_re = TRUE)
```

**Arguments**

family	Character (optional). One of "bernoulli", "ordinal", "gaussian". When NULL (the default), all parameter priors are shown.
has_re	Logical. Does the model include random effects? Default TRUE. When FALSE, the sd_u prior is omitted.

**Value**

A bvarnet\_priors object.

---

print.bvarnet	<i>Print a bvarnet model object</i>
---------------	-------------------------------------

---

**Description**

Displays a brief summary of the fitted model: family, dimensions, Rhat, divergences, chain return codes, priors, and total sampling time.

**Usage**

```
## S3 method for class 'bvarnet'  
print(x, ...)
```

**Arguments**

x	A bvarnet object.
...	Ignored.

**Value**

x invisibly.

---

print.bvarnet_prior	<i>Print a bvarnet_prior</i>
---------------------	------------------------------

---

**Description**

Print a bvarnet\_prior

**Usage**

```
## S3 method for class 'bvarnet_prior'  
print(x, ...)
```

**Arguments**

x	A bvarnet_prior object.
...	Passed to format.bvarnet_prior().

**Value**

x invisibly.

---

```
print.bvarnet_priors Print a bvarnet_priors specification
```

---

**Description**

Shows only the priors explicitly set by the user. When no priors have been overridden (all defaults), a compact note is printed instead.

**Usage**

```
## S3 method for class 'bvarnet_priors'
print(x, ...)
```

**Arguments**

x	A bvarnet_priors object.
...	Ignored.

**Value**

x invisibly.

---

```
print.summary.bvarnet Print a bvarnet summary
```

---

**Description**

Pretty-prints the output of [summary.bvarnet](#), grouping parameters by type and displaying convergence information. Each group is truncated to `max_rows` rows; use `extract_param()` or dedicated extractors to see full output.

**Usage**

```
## S3 method for class 'summary.bvarnet'
print(x, digits = 3, max_rows = 10, ...)
```

**Arguments**

x	A summary.bvarnet object.
digits	Number of decimal digits for numeric columns. Default 3.
max_rows	Maximum number of rows to print per parameter group. Default 10.
...	Ignored.

**Value**

x invisibly.

---

prior *Construct a single prior distribution*

---

### Description

Builds a `bvarnet_prior` object specifying the prior family and its parameters. Supported families in Phase 1 are "normal", "student\_t", and "cauchy".

### Usage

```
prior(family, loc = 0, scale = 1, df = 7)
```

### Arguments

family	Character. One of "normal", "student_t", "cauchy".
loc	Location parameter (default 0).
scale	Scale parameter (default 1). Must be > 0.
df	Degrees of freedom for "student_t" (default 7). Must be 0 when family = "student_t".

### Value

A `bvarnet_prior` S3 object.

---

set\_priors *Build a prior specification object for bvar()*

---

### Description

Returns a `bvarnet_priors` object containing a `bvarnet_prior` for every model parameter type. Any argument left as `NULL` uses the package default. Available prior distributions are:

- `normal(loc, scale)`
- `student_t(loc, scale, df)`
- `cauchy(loc, scale)` For standart deviations and random effects, the prior is automatically converted to a half-prior (truncated at `loc`) in the Stan code, so the printed format reflects this.

### Usage

```
set_priors(
  intercept = NULL,
  beta = NULL,
  phi = NULL,
  sd_u = NULL,
  kappa = NULL,
  sigma = NULL
)
```

**Arguments**

intercept	Prior for the intercept. Only applies to gaussian and bernoulli models; for ordinal models the intercept is absorbed into the kappa (threshold parameter).
beta	Prior for fixed-effect regression coefficients (slopes).
phi	Prior for lag coefficients.
sd_u	Prior for random-effect standard deviations (half-prior).
kappa	Prior for ordinal cut-points (ordinal models only).
sigma	Prior for residual standard deviation (gaussian models only; half-prior).

**Value**

A `bvarnet_priors` S3 object.

---

sim_var	<i>Simulate data from a multilevel VAR model</i>
---------	--

---

**Description**

Generates data from the generative model implied by each Stan model family. Useful for testing parameter recovery and model validation.

**Usage**

```
sim_var(
  N,
  T_obs,
  p,
  K = 1L,
  family = c("bernoulli", "ordinal", "gaussian"),
  alpha = NULL,
  gamma = NULL,
  Phi = NULL,
  sigma = NULL,
  kappa = NULL,
  q = 0L,
  x_gen = NULL,
  sd_alpha = 0.5,
  sd_phi = 0.2,
  sd_gamma = NULL,
  re_temporal = FALSE,
  C = 5L,
  burnin = 500L,
  seed = NULL
)
```

**Arguments**

N	Integer. Number of subjects (groups).
T_obs	Integer. Number of time points per subject.
p	Integer. Number of outcome nodes.
K	Integer. AR order (default 1).
family	Character. One of "bernoulli", "ordinal", "gaussian".
alpha	Numeric vector of length p. Population intercepts (on logit scale for bernoulli, identity for gaussian). For ordinal, this is absorbed into kappa and should be left NULL. Generated if NULL.
gamma	Matrix $q \times p$ . Population covariate effects. Generated if NULL and $q > 0$ .
Phi	Matrix $(p \times K) \times p$ . Population lag coefficients. Generated if NULL.
sigma	Numeric vector of length p. Residual SD per node (gaussian only). Generated if NULL.
kappa	List of p ordered vectors, each of length C-1. Cutpoints per node (ordinal only). Generated if NULL.
q	Integer. Number of covariates (default 0).
x_gen	Function $f(N, T\_obs)$ returning an $N \times T\_obs \times q$ array of covariates. If NULL, default generation is used.
sd_alpha	Numeric. SD of random intercepts (scalar or p-vector). Default 0.5. Set to 0 to simulate a fixed-effects-only model with no between-person variation in intercepts.
sd_phi	Numeric. SD of random lag coefficients (scalar or matrix). Default 0.2.
sd_gamma	Numeric or NULL. SD of random covariate slopes. NULL means no random slopes on covariates.
re_temporal	Logical. Include random slopes on lag predictors? Default FALSE.
C	Integer. Number of ordinal categories (ordinal only, default 5).
burnin	Integer. Number of time points to discard as warmup before recording data (default 500). The VAR process is simulated for burnin + T_obs time points per subject, and the first burnin are discarded. This allows the process to reach its stationary distribution before data collection begins.
seed	Integer or NULL. RNG seed.

**Details**

To simulate a VAR without any random effects (i.e. all subjects share identical parameters), set `sd_alpha = 0`, `re_temporal = FALSE` (the default), and `sd_gamma = NULL` (the default).

**Value**

A list with two components:

**data** A long-format data frame with columns `id`, `t`, `y_1`, ..., `y_p`, and optionally `x_1`, ..., `x_q`.

**truth** A list of true generating parameters.

---

 studentlife

*StudentLife Data*


---

### Description

Assessing mental health, academic performance and behavioral trends of college students using smartphones. Wang, R., Chen, F., Chen, Z., Li, T., Harari, G., Tignor, S., Zhou, X., Ben-Zeev, D., & Campbell, A. T. (2014). StudentLife: assessing mental health, academic performance and behavioral trends of college students using smartphones. Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing, 3–14. <https://doi.org/10.1145/2632048.2632054>

### Usage

```
studentlife
```

### Format

```
studentlife:
  A data frame with 1912 rows and 72 columns:
```

### Source

```
https://openesmdata.org/datasets/0004\_wang/
https://doi.org/10.1145/2632048.2632054
```

---

 summary.bvarnet

*Summary method for bvarnet objects*


---

### Description

Returns a labelled posterior summary table grouped by parameter type, with convergence diagnostics and optional Bayes factors. Wraps [extract\\_param](#).

### Usage

```
## S3 method for class 'bvarnet'
summary(object, bayes_factor = FALSE, null_value = 0, ...)
```

### Arguments

object	A bvarnet object returned by <a href="#">bvar</a> .
bayes_factor	Logical; if TRUE, append Savage-Dickey BF columns. Default FALSE.
null_value	Numeric scalar; null hypothesis value for BF computation. Default 0.
...	Ignored.

**Value**

An object of class "summary.bvarnet" (a list) with elements:

**table** Data frame from `extract_param()`.

**family** Model family.

**p** Number of outcome variables.

**K** AR order.

**n** Number of observations.

**rhat\_max** Maximum Rhat across all parameters.

**n\_divergences** Total divergent transitions.

# Index

## \* datasets

studentlife, 16

bf\_table, 2

bvar, 3, 7, 9, 16

compare\_to\_truth, 6

extract\_draws, 6

extract\_network\_matrix, 7

extract\_param, 8, 16

extract\_random\_effects, 8

extract\_temporal, 9

format.bvarnet\_prior, 10

get\_default\_priors, 10

print.bvarnet, 11

print.bvarnet\_prior, 11

print.bvarnet\_priors, 12

print.summary.bvarnet, 12

prior, 13

set\_priors, 13

sim\_var, 14

studentlife, 16

summary.bvarnet, 12, 16