

Package: cld3 (via r-universe)

October 5, 2024

Type Package

Title Google's Compact Language Detector 3

Version 1.6.1

Description Google's Compact Language Detector 3 is a neural network model for language identification and the successor of 'cld2' (available from CRAN). The algorithm is still experimental and takes a novel approach to language detection with different properties and outcomes. It can be useful to combine this with the Bayesian classifier results from 'cld2'. See <https://github.com/google/cld3#readme> for more information.

License Apache License 2.0

Encoding UTF-8

URL <https://docs.ropensci.org/cld3/>
<https://ropensci.r-universe.dev/cld3>

BugReports <https://github.com/ropensci/cld3/issues>

Imports Rcpp

LinkingTo Rcpp

RoxygenNote 6.0.1.9000

SystemRequirements libprotobuf and protobuf-compiler

Suggests testthat, cld2

NeedsCompilation yes

Author Jeroen Ooms [aut, cre]
(<https://orcid.org/0000-0002-4035-0289>), Google Inc [cph]
(CLD3 C++ library)

Maintainer Jeroen Ooms <jeroenooms@gmail.com>

Repository CRAN

Date/Publication 2024-10-04 15:30:02 UTC

Contents

cld3	2
Index	3

cld3	<i>Compact Language Detector 3</i>
------	------------------------------------

Description

The function `detect_language()` is vectorised and guesses the the language of each string in text or returns NA if the language could not reliably be determined. The function `detect_language_multi()` is not vectorised and detects all languages inside the entire character vector as a whole.

Usage

```
detect_language(text)

detect_language_mixed(text, size = 3)
```

Arguments

text	a string with text to classify or a connection to read from
size	number of languages to detect

Examples

```
# Vectorized best guess
text <- c("To be or not to be?", "Ce n'est pas grave.",
         "Hij heeft de klok horen luiden maar weet niet waar de klepel hangt.")
detect_language(text)

# Multiple languages in one text (doesn't seem to work well)
detect_language_mixed(text)
```

Index

`cld3`, [2](#)

`detect_language(cld3)`, [2](#)

`detect_language()`, [2](#)

`detect_language_mixed(cld3)`, [2](#)

`detect_language_multi(cld3)`, [2](#)

`detect_language_multi()`, [2](#)