

Package: cols (via r-universe)

September 8, 2024

Type Package

Title Constrained Ordinary Least Squares

Version 1.1

Date 2024-01-11

Author Michail Tsagris [aut, cre]

Maintainer Michail Tsagris <mtsagris@uoc.gr>

Depends R (>= 4.0)

Imports quadprog, Rfast2

Description Constrained ordinary least squares is performed. One constraint is that all beta coefficients (including the constant) cannot be negative. They can be either 0 or strictly positive. Another constraint is that the sum of the beta coefficients equals a constant. References: Hansen, B. E. (2022). Econometrics, Princeton University Press. <ISBN:9780691235899>.

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2024-01-11 13:40:05 UTC

Contents

cols-package	2
Constrained least squares	2
Positively constrained least squares	4
Positively constrained least squares with a multivariate response	5

Index	6
--------------	----------

cols-package

Constrained Ordinary Least Squares

Description

Constrained ordinary least squares is performed. One constraint is that all beta coefficients (including the constant) cannot be negative. They can be either 0 or strictly positive. Another constraint is that the sum of the beta coefficients equals a constant. References: Hansen, B.E. (2022). Econometrics, Princeton University Press.

Details

Package: cols
Type: Package
Version: 1.1
Date: 2024-01-11

Maintainers

Michail Tsagris <mtsagris@uoc.gr>.

Author(s)

Michail Tsagris <mtsagris@uoc.gr>

References

Hansen, B. E. (2022). Econometrics, Princeton University Press.

Constrained least squares

Constrained least squares

Description

Constrained least squares.

Usage

```
cls(y, x, R, ca)
```

Arguments

y	The response variables, a numerical vector with observations.
x	A matrix with independent variables, the design matrix.
R	The R vector that contains the values that will multiply the beta coefficients. See details and examples.
ca	The value of the constraint, $R^T\beta = c$. See details and examples.

Details

This is described in Chapter 8.2 of Hansen (2019). The idea is to minimize the sum of squares of the residuals under the constraint $R^T\beta = c$. As mentioned above, be careful with the input you give in the x matrix and the R vector.

Value

A list including:

bols	The OLS (Ordinary Least Squares) beta coefficients.
bcls	The CLS (Constrained Least Squares) beta coefficients.

Author(s)

Michail Tsagris.

R implementation and documentation: Michail Tsagris <mtsagris@uoc.gr>.

References

Hansen, B. E. (2022). Econometrics, Princeton University Press.

See Also

[pls](#)

Examples

```
x <- as.matrix( iris[1:50, 1:4] )
y <- rnorm(50)
R <- c(1, 1, 1, 1)
cls(y, x, R, 1)
```

Positively constrained least squares

Positively constrained least squares

Description

Positively constrained least squares.

Usage

```
pls(y, x)
```

Arguments

<code>y</code>	The response variables, a numerical vector with observations.
<code>x</code>	A matrix with independent variables, the design matrix.

Details

The constraint is that all beta coefficients (including the constant) are positive.

Value

A list including:

<code>be</code>	The positively constrained beta coefficients.
<code>mse</code>	The mean squared error.

Author(s)

Michail Tsagris.

R implementation and documentation: Michail Tsagris <mtsagris@uoc.gr>.

See Also

[cls](#)

Examples

```
x <- as.matrix( iris[1:50, 1:4] )
y <- rnorm(50)
pls(y, x)
```

Positively constrained least squares with a multivariate response
Positively constrained least squares with a multivariate response

Description

Positively constrained least squares with a multivariate response.

Usage

```
mvpls(y, x)
```

Arguments

y	The response variables, a numerical matrix with observations.
x	A matrix with independent variables, the design matrix.

Details

The constraint is that all beta coefficients (including the constant) are positive.

Value

A list including:

be	The positively constrained beta coefficients.
mse	The mean squared error.

Author(s)

Michail Tsagris.

R implementation and documentation: Michail Tsagris <mtsagris@uoc.gr>.

See Also

[cls](#)

Examples

```
y <- as.matrix( iris[, 1:2] )
x <- as.matrix( iris[, 3:4] )
mvpls(y, x)
```

Index

cls, [4](#), [5](#)

cls (Constrained least squares), [2](#)

cols-package, [2](#)

Constrained least squares, [2](#)

mvpls (Positively constrained least squares with a multivariate response), [5](#)

pls, [3](#)

pls (Positively constrained least squares), [4](#)

Positively constrained least squares, [4](#)

Positively constrained least squares with a multivariate response, [5](#)