

# Package: discretization (via r-universe)

September 17, 2024

**Type** Package

**Title** Data Preprocessing, Discretization for Classification

**Version** 1.0-1.1

**Date** 2010-12-02

**Author** HyunJi Kim

**Maintainer** HyunJi Kim <polaris7867@gmail.com>

**Description** A collection of supervised discretization algorithms. It can also be grouped in terms of top-down or bottom-up, implementing the discretization algorithms.

**License** GPL

**LazyLoad** yes

**Repository** CRAN

**Date/Publication** 2022-06-09 09:13:40 UTC

**NeedsCompilation** no

## Contents

discretization-package . . . . .	2
ameva . . . . .	3
cacc . . . . .	4
caim . . . . .	5
chi2 . . . . .	6
chiM . . . . .	8
chiSq . . . . .	9
cutIndex . . . . .	10
cutPoints . . . . .	11
disc.Topdown . . . . .	11
ent . . . . .	12
extendChi2 . . . . .	13
findBest . . . . .	14
incon . . . . .	15
insert . . . . .	16

LevCon . . . . .	16
mdlp . . . . .	17
mdlStop . . . . .	18
mergeCols . . . . .	19
modChi2 . . . . .	19
mylog . . . . .	20
topdown . . . . .	21
value . . . . .	21
Xi . . . . .	22

<b>Index</b>	<b>24</b>
--------------	-----------

---

discretization-package

*Data preprocessing, discretization for classification.*

---

## Description

This package is a collection of supervised discretization algorithms. It can also be grouped in terms of top-down or bottom-up, implementing the discretization algorithms.

## Details

Package:	discretization
Type:	Package
Version:	1.0-1
Date:	2010-12-02
License: GPL LazyLoad:	yes

## Author(s)

Maintainer: HyunJi Kim <polaris7867@gmail.com>

## References

- Choi, B. S., Kim, H. J., Cha, W. O. (2011). A Comparative Study on Discretization Algorithms for Data Mining, Communications of the Korean Statistical Society, to be published.
- Chmielewski, M. R. and Grzymala-Busse, J. W. (1996). Global Discretization of Continuous Attributes as Preprocessing for Machine Learning, *International journal of approximate reasoning*, **Vol. 15, No. 4**, 319–331.
- Fayyad, U. M. and Irani, K. B.(1993). Multi-interval discretization of continuous-valued attributes for classification learning, *Artificial intelligence*, **13**, 1022–1027.
- Gonzalez-Abril, L., Cuberos, F. J., Velasco, F. and Ortega, J. A. (2009), Ameva: An autonomous discretization algorithm, *Expert Systems with Applications*, **36**, 5327–5332.

- Kerber, R. (1992). ChiMerge : Discretization of numeric attributes, *In Proceedings of the Tenth National Conference on Artificial Intelligence*, 123–128.
- Kurgan, L. A. and Cios, K. J. (2004). CAIM Discretization Algorithm, *IEEE Transactions on knowledge and data engineering*, **16**, 145-153.
- Liu, H. and Setiono, R. (1995). Chi2: Feature selection and discretization of numeric attributes, *Tools with Artificial Intelligence*, 388–391.
- Liu, H. and Setiono, R. (1997). Feature selection and discretization, *IEEE transactions on knowledge and data engineering*, **9**, 642–645.
- Pawlak, Z. (1982). Rough Sets, *International Journal of Computer and Information Sciences*, **vol.11, No.5**, 341–356.
- Su, C. T. and Hsu, J. H. (2005). An Extended Chi2 Algorithm for Discretization of Real Value Attributes, *IEEE transactions on knowledge and data engineering*, **17**, 437–441.
- Tay, F. E. H. and Shen, L. (2002). Modified Chi2 Algorithm for Discretization, *IEEE Transactions on knowledge and data engineering*, **14**, 666–670.
- Tsai, C. J., Lee, C. I. and Yang, W. P. (2008). A discretization algorithm based on Class-Attribute Contingency Coefficient, *Information Sciences*, **178**, 714–731.
- Ziarko, W. (1993). Variable Precision Rough Set Model, *Journal of computer and system sciences*, **Vol. 46, No. 1**, 39–59.

---

 ameva

 Auxiliary function for Ameva algorithm
 

---

### Description

This function is required to compute the ameva value for Ameva algorithm.

### Usage

ameva(tb)

### Arguments

tb                      a vector of observed frequencies,  $k * l$

### Details

This function implements the Ameva criterion proposed in Gonzalez-Abril, Cuberos, Velasco and Ortega (2009) for Discretization. An autonomous discretization algorithm(Ameva) implements in `disc.Topdown(data,method=1)` It uses a measure based on  $chi^2$  as the criterion for the optimal discretization which has the minimum number of discrete intervals and minimum loss of class variable interdependence. The algorithm finds local maximum values of Ameva criterion and a stopping criterion.

Ameva coefficient is defined as follows:

$$Ameva(k) = \frac{\chi^2(k)}{k * (l - 1)}$$

for  $k, l \geq 2$ ,  $k$  is a number of intervals,  $l$  is a number of classes.

This value calculates in contingency table between class variable and discrete interval, row matrix representing the class variable and each column of discrete interval.

### Value

val                    numeric value of Ameva coefficient

### Author(s)

HyunJi Kim <polaris7867@gmail.com>

### References

Gonzalez-Abril, L., Cuberos, F. J., Velasco, F. and Ortega, J. A. (2009) Ameva: An autonomous discretization algorithm, *Expert Systems with Applications*, **36**, 5327–5332.

### See Also

[disc.Topdown](#), [topdown](#), [insert](#), [findBest](#) and [chiSq](#).

### Examples

```
#--Ameva criterion value
a=c(2,5,1,1,3,3)
m=matrix(a,ncol=3,byrow=TRUE)
ameva(m)
```

---

cacc

*Auxiliary function for CACC discretization algorithm*

---

### Description

This function is required to compute the cacc value for CACC discretization algorithm.

### Usage

```
cacc(tb)
```

### Arguments

tb                    a vector of observed frequencies

**Details**

The Class-Attribute Contingency Coefficient(CACC) discretization algorithm implements in `disc.Topdown(data,method=2`

The cacc value is defined as

$$cacc = \sqrt{\frac{y}{y + M}}$$

for

$$y = \chi^2 / \log(n)$$

$M$  is the total number of samples,  $n$  is a number of discretized intervals. This value calculates in contingency table between class variable and discrete interval, row matrix representing the class variable and each column of discrete interval.

**Value**

`val`                    numeric of cacc value

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Tsai, C. J., Lee, C. I. and Yang, W. P. (2008). A discretization algorithm based on Class-Attribute Contingency Coefficient, *Information Sciences*, **178**, 714–731.

**See Also**

[disc.Topdown](#), [topdown](#), [insert](#), [findBest](#) and [chiSq](#).

**Examples**

```
#----Calculating cacc value (Tsai, Lee, and Yang (2008))
a=c(3,0,3,0,6,0,0,3,0)
m=matrix(a,ncol=3,byrow=TRUE)
cacc(m)
```

---

`caim`

*Auxiliary function for caim discretization algorithm*

---

**Description**

This function is required to compute the CAIM value for CAIM iscretization algorithm.

**Usage**

`caim(tb)`

**Arguments**

tb                    a vector of observed frequencies

**Details**

The Class-Attribute Interdependence Maximization(CAIM) discretization algorithm implements in `disc.Topdown(data, method=1)`. The CAIM criterion measures the dependency between the class variable and the discretization variable for attribute, and is defined as :

$$CAIM = \frac{\sum_{r=1}^n \frac{max_r^2}{M_{+r}}}{n}$$

for  $r = 1, 2, \dots, n$ ,  $max_r$  is the maximum value within the  $r$ th column of the quanta matrix.  $M_{+r}$  is the total number of continuous values of attribute that are within the interval(Kurgan and Cios (2004)).

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Kurgan, L. A. and Cios, K. J. (2004). CAIM Discretization Algorithm, *IEEE Transactions on knowledge and data engineering*, **16**, 145–153.

**See Also**

[disc.Topdown](#), [topdown](#), [insert](#), [findBest](#).

**Examples**

```
#---Calculating caim value
a=c(3,0,3,0,6,0,0,3,0)
m=matrix(a,ncol=3,byrow=TRUE)
caim(m)
```

---

chi2

*Discretization using the Chi2 algorithm*

---

**Description**

This function performs Chi2 discretization algorithm. Chi2 algorithm automatically determines a proper Chi-square( $\chi^2$ ) threshold that keeps the fidelity of the original numeric dataset.

**Usage**

```
chi2(data, alp = 0.5, del = 0.05)
```

**Arguments**

data	the dataset to be discretize
alp	significance level; $\alpha$
del	$Inconsistency(data) < \delta$ , (Liu and Setiono(1995))

**Details**

The Chi2 algorithm is based on the  $\chi^2$  statistic, and consists of two phases. In the first phase, it begins with a high significance level(sigLevel), for all numeric attributes for discretization. Each attribute is sorted according to its values. Then the following is performed: **phase 1.** calculate the  $\chi^2$  value for every pair of adjacent intervals (at the beginning, each pattern is put into its own interval that contains only one value of an attribute); **phase 2.** merge the pair of adjacent intervals with the lowest  $\chi^2$  value. Merging continues until all pairs of intervals have  $\chi^2$  values exceeding the parameter determined by sigLevel. The above process is repeated with a decreased sigLevel until an *inconsistency rate*( $\delta$ ), `incon()`, is exceeded in the discretized data(Liu and Setiono (1995)).

**Value**

cutp	list of cut-points for each variable
Disc.data	discretized data matrix

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

- Liu, H. and Setiono, R. (1995). Chi2: Feature selection and discretization of numeric attributes, *Tools with Artificial Intelligence*, 388–391.
- Liu, H. and Setiono, R. (1997). Feature selection and discretization, *IEEE transactions on knowledge and data engineering*, **Vol.9, no.4**, 642–645.

**See Also**

[value](#), [incon](#) and [chiM](#).

**Examples**

```
data(iris)
#---cut-points
chi2(iris,0.5,0.05)$cutp

#--discretized dataset using Chi2 algorithm
chi2(iris,0.5,0.05)$Disc.data
```

---

`chiM`*Discretization using ChiMerge algorithm*

---

**Description**

This function implements ChiMerge discretization algorithm.

**Usage**

```
chiM(data, alpha = 0.05)
```

**Arguments**

<code>data</code>	numeric data matrix to discretized dataset
<code>alpha</code>	significance level; $\alpha$

**Details**

The ChiMerge algorithm follows the axis of bottom-up. It uses the  $\chi^2$  statistic to determine if the relative class frequencies of adjacent intervals are distinctly different or if they are similar enough to justify merging them into a single interval (Kerber, R. (1992)).

**Value**

<code>cutp</code>	list of cut-points for each variable
<code>Disc.data</code>	discretized data matrix

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Kerber, R. (1992). ChiMerge : Discretization of numeric attributes, *In Proceedings of the Tenth National Conference on Artificial Intelligence*, 123–128.

**See Also**

[chiSq, value.](#)

**Examples**

```
##--Discretization using the ChiMerge method
data(iris)
disc=chiM(iris,alpha=0.05)

##--cut-points
disc$cutp
```



```

#--discretized data matrix
disc$Disc.data

```

---

chiSq

*Auxiliary function for discretization using Chi-square statistic*


---

### Description

This function is required to perform the discretization based on Chi-square statistic( CACC, Ameva, ChiMerge, Chi2, Modified Chi2, Extended Chi2).

### Usage

```
chiSq(tb)
```

### Arguments

tb                    a vector of observed frequencies

### Details

The formula for computing the  $\chi^2$  value is

$$\chi^2 = \sum_{i=1}^2 \sum_{j=1}^k \frac{(A_{ij} - E_{ij})^2}{E_{ij}}$$

$k$  = number of (no.) classes,  $A_{ij}$  = no. patterns in the  $i$ th interval,  $j$ th class,  $R_i$  = no. patterns in the  $j$ th class =  $\sum_{j=1}^k A_{ij}$ ,  $C_j$  = no. patterns in the  $j$ th class =  $\sum_{i=1}^2 A_{ij}$ ,  $N$  = total no. patterns =  $\sum_{i=1}^2 R_i$ ,  $E_{ij}$  = expected frequency of  $A_{ij} = R_i * C_j / N$ . If either  $R_i$  or  $C_j$  is 0,  $E_{ij}$  is set to 0.1. The degree of freedom of the  $\chi^2$  statistic is on less the number of classes.

### Value

val                     $\chi^2$  value

### Author(s)

HyunJi Kim <polaris7867@gmail.com>

### References

Kerber, R. (1992). ChiMerge : Discretization of numeric attributes, *In Proceedings of the Tenth National Conference on Artificial Intelligence*, 123–128.

### See Also

[cacc](#), [ameva](#), [chiM](#), [chi2](#), [modChi2](#) and [extendChi2](#).

**Examples**

```
#---Calculate Chi-Square
b=c(2,4,1,2,5,3)
m=matrix(b,ncol=3)
chiSq(m)
chisq.test(m)$statistic
```

---

cutIndex

*Auxiliary function for the MDLP*

---

**Description**

This function is required to perform the Minimum Description Length Principle.md1p

**Usage**

```
cutIndex(x, y)
```

**Arguments**

x	a vector of numeric value
y	class variable vector

**Details**

This function computes the best cut index using entropy

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**See Also**

[cutPoints](#), [ent](#), [mergeCols](#), [mdlStop](#), [mylog](#), [mdlp](#) .

---

cutPoints	<i>Auxiliary function for the MDLP</i>
-----------	--

---

**Description**

This function is required to perform the Minimum Description Length Principle.md1p

**Usage**

```
cutPoints(x, y)
```

**Arguments**

x	a vector of numeric value
y	class variable vector

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**See Also**

[cutIndex](#), [ent](#), [mergeCols](#), [mdlStop](#), [mylog](#), [mdlp](#) .

---

disc.Topdown	<i>Top-down discretization</i>
--------------	--------------------------------

---

**Description**

This function implements three top-down discretization algorithms(CAIM, CACC, Ameva).

**Usage**

```
disc.Topdown(data, method = 1)
```

**Arguments**

data	numeric data matrix to discretized dataset
method	1: CAIM algorithm, 2: CACC algorithm, 3: Ameva algorithm.

**Value**

cutp	list of cut-points for each variable(minimum value, cut-points and maximum value)
Disc.data	discretized data matrix

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Gonzalez-Abril, L., Cuberos, F. J., Velasco, F. and Ortega, J. A. (2009) Ameva: An autonomous discretization algorithm, *Expert Systems with Applications*, **36**, 5327–5332.

Kurgan, L. A. and Cios, K. J. (2004). CAIM Discretization Algorithm, *IEEE Transactions on knowledge and data engineering*, **16**, 145–153.

Tsai, C. J., Lee, C. I. and Yang, W. P. (2008). A discretization algorithm based on Class-Attribute Contingency Coefficient, *Information Sciences*, **178**, 714–731.

**See Also**

[topdown](#), [insert](#), [findBest](#), [findInterval](#), [caim](#), [cacc](#), [ameva](#)

**Examples**

```
##---- CAIM discretization ----
##----cut-potins
cm=disc.Topdown(iris, method=1)
cm$cutp
##----discretized data matrix
cm$Disc.data

##---- CACC discretization----
disc.Topdown(iris, method=2)

##---- Ameva discretization ----
disc.Topdown(iris, method=3)
```

---

ent

*Auxiliary function for the MDLP*


---

**Description**

This function is required to perform the Minimum Description Length Principle.md1p

**Usage**

```
ent(y)
```

**Arguments**

y                    class variable vector

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**See Also**

[cutPoints](#), [ent](#), [mergeCols](#), [mdlStop](#), [mylog](#), [mdlp](#).

---

extendChi2

*Discretization of Numeric Attributes using the Extended Chi2 algorithm*

---

**Description**

This function implements Extended Chi2 discretization algorithm.

**Usage**

```
extendChi2(data, alp = 0.5)
```

**Arguments**

data	data matrix to discretized dataset
alp	significance level; $\alpha$

**Details**

In the extended Chi2 algorithm, inconsistency checking ( $InConCheck(data) < \delta$ ) of the Chi2 algorithm is replaced by the lease upper bound  $\xi(Xi())$  after each step of discretization ( $\xi_{discretized} < \xi_{original}$ ). It uses as the stopping criterion.

**Value**

cutp	list of cut-points for each variable
Disc.data	discretized data matrix

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Su, C. T. and Hsu, J. H. (2005). An Extended Chi2 Algorithm for Discretization of Real Value Attributes, *IEEE transactions on knowledge and data engineering*, **17**, 437–441.

**See Also**

[chiM](#), [Xi](#)

**Examples**

```
data(iris)
ext=extendChi2(iris,0.5)
ext$cutp
ext$Disc.data
```

---

**findBest***Auxiliary function for top-down discretization*

---

**Description**

This function is required to perform the `disc.Topdown()`.

**Usage**

```
findBest(x, y, bd, di, method)
```

**Arguments**

x	a vector of numeric value
y	class variable vector
bd	current cut points
di	candidate cut-points
method	each method number indicates three top-down discretization. 1 for CAIM algorithm, 2 for CACC algorithm, 3 for Ameva algorithm.

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**See Also**

[topdown](#), [insert](#) and [disc.Topdown](#).

---

incon	<i>Computing the inconsistency rate for Chi2 discretization algorithm</i>
-------	---

---

### Description

This function computes the inconsistency rate of dataset.

### Usage

```
incon(data)
```

### Arguments

data            dataset matrix

### Details

The inconsistency rate of dataset is calculated as follows: (1) two instances are considered inconsistent if they match except for their class labels; (2) for all the matching instances (without considering their class labels), the inconsistency count is the number of the instances minus the largest number of instances of class labels; (3) the inconsistency rate is the sum of all the inconsistency counts divided by the total number of instances.

### Value

inConRate        the inconsistency rate of the dataset

### Author(s)

HyunJi Kim <polaris7867@gmail.com>

### References

Liu, H. and Setiono, R. (1995), Chi2: Feature selection and discretization of numeric attributes , *Tools with Artificial Intelligence*, 388–391.

Liu, H. and Setiono, R. (1997), Feature selection and discretization, *IEEE transactions on knowledge and data engineering*, **Vol.9, no.4**, 642–645.

### See Also

[chi2](#)

### Examples

```
##---- Calculating Inconsistency ----  
data(iris)  
disiris=chiM(iris,alpha=0.05)$Disc.data  
incon(disiris)
```

---

insert                      *Auxiliary function for Top-down discretization*

---

**Description**

This function is required to perform the `disc.Topdown()`.

**Usage**

```
insert(x, a)
```

**Arguments**

x	cut-point
a	a vector of minimum, maximum value

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**See Also**

[topdown](#), [findBest](#) and [disc.Topdown](#) .

---

LevCon                      *Auxiliary function for the Modified Chi2 discretization algorithm*

---

**Description**

This function computes the level of consistency, is required to perform the Modified Chi2 discretization algorithm.

**Usage**

```
LevCon(data)
```

**Arguments**

data	discretized data matrix
------	-------------------------

**Value**

LevelConsis	Level of Consistency value
-------------	----------------------------

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>



## References

- Tay, F. E. H. and Shen, L. (2002). Modified Chi2 Algorithm for Discretization, *IEEE Transactions on knowledge and data engineering*, **Vol. 14, No. 3**, 666–670.
- Pawlak, Z. (1982). Rough Sets, *International Journal of Computer and Information Sciences*, **vol.11, No.5**, 341–356.
- Chmielewski, M. R. and Grzymala-Busse, J. W. (1996). Global Discretization of Continuous Attributes as Preprocessing for Machine Learning, *International journal of approximate reasoning*, **Vol. 15, No. 4**, 319–331.

## See Also

[modChi2](#)

---

mdlp	<i>Discretization using the Minimum Description Length Principle(MDLP)</i>
------	--

---

## Description

This function discretizes the continuous attributes of data matrix using entropy criterion with the Minimum Description Length as stopping rule.

## Usage

```
mdlp(data)
```

## Arguments

data	data matrix to be discretized dataset
------	---------------------------------------

## Details

Minimum Discription Length Principle

## Value

cutp	list of cut-points for each variable
Disc.data	discretized data matrix

## Author(s)

HyunJi Kim <polaris7867@gmail.com>

## References

- Fayyad, U. M. and Irani, K. B.(1993). Multi-interval discretization of continuous-valued attributes for classification learning, *Artificial intelligence*, **13**, 1022–1027.

**See Also**

[cutIndex](#), [cutPoints](#), [ent](#), [mergeCols](#), [mdlStop](#), [mylog](#) .

**Examples**

```
data(iris)
mdlp(iris)$Disc.data
```

---

mdlStop

*Auxiliary function for performing discretization using MDLP*

---

**Description**

This function determines cut criterion based on Fayyad and Irani Criterion, is required to perform the minimum description length principle.

**Usage**

```
mdlStop(ci, y, entropy)
```

**Arguments**

ci	cut index
y	class variable
entropy	this value is calculated by cutIndex()

**Details**

Minimum description Length Principle Criterion

**Value**

gain	numeric value
------	---------------

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Fayyad, U. M. and Irani, K. B.(1993). Multi-interval discretization of continuous-valued attributes for classification learning, *Artificial intelligence*, **13**, 1022–1027.

**See Also**

[cutPoints](#), [ent](#), [mergeCols](#), [cutIndex](#), [mylog](#), [mdlp](#) .

---

mergeCols

*Auxiliary function for performing discretization using MDLP*


---

**Description**

This function merges the columns having observation numbers equal to 0, required to perform the minimum discription length principle.

**Usage**

```
mergeCols(n, minimum = 2)
```

**Arguments**

n	table, column: intervals, row: variables
minimum	min # observations in col or row to merge

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**See Also**

[cutPoints](#), [ent](#), [cutIndex](#), [mdlStop](#), [mylog](#), [mdlp](#).

---

modChi2

*Discretization of Neneric Attributes using the Modified Chi2 method*


---

**Description**

This function implements the Modified Chi2 discretization algorithm.

**Usage**

```
modChi2(data, alp = 0.5)
```

**Arguments**

data	numeric data matrix to discretized dataset
alp	significance level, $\alpha$

**Details**

In the modified Chi2 algorithm, inconsistency checking ( $InConCheck(data) < \delta$ ) of the Chi2 algorithm is replaced by maintaining the level of consistency  $L_c$  after each step of discretization ( $L_{c-discretized} < L_{c-original}$ ). this inconsistency rate as the stopping criterion.

**Value**

cutp	list of cut-points for each variable
Disc.data	discretized data matrix

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Tay, F. E. H. and Shen, L. (2002). Modified Chi2 Algorithm for Discretization, *IEEE Transactions on knowledge and data engineering*, **14**, 666–670.

**See Also**

[LevCon](#)

**Examples**

```
data(iris)
modChi2(iris, alp=0.5)$Disc.data
```

---

mylog

*Auxiliary function for performing discretization using MDLP*

---

**Description**

This function is required to perform the minimum discription length principle, mdlp().

**Usage**

```
mylog(x)
```

**Arguments**

x	a vector of numeric value
---	---------------------------

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Fayyad, U. M. and Irani, K. B.(1993). Multi-interval discretization of continuous-valued attributes for classification learning, *Artificial intelligence*, **Vol. 13**, 1022–1027.

**See Also**

[mergeCols](#), [ent](#), [cutIndex](#), [cutPoints](#), [mdlStop](#) and [mdlp](#).

---

topdown	<i>Auxiliary function for performing top-down discretization algorithm</i>
---------	--

---

**Description**

This function is required to perform the `disc.Topdown()`.

**Usage**

```
topdown(data, method = 1)
```

**Arguments**

data	numeric data matrix to discretized dataset
method	1: CAIM algorithm, 2: CACC algorithm, 3: Ameva algorithm.

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

- Gonzalez-Abril, L., Cuberos, F. J., Velasco, F. and Ortega, J. A. (2009) Ameva: An autonomous discretization algorithm, *Expert Systems with Applications*, **36**, 5327–5332.
- Kurgan, L. A. and Cios, K. J. (2004). CAIM Discretization Algorithm, *IEEE Transactions on knowledge and data engineering*, **16**, 145–153.
- Tsai, C. J., Lee, C. I. and Yang, W. P. (2008). A discretization algorithm based on Class-Attribute Contingency Coefficient, *Information Sciences*, **178**, 714–731.

**See Also**

[insert](#), [findBest](#) and [disc.Topdown](#).

---

value	<i>Auxiliary function for performing the ChiMerge discretization</i>
-------	--

---

**Description**

This function is called by ChiMerge discretization function, `chiM()`.

**Usage**

```
value(i, data, alpha)
```

**Arguments**

<code>i</code>	$i$ th variable in data matrix to discretized
<code>data</code>	numeric data matrix
<code>alpha</code>	significance level; $\alpha$

**Value**

<code>cuts</code>	list of cut-points for any variable
<code>disc</code>	discretized $i$ th variable and data matrix of other variables

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

Kerber, R. (1992). ChiMerge : Discretization of numeric attributes, *In Proceedings of the Tenth National Conference on Artificial Intelligence*, 123–128.

**See Also**

[chiM](#).

**Examples**

```
data(iris)
value(1,iris,0.05)
```

---

Xi *Auxiliary function for performing the Extended Chi2 discretization algorithm*

---

**Description**

This function is the  $\xi$ , required to perform the Extended Chi2 discretization algorithm.

**Usage**

```
Xi(data)
```

**Arguments**

<code>data</code>	data matrix
-------------------	-------------

**Details**

The following equality is used for calculating the least upper bound( $\xi$ ) of the data set(Chao and Jyh-Hwa (2005)).

$$\xi(C, D) = \max(m_1, m_2)$$

where  $C$  is the equivalence relation set,  $D$  is the decision set, and  $C^* = \{E_1, E_2, \dots, E_n\}$  is the equivalence classes.  $m_1 = 1 - \min\{c(E, D) | E \in C^* \text{ and } 0.5 < c(E, D)\}$ ,  $m_2 = 1 - \max\{c(E, D) | E \in C^* \text{ and } c(E, D) < 0.5\}$ .

$$c(E, D) = 1 - \frac{\text{card}(E \cap D)}{\text{card}(E)}$$

*card* denotes set cardinality.

**Value**

Xi                      numeric value,  $\xi$

**Author(s)**

HyunJi Kim <polaris7867@gmail.com>

**References**

- Chao-Ton, S. and Jyh-Hwa, H. (2005). An Extended Chi2 Algorithm for Discretization of Real Value Attributes, *IEEE transactions on knowledge and data engineering*, **Vol. 17, No. 3**, 437–441.
- Ziarko, W. (1993). Variable Precision Rough Set Model, *Journal of computer and system sciences*, **Vol. 46, No. 1**, 39–59.

**See Also**

[extendChi2](#)

# Index

- \* **package**
  - discretization-package, 2
- ameva, 3, 9, 12
- cacc, 4, 9, 12
- caim, 5, 12
- chi2, 6, 9, 15
- chiM, 7, 8, 9, 13, 22
- chiSq, 4, 5, 8, 9
- cutIndex, 10, 11, 18–20
- cutPoints, 10, 11, 13, 18–20
- disc.Topdown, 4–6, 11, 14, 16, 21
- discretization
  - (discretization-package), 2
- discretization-package, 2
- ent, 10, 11, 12, 13, 18–20
- extendChi2, 9, 13, 23
- findBest, 4–6, 12, 14, 16, 21
- findInterval, 12
- incon, 7, 15
- insert, 4–6, 12, 14, 16, 21
- LevCon, 16, 20
- mdlp, 10, 11, 13, 17, 18–20
- mdlStop, 10, 11, 13, 18, 18, 19, 20
- mergeCols, 10, 11, 13, 18, 19, 20
- modChi2, 9, 17, 19
- mylog, 10, 11, 13, 18, 19, 20
- topdown, 4–6, 12, 14, 16, 21
- value, 7, 8, 21
- Xi, 13, 22