

Package: easyWechat (via r-universe)

June 29, 2024

Type Package

Title A Notifier for R Users by 'WeChat'

Version 0.2.0

Description This is a 'WeChat' Notifier for R users to notice when script run complete.

License MIT + file LICENSE

Encoding UTF-8

Imports httr

RoxygenNote 7.3.1

NeedsCompilation no

Author Lei Cui Developer [aut, ctr, cph, cre], An Qin Researcher [fnd, ths], Feng Jiang Engineer [ctb]

Maintainer Lei Cui Developer <cuilei798@qq.com>

Repository CRAN

Date/Publication 2024-06-28 17:40:02 UTC

Contents

WechatMsg	1
WechatRobot	2

Index	4
--------------	----------

WechatMsg	<i>WechatHelper</i>
-----------	---------------------

Description

WechatHelper

Usage

```
WechatMsg(userid, msg, status = NULL, name = NULL, number = NULL)
```

Arguments

userid	Please follow the official WeChat account "shengxintongzhizhushou", reply with id, and scan the QR code to obtain the userid. View " http://bj.s1f.ren/gzh/home.html " and " https://mp.weixin.qq.com/s/tiedh3FWTA4hOhut5Useew " for more information.
msg	Content of the notification to be sent. Limit to 20 characters.
status	Current data status. Limit to 5 Chinese characters.
name	Project name. Limit to 5 characters.
number	Notification number.

Value

response of the request

Examples

```
WechatMsg(userid = "123", msg = "test---SaveRds Success!")
```

WechatRobot

WechatRobot

Description

WechatRobot

Usage

```
WechatRobot(
  key,
  msg = "",
  qyapi = "https://qyapi.weixin.qq.com/cgi-bin/webhook/send?key=",
  msgtype = "text"
)
```

Arguments

key	The key for the WeChat Work robot.
msg	Text message.
qyapi	WeChat Work API.
msgtype	Type of text message being sent.

Value

response of the request

Examples

```
WechatRobot(key = "79bdbb23-7f7e-4fb6-b669-97f7e744755e", msg = "test---SaveRds Success!")
```

Index

WechatMsg, [1](#)
WechatRobot, [2](#)