

# Package: freqdist (via r-universe)

July 12, 2024

**Type** Package

**Title** Frequency Distribution

**Version** 0.1

**Author** Thomas Feldman <tfeldma@siue.edu> and Kenneth W. Moffett

<kmoffet@siue.edu>

**Maintainer** Kenneth W. Moffett <kmoffet@siue.edu>

**Description** Generates a frequency distribution. The frequency distribution includes raw frequencies, percentages in each category, and cumulative frequencies. The frequency distribution can be stored as a data frame.

**License** GPL-2

**Encoding** UTF-8

**LazyData** true

**RxygenNote** 5.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-12-01 22:33:06

## Contents

|          |   |
|----------|---|
| freqdist | 2 |
|----------|---|

|       |   |
|-------|---|
| Index | 3 |
|-------|---|

---

|                 |  |
|-----------------|--|
| <b>freqdist</b> | <i>Generates a Frequency Distribution with columns for raw frequencies, percentages, and cumulative percentages.</i> |
|-----------------|--|

---

## Description

Generates a Frequency Distribution with columns for raw frequencies, percentages, and cumulative percentages.

## Usage

```
freqdist(x)
```

## Arguments

- |   |  |
|---|--|
| x | Variable on which the frequency distribution is generated. |
|---|--|

## Value

- Returns the frequency distribution.

## Author(s)

Thomas Feldman and Kenneth W. Moffett

## Examples

```
# Create Sample Data Frame  
  
data <- c(1,2,3,4,4)  
data <- as.data.frame(data)  
  
# Run Frequency Distribution Command on Data Frame  
  
freqdist(data)
```

# **Index**

`freqdist`, [2](#)