

# Package: gendist (via r-universe)

September 17, 2024

**Type** Package

**Title** Generated Probability Distribution Models

**Version** 2.0

**Date** 2019-01-30

**Author** Shaiful Anuar Abu Bakar

**Maintainer** Shaiful Anuar Abu Bakar <saab@um.edu.my>

**Description** Computes the probability density function (pdf), cumulative distribution function (cdf), quantile function (qf) and generates random values (rg) for the following general models : mixture models, composite models, folded models, skewed symmetric models and arc tan models.

**License** GPL (>= 2)

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2019-01-31 09:33:20 UTC

## Contents

gendist-package . . . . .	2
darctan . . . . .	3
dcomposite . . . . .	4
dfolded . . . . .	5
dmixt . . . . .	6
dskew . . . . .	8
parctan . . . . .	9
pcomposite . . . . .	10
pfolded . . . . .	11
pmixt . . . . .	12
pskew . . . . .	13
qarctan . . . . .	14
qcomposite . . . . .	16
qfolded . . . . .	17

qmixt . . . . .	18
qskew . . . . .	19
rarctan . . . . .	20
rcomposite . . . . .	21
rfolded . . . . .	22
rmixt . . . . .	22
rskew . . . . .	23

<b>Index</b>	<b>25</b>
--------------	-----------

---

gendist-package	<i>Generated Probability Distribution Models</i>
-----------------	--

---

## Description

Computes the probability density function (pdf), cumulative distribution function (cdf), quantile function (qf) and generates random values (rg) for the following general models : mixture models, composite models, folded models, skewed symmetric models and arc tan models.

## Details

Package: gendist  
 Type: Package  
 Version: 2.0  
 Date: 2019-01-30  
 License: GPL (>=2)

All the models use parent distribution(s) and thus flexible to incorporate many existing probability distributions.

## Author(s)

Shaiful Anuar Abu Bakar

Maintainer: Shaiful Anuar Abu Bakar <saab@um.edu.my>

## References

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).
- Gomez-Deniz, E., & Calderin-Ojeda, E. Modelling insurance data with the pareto arctan distribution. *ASTIN Bulletin*, 1-22.
- Cooray, K., & Ananda, M. M. (2005). Modeling actuarial data with a composite lognormal-Pareto model. *Scandinavian Actuarial Journal*, 2005(5), 321-334.
- Scollnik, D. P. (2007). On composite lognormal-Pareto models. *Scandinavian Actuarial Journal*, 2007(1), 20-33.
- Nadarajah, S., & Bakar, S. A. A. (2014). New composite models for the Danish fire insurance data.

Scandinavian Actuarial Journal, 2014(2), 180-187.  
 Bakar, S. A., Hamzah, N. A., Maghsoudi, M., & Nadarajah, S. (2015). Modeling loss data using composite models. Insurance: Mathematics and Economics, 61, 146-154.  
 Brazauskas, V., & Kleefeld, A. (2011). Folded and log-folded-t distributions as models for insurance loss data. Scandinavian Actuarial Journal, 2011(1), 59-74.  
 Pearson, K. (1894). Contributions to the mathematical theory of evolution. Philosophical Transactions of the Royal Society of London. A, 71-110.  
 Azzalini, A. (1985). A class of distributions which includes the normal ones. Scandinavian journal of statistics, 171-178.

---

 darctan

*Probability density function of arc tan model.*


---

### Description

Computes pdf of the arc tan model.

### Usage

```
darctan(x, alpha, spec, arg, log = FALSE)
```

### Arguments

x	scalar or vector of values to compute the pdf.
alpha	the value of $\alpha$ parameter, $\alpha > 0$ .
spec	a character string specifying the parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg	list of arguments/parameters of the parent distribution.
log	logical; if TRUE, log(pdf) are returned.

### Details

The pdf of arc tan model with parameter  $\alpha$  has a general form of:

$$f(x) = \frac{1}{\arctan(\alpha)} \frac{\alpha g(x)}{1 + (\alpha(1 - G(x)))^2}$$

for  $a \leq x \leq b$  where  $a$  and  $b$  follow the support of  $g(x)$ .  $\arctan$  denote the inverse function of tangent.  $g(x)$  and  $G(x)$  are the pdf and cdf of parent distribution, respectively. Note also that  $\alpha > 0$ .

### Value

An object of the same length as x, giving the pdf values computed at x.

### Author(s)

Shaiful Anuar Abu Bakar

## References

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. PloS one, 11(6).
- Gomez-Deniz, E., & Calderin-Ojeda, E. Modelling insurance data with the pareto arctan distribution. ASTIN Bulletin, 1-22.

## Examples

```
x=runif(10, min=0, max=1)
y=darctan(x, alpha=0.5, spec="lnorm", arg=list(meanlog=1,sdlog=2) )
```

---

dcomposite

*Probabilty density function of composite model.*

---

## Description

Computes pdf of the composite model.

## Usage

```
dcomposite(x, spec1, arg1, spec2, arg2, initial = 1, log = FALSE)
```

## Arguments

x	scalar or vector of values to compute the pdf.
spec1	a character string specifying the head parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg1	list of arguments/parameters of the head parent distribution.
spec2	a character string specifying the tail parent distribution (for example, "exp" if the parent distribution corresponds to the exponential).
arg2	list of arguments/parameters of the tail parent distribution.
initial	initial values of the threshold, $\theta$ .
log	logical; if TRUE, log(pdf) are returned.

## Details

The pdf of composite model has a general form of:

$$f(x) = \frac{1}{1 + \phi} f_1^*(x), \text{ if } x \leq \theta,$$

$$= \frac{\phi}{1 + \phi} f_2^*(x), \text{ if } x > \theta,$$

whereby  $\phi$  is the weight component,  $\theta$  is the threshold and  $f_i^*(x)$  for  $i = 1, 2$  are the truncated pdfs correspond to head and tail parent distributions defined by

$$f_1^*(x) = \frac{f_1(x)}{F_1(\theta)}$$

and

$$f_2^*(x) = \frac{f_2(x)}{1 - F_2(\theta)}$$

respectively.

### Value

An object of the same length as  $x$ , giving the pdf values computed at  $x$ .

### Author(s)

Shaiful Anuar Abu Bakar

### References

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).
- Cooray, K., & Ananda, M. M. (2005). Modeling actuarial data with a composite lognormal-Pareto model. *Scandinavian Actuarial Journal*, 2005(5), 321-334.
- Scollnik, D. P. (2007). On composite lognormal-Pareto models. *Scandinavian Actuarial Journal*, 2007(1), 20-33.
- Nadarajah, S., & Bakar, S. A. A. (2014). New composite models for the Danish fire insurance data. *Scandinavian Actuarial Journal*, 2014(2), 180-187.
- Bakar, S. A., Hamzah, N. A., Maghsoudi, M., & Nadarajah, S. (2015). Modeling loss data using composite models. *Insurance: Mathematics and Economics*, 61, 146-154.

### Examples

```
x=runif(10, min=0, max=1)
y=dcomposite(x, spec1="lnorm", arg1=list(meanlog=0.1,sdlog=0.2), spec2="exp",
             arg2=list(rate=0.5) )
```

---

dfolded

*Probabilty density function of folded model.*

---

### Description

Computes pdf of the folded model.

### Usage

```
dfolded(x, spec, arg, log = FALSE)
```

**Arguments**

x	scale or vector of values to compute the pdf.
spec	a character string specifying the parent distribution (for example, "norm" if the parent distribution correspond to the normal).
arg	list of arguments/parameters of the parent distribution.
log	logical; if TRUE, log(pdf) are returned.

**Details**

The pdf of folded model has a general form of:

$$f(x) = g(x) + g(-x) \quad x > 0$$

where  $G(x)$  is the cdf of parent distribution.

**Value**

An object of the same length as x, giving the pdf values computed at x.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. PloS one, 11(6).
- Brazauskas, V., & Kleefeld, A. (2011). Folded and log-folded-t distributions as models for insurance loss data. Scandinavian Actuarial Journal, 2011(1), 59-74.

**Examples**

```
x=runif(10, min=0, max=1)
y=dfolded(x, spec="norm", arg=list(mean=1,sd=2) )
```

---

dmixt

*Probabilty density function of mixture model.*


---

**Description**

Computes pdf of the mixture model.

**Usage**

```
dmixt(x, phi, spec1, arg1, spec2, arg2, log = FALSE)
```

**Arguments**

x	scalar or vector of values to compute the pdf.
phi	the value of $\phi$ parameter, $\phi > 0$ .
spec1	a character string specifying the first parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg1	list of arguments/parameters of the first parent distribution.
spec2	a character string specifying the second parent distribution (for example, "exp" if the parent distribution corresponds to the exponential).
arg2	list of arguments/parameters of the second parent distribution.
log	logical; if TRUE, log(pdf) are returned.

**Details**

The pdf of mixture model with parameter *phi* has a general form of:

$$f(x) = \frac{1}{1 + \phi} (g_1(x) + \phi g_2(x))$$

where  $x$  follows the support of parent distributions,  $\phi$  is the weight component and  $g_i(x)$  for  $i = 1, 2$  are the pdfs of first and second parent distributions, respectively.

**Value**

An object of the same length as  $x$ , giving the pdf values computed at  $x$ .

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).
- Pearson, K. (1894). Contributions to the mathematical theory of evolution. *Philosophical Transactions of the Royal Society of London. A*, 71-110.

**Examples**

```
x=runif(10, min=0, max=1)
y=dmixt(x, phi=0.5, spec1="lnorm", arg1=list(meanlog=1, sdlog=2), spec2="exp",
        arg2=list(rate=2) )
```

---

dskew

*Probability density function of skewed symmetric model.*


---

### Description

Computes pdf of the skewed symmetric model.

### Usage

```
dskew(x, spec1, arg1, spec2, arg2, log = FALSE)
```

### Arguments

x	scalar or vector of values to compute the pdf.
spec1	a character string specifying the parent distribution $g(x)$ (for example, "norm" if the parent distribution corresponds to the normal).
arg1	list of arguments/parameters of the parent distribution $g(x)$ .
spec2	a character string specifying the parent distribution $H(x)$ (for example, "logis" if the parent distribution corresponds to the logistic).
arg2	list of arguments/parameters of the parent distribution $H(x)$ .
log	logical; if TRUE, log(pdf) are returned.

### Details

The pdf of skewed symmetric model has a general form of:

$$f(x) = 2h(x)G(x), \quad -\infty < x < \infty$$

where  $h(x)$  and  $G(x)$  are the pdf and cdf of parent distributions, respectively.

### Value

An object of the same length as  $x$ , giving the pdf values computed at  $x$ .

### Author(s)

Shaiful Anuar Abu Bakar

### References

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).

Azzalini, A. (1985). A class of distributions which includes the normal ones. *Scandinavian journal of statistics*, 171-178.



**Examples**

```
x=runif(10, min=0, max=1)
y=dskew(x, spec1="norm", arg1=list(mean=0,sd=1), spec2="logis",
        arg2=list(location=0,scale=2) )
```

parctan

*Cumulative distribution function of arc tan model.***Description**

Computes cdf of the arc tan model.

**Usage**

```
parctan(q, alpha, spec, arg, lower.tail = TRUE, log.p = FALSE)
```

**Arguments**

q	scalar or vector of values to compute the cdf.
alpha	the value of $\alpha$ parameter, $\alpha > 0$ .
spec	a character string specifying the parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg	list of arguments/parameters of the parent distribution.
lower.tail	logical; if TRUE, cdf are returned, otherwise 1-cdf.
log.p	logical; if TRUE, probabilities returned are given as log(cdf).

**Details**

The cdf of arc tan model with parameter  $\alpha$  has a general form of:

$$F(q) = 1 - \frac{\arctan(\alpha(1 - G(q)))}{\arctan(\alpha)}$$

for  $a \leq x \leq b$  where  $a$  and  $b$  follow the support of  $g(q)$ .  $\arctan$  denote the inverse function of tangent.  $g(q)$  and  $G(q)$  are the pdf and cdf of parent distribution, respectively. Note also that  $\alpha > 0$ .

**Value**

An object of the same length as q, giving the cdf values computed at q.

**Author(s)**

Shaiful Anuar Abu Bakar

## References

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. PloS one, 11(6).
- Gomez-Deniz, E., & Calderin-Ojeda, E. Modelling insurance data with the pareto arctan distribution. ASTIN Bulletin, 1-22.

## Examples

```
x=runif(10, min=0, max=1)
y=parctan(x, alpha=0.5, spec="lnorm", arg=list(meanlog=1,sdlog=2) )
```

---

pcomposite	<i>Cumulative distribution function of composite model.</i>
------------	---

---

## Description

Computes cdf of the composite model.

## Usage

```
pcomposite(q, spec1, arg1, spec2, arg2, initial = 1, lower.tail = TRUE, log.p = FALSE)
```

## Arguments

q	scalar or vector of values to compute the cdf.
spec1	a character string specifying the head parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg1	list of arguments/parameters of the head parent distribution.
spec2	a character string specifying the tail parent distribution (for example, "exp" if the parent distribution corresponds to the exponential).
arg2	list of arguments/parameters of the tail parent distribution.
initial	initial values of the threshold, $\theta$ .
lower.tail	logical; if TRUE, cdf are returned, otherwise 1-cdf.
log.p	logical; if TRUE, probabilities returned are given as log(cdf).

## Details

The cdf of composite model has a general form of:

$$F(x) = \frac{1}{1 + \phi} \frac{F_1(x)}{F_1(\theta)} \text{ if } x \leq \theta,$$

$$= \frac{1}{1 + \phi} \left( 1 + \phi \frac{F_2(x) - F_2(\theta)}{1 - F_2(\theta)} \right) \text{ if } x > \theta,$$

whereby  $\phi$  is the weight component,  $\theta$  is the threshold and  $F_i(x)$  for  $i = 1, 2$  are the cdfs correspond to head and tail parent distributions, respectively.

**Value**

An object of the same length as `q`, giving the cdf values computed at `q`.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). `gendist`: An R package for generated probability distribution models. *PloS one*, 11(6).
- Cooray, K., & Ananda, M. M. (2005). Modeling actuarial data with a composite lognormal-Pareto model. *Scandinavian Actuarial Journal*, 2005(5), 321-334.
- Scollnik, D. P. (2007). On composite lognormal-Pareto models. *Scandinavian Actuarial Journal*, 2007(1), 20-33.
- Nadarajah, S., & Bakar, S. A. A. (2014). New composite models for the Danish fire insurance data. *Scandinavian Actuarial Journal*, 2014(2), 180-187.
- Bakar, S. A., Hamzah, N. A., Maghsoudi, M., & Nadarajah, S. (2015). Modeling loss data using composite models. *Insurance: Mathematics and Economics*, 61, 146-154.

**Examples**

```
x=runif(10, min=0, max=1)
y=pcomposite(x, spec1="lnorm", arg1=list(meanlog=0.1, sdlog=0.2), spec2="exp",
             arg2=list(rate=0.5) )
```

---

pfolded

*Cumulative distribution function of folded model.*

---

**Description**

Computes cdf of the folded model.

**Usage**

```
pfolded(q, spec, arg, lower.tail = TRUE, log.p = FALSE)
```

**Arguments**

- |                         |  |
|-------------------------|--|
| <code>q</code>          | scale or vector of values to compute the cdf.  |
| <code>spec</code>       | a character string specifying the parent distribution (for example, "norm" if the parent distribution correspond to the normal). |
| <code>arg</code>        | list of arguments/parameters of the parent distribution.   |
| <code>lower.tail</code> | logical; if TRUE, cdf are returned, otherwise 1-cdf.   |
| <code>log.p</code>      | logical; if TRUE, probabilities returned are given as log(cdf).  |

**Details**

The cdf of folded model has a general form of:

$$F(x) = G(x) - G(-x) \quad x > 0$$

where  $G(x)$  is the cdf of parent distribution.

**Value**

An object of the same length as  $q$ , giving the cdf values computed at  $q$ .

**References**

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). *gendist*: An R package for generated probability distribution models. *PLoS one*, 11(6).
- Brazauskas, V., & Kleefeld, A. (2011). Folded and log-folded-t distributions as models for insurance loss data. *Scandinavian Actuarial Journal*, 2011(1), 59-74.

**Examples**

```
x=runif(10, min=0, max=1)
y=pfolded(x, spec="norm", arg=list(mean=1,sd=2) )
```

---

pmixt

*Cumulative distribution function of mixture model.*

---

**Description**

Computes cdf of the mixture model.

**Usage**

```
pmixt(q, phi, spec1, arg1, spec2, arg2, lower.tail = TRUE, log.p = FALSE)
```

**Arguments**

- |                         |  |
|-------------------------|--|
| <code>q</code>          | scalar or vector of values to compute the cdf.   |
| <code>phi</code>        | the value of $\phi$ parameter, $\phi > 0$ .  |
| <code>spec1</code>      | a character string specifying the first parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).  |
| <code>arg1</code>       | list of arguments/parameters of the first parent distribution.   |
| <code>spec2</code>      | a character string specifying the second parent distribution (for example, "exp" if the parent distribution corresponds to the exponential). |
| <code>arg2</code>       | list of arguments/parameters of the second parent distribution.  |
| <code>lower.tail</code> | logical; if TRUE, cdf are returned, otherwise 1-cdf.   |
| <code>log.p</code>      | logical; if TRUE, probabilities returned are given as log(cdf).  |

**Details**

The cdf of mixture model has a general form of:

$$F(x) = \text{frac}11 + \phi(G_1(x) + \phi G_2(x))$$

where  $x$  follows the support of parent distributions,  $\phi$  is the weight component and  $G_i(x)$  for  $i = 1, 2$  are the cdfs of first and second parent distributions, respectively.

**Value**

An object of the same length as `q`, giving the cdf values computed at `q`.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). `gendist`: An R package for generated probability distribution models. *PLoS one*, 11(6).  
 Pearson, K. (1894). Contributions to the mathematical theory of evolution. *Philosophical Transactions of the Royal Society of London. A*, 71-110.

**Examples**

```
x=runif(10, min=0, max=1)
y=pmixt(x, phi=0.5, spec1="lnorm", arg1=list(meanlog=1,sdlog=2), spec2="exp",
        arg2=list(rate=2) )
```

---

pskew

*Cumulative distribution function of skewed symmetric model.*

---

**Description**

Computes cdf of the skewed symmetric model.

**Usage**

```
pskew(q, spec1, arg1, spec2, arg2, lower.tail = TRUE, log.p = FALSE)
```

**Arguments**

<code>q</code>	scale or vector of values to compute the cdf.
<code>spec1</code>	a character string specifying the parent distribution $g(x)$ (for example, "norm" if the parent distribution corresponds to the normal).
<code>arg1</code>	list of arguments/parameters of the parent distribution $g(x)$ .
<code>spec2</code>	a character string specifying the parent distribution $H(x)$ (for example, "logis" if the parent distribution corresponds to the logistic).

arg2 list of arguments/parameters of the parent distribution  $H(x)$ .  
 lower.tail logical; if TRUE, cdf are returned, otherwise 1-cdf.  
 log.p logical; if TRUE, probabilities returned are given as log(cdf).

### Details

The cdf of skewed symmetric model has a general form of:

$$F(x) = \int_{-\infty}^x 2h(y)G(y)dy, \quad -\infty < x < \infty$$

where  $h(x)$  and  $G(x)$  are the pdf and cdf of parent distributions, respectively.

### Value

An object of the same length as q, giving the cdf values computed at q.

### Author(s)

Shaiful Anuar Abu Bakar

### References

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).  
 Azzalini, A. (1985). A class of distributions which includes the normal ones. *Scandinavian journal of statistics*, 171-178.

### Examples

```
x=runif(10, min=0, max=1)
y=pskew(x, spec1="norm", arg1=list(mean=0,sd=1), spec2="logis",
        arg2=list(location=0,scale=2) )
```

---

qarctan

*Quantile function of arc tan model.*

---

### Description

Computes qf of the arc tan model.

### Usage

```
qarctan(p, alpha, spec, arg, lower.tail = TRUE, log.p = FALSE)
```

**Arguments**

<code>p</code>	scalar or vector of probabilities to compute the qf.
<code>alpha</code>	the value of $\alpha$ parameter, $\alpha > 0$ .
<code>spec</code>	a character string specifying the parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
<code>arg</code>	list of arguments/parameters of the parent distribution.
<code>lower.tail</code>	logical; if TRUE, probabilities are p, otherwise 1-p.
<code>log.p</code>	logical; if TRUE, probabilities p are returned as log(p).

**Details**

The qf of arc tan model with parameter  $\alpha$  has a general form of:

$$Q(p) = G^{-1} \left( 1 - \frac{1}{\alpha} \tan((1-p) \arctan(\alpha)) \right)$$

for  $a \leq x \leq b$  where  $a$  and  $b$  follow the support of  $G(x)$ . `arctan` denote the inverse function of tangent and  $G^{-1}$  is the inverse cdf of parent distribution, respectively. Note also that  $\alpha > 0$ .

**Value**

An object of the same length as `p`, giving the qf values computed at `p`.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). `gendist`: An R package for generated probability distribution models. *PloS one*, 11(6).  
 Gomez-Deniz, E., & Calderin-Ojeda, E. Modelling insurance data with the pareto arctan distribution. *ASTIN Bulletin*, 1-22.

**Examples**

```
x=runif(10, min=0, max=1)
y=qarctan(x, alpha=0.5, spec="lnorm", arg=list(meanlog=1, sdlog=2) )
```

---

qcomposite

*Quantile function of composite model.*


---

### Description

Computes qf of the composite model.

### Usage

```
qcomposite(p, spec1, arg1, spec2, arg2, initial = 1, lower.tail = TRUE, log.p = FALSE)
```

### Arguments

p	scalar or vector of probabilities to compute the qf.
spec1	a character string specifying the head parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg1	list of arguments/parameters of the head parent distribution.
spec2	a character string specifying the tail parent distribution (for example, "exp" if the parent distribution corresponds to the exponential).
arg2	list of arguments/parameters of the tail parent distribution.
initial	initial values of the threshold, $\theta$ .
lower.tail	logical; if TRUE, probabilities are p, otherwise 1-p.
log.p	logical; if TRUE, probabilities p are returned as log(p).

### Details

The qf of composite model has a general form of:

$$Q(p) = Q_1(p(1 + \phi)F_1(\theta)) \text{ if } p \leq \frac{1}{1 + \phi},$$

$$= Q_2\left(F_2(\theta) + (1 - F_2(\theta))\left(\frac{p(1 + \phi) - 1}{\phi}\right)\right) \text{ if } p > \frac{1}{1 + \phi}$$

whereby  $\phi$  is the weight component,  $\theta$  is the threshold and  $F_i(x)$  for  $i = 1, 2$  are the qfs correspond to head and tail parent distributions, respectively.

### Value

An object of the same length as p, giving the qf values computed at p.

### Author(s)

Shaiful Anuar Abu Bakar



## References

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).
- Cooray, K., & Ananda, M. M. (2005). Modeling actuarial data with a composite lognormal-Pareto model. *Scandinavian Actuarial Journal*, 2005(5), 321-334.
- Scollnik, D. P. (2007). On composite lognormal-Pareto models. *Scandinavian Actuarial Journal*, 2007(1), 20-33.
- Nadarajah, S., & Bakar, S. A. A. (2014). New composite models for the Danish fire insurance data. *Scandinavian Actuarial Journal*, 2014(2), 180-187.
- Bakar, S. A., Hamzah, N. A., Maghsoudi, M., & Nadarajah, S. (2015). Modeling loss data using composite models. *Insurance: Mathematics and Economics*, 61, 146-154.

## Examples

```
x=runif(10, min=0, max=1)
y=qcomposite(x, spec1="lnorm", arg1=list(meanlog=0.1,sdlog=0.2), spec2="exp",
             arg2=list(rate=0.5) )
```

---

qfolded

*Quantile function of folded model.*

---

## Description

Computes cdf of the folded model.

## Usage

```
qfolded(p, spec, arg, interval = c(0, 100), lower.tail = TRUE, log.p = FALSE)
```

## Arguments

- |            |  |
|------------|--|
| p          | scalar or vector of probabilities to compute the qf.   |
| spec       | a character string specifying the parent distribution (for example, "norm" if the parent distribution correspond to the normal). |
| arg        | list of arguments/parameters of the parent distribution.   |
| interval   | a vector of interval end-points for p to search for the function root.   |
| lower.tail | logical; if TRUE, probabilities are p, otherwise 1-p.  |
| log.p      | logical; if TRUE, probabilities p are returned as log(p).  |

## Value

An object of the same length as p, giving the qf values computed at p.

## References

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).
- Brazauskas, V., & Kleefeld, A. (2011). Folded and log-folded-t distributions as models for insurance loss data. *Scandinavian Actuarial Journal*, 2011(1), 59-74.

## Examples

```
x=runif(10, min=0, max=1)
y=qfolded(x, spec="norm", arg=list(mean=1,sd=2), interval=c(0,100) )
```

---

qmixt

*Quantile function of mixture model.*

---

## Description

Computes qf of the mixture model.

## Usage

```
qmixt(p, phi, spec1, arg1, spec2, arg2, interval = c(0, 100),
      lower.tail = TRUE, log.p = FALSE)
```

## Arguments

p	scalar or vector of probabilities to compute the qf.
phi	the value of $\phi$ parameter, $\phi > 0$ .
spec1	a character string specifying the first parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg1	list of arguments/parameters of the first parent distribution.
spec2	a character string specifying the second parent distribution (for example, "exp" if the parent distribution corresponds to the exponential).
arg2	list of arguments/parameters of the second parent distribution.
interval	a vector of interval end-points for p to search for the function root.
lower.tail	logical; if TRUE, probabilities are p, otherwise 1-p.
log.p	logical; if TRUE, probabilities p are returned as log(p).

## Value

An object of the same length as p, giving the qf values computed at p.

## References

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).
- Pearson, K. (1894). Contributions to the mathematical theory of evolution. *Philosophical Transactions of the Royal Society of London. A*, 71-110.

**Examples**

```
x=runif(10, min=0, max=1)
y=qmixt(x, phi=0.5, spec1="lnorm", arg1=list(meanlog=0.1, sdlog=0.2), spec2="exp",
        arg2=list(rate=0.5))
```

qskew

*Quantile function of skewed symmetric model.***Description**

Computes qf of the skewed symmetric model.

**Usage**

```
qskew(p, spec1, arg1, spec2, arg2, interval = c(1, 10), lower.tail = TRUE, log.p = FALSE)
```

**Arguments**

p	scalar or vector of probabilities to compute the qf.
spec1	a character string specifying the parent distribution $g(x)$ (for example, "norm" if the parent distribution corresponds to the normal).
arg1	list of arguments/parameters of the parent distribution $g(x)$ .
spec2	a character string specifying the parent distribution $H(x)$ (for example, "logis" if the parent distribution corresponds to the logistic).
arg2	list of arguments/parameters of the parent distribution $H(x)$ .
interval	a vector of interval end-points for p to search for the function root.
lower.tail	logical; if TRUE, probabilities are p, otherwise 1-p.
log.p	logical; if TRUE, probabilities p are returned as log(p).

**Value**

An object of the same length as p, giving the qf values computed at p.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).

Azzalini, A. (1985). A class of distributions which includes the normal ones. *Scandinavian journal of statistics*, 171-178.

**Examples**

```
x=runif(10, min=0, max=1)
y=qskew(x, spec1="norm", arg1=list(mean=0,sd=0.1), spec2="logis",
        arg2=list(location=0,scale=0.2))
```

---

rarctan

*Random generation of arc tan model.*

---

**Description**

Computes rg of the arc tan model.

**Usage**

```
rarctan(n, alpha, spec, arg)
```

**Arguments**

n	number of random generated values.
alpha	the value of $\alpha$ parameter, $\alpha > 0$ .
spec	a character string specifying the parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg	list of arguments/parameters of the parent distribution.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. PloS one, 11(6).  
Gomez-Deniz, E., & Calderin-Ojeda, E. Modelling insurance data with the pareto arctan distribution. ASTIN Bulletin, 1-22.

**Examples**

```
y=rarctan(10, alpha=0.5, spec="lnorm", arg=c(meanlog=1,sdlog=2) )
```

---

rcomposite	<i>Random generation of composite model.</i>
------------	--

---

**Description**

Computes rg of the composite model.

**Usage**

```
rcomposite(n, spec1, arg1, spec2, arg2, initial = 1)
```

**Arguments**

n	number of random generated values.
spec1	a character string specifying the head parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg1	list of arguments/parameters of the head parent distribution.
spec2	a character string specifying the tail parent distribution (for example, "exp" if the parent distribution corresponds to the exponential).
arg2	list of arguments/parameters of the tail parent distribution.
initial	initial values of the threshold, $\theta$ .

**Value**

An object of the length n, giving the random generated values for the composite model.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).

Cooray, K., & Ananda, M. M. (2005). Modeling actuarial data with a composite lognormal-Pareto model. *Scandinavian Actuarial Journal*, 2005(5), 321-334.

Scollnik, D. P. (2007). On composite lognormal-Pareto models. *Scandinavian Actuarial Journal*, 2007(1), 20-33.

Nadarajah, S., & Bakar, S. A. A. (2014). New composite models for the Danish fire insurance data. *Scandinavian Actuarial Journal*, 2014(2), 180-187.

Bakar, S. A., Hamzah, N. A., Maghsoudi, M., & Nadarajah, S. (2015). Modeling loss data using composite models. *Insurance: Mathematics and Economics*, 61, 146-154.

**Examples**

```
y=rcomposite(10, spec1="lnorm", arg1=list(meanlog=0.1,sdlog=0.2), spec2="exp",
             arg2=list(rate=0.5))
```

---

rfolded	<i>Random generation of folded model.</i>
---------	---

---

**Description**

Computes rg of the folded model.

**Usage**

```
rfolded(n, spec, arg, interval = c(0, 100))
```

**Arguments**

n	number of random generated values.
spec	a character string specifying the parent distribution (for example, "norm" if the parent distribution correspond to the normal).
arg	list of arguments/parameters of the parent distribution.
interval	a vector of interval end-points to search function root.

**Value**

An object of the length n, giving the random generated values for the folded model.

**References**

Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. PloS one, 11(6).

Brazauskas, V., & Kleefeld, A. (2011). Folded and log-folded-t distributions as models for insurance loss data. Scandinavian Actuarial Journal, 2011(1), 59-74.

**Examples**

```
y=rfolded(10, spec="norm", arg=list(mean=1,sd=2), interval=c(0,100) )
```

---

rmixt	<i>Random generation of mixture model.</i>
-------	--

---

**Description**

Computes rg of the mixture model.

**Usage**

```
rmixt(n, phi, spec1, arg1, spec2, arg2, interval = c(0, 100))
```

**Arguments**

n	number of random generated values.
phi	the value of $\phi$ parameter, $\phi > 0$ .
spec1	a character string specifying the first parent distribution (for example, "lnorm" if the parent distribution corresponds to the lognormal).
arg1	list of arguments/parameters of the first parent distribution.
spec2	a character string specifying the second parent distribution (for example, "exp" if the parent distribution corresponds to the exponential).
arg2	list of arguments/parameters of the second parent distribution.
interval	a vector of interval end-points to search function root.

**Value**

An object of the length n, giving the random generated values for the mixture model.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PLoS one*, 11(6).
- Pearson, K. (1894). Contributions to the mathematical theory of evolution. *Philosophical Transactions of the Royal Society of London. A*, 71-110.

**Examples**

```
y=rmixt(10, phi=0.5, spec1="lnorm", arg1=list(meanlog=0.1,sdlog=0.2), spec2="exp",
        arg2=list(rate=0.5) )
```

---

 rskew

*Random generation of skewed symmetric model.*

---

**Description**

Computes rg of the skewed symmetric model.

**Usage**

```
rskew(n, spec1, arg1, spec2, arg2, interval = c(1, 10))
```

**Arguments**

n	number of random generated values.
spec1	a character string specifying the parent distribution $g(x)$ (for example, "norm" if the parent distribution corresponds to the normal).
arg1	list of arguments/parameters of the parent distribution $g(x)$ .
spec2	a character string specifying the parent distribution $H(x)$ (for example, "logis" if the parent distribution corresponds to the logistic).
arg2	list of arguments/parameters of the parent distribution $H(x)$ .
interval	a vector of interval end-points to search function root.

**Value**

An object of the length n, giving the random generated values for the skewed symmetric model.

**Author(s)**

Shaiful Anuar Abu Bakar

**References**

- Abu Bakar, S. A., Nadarajah, S., Adzhar, Z. A. A. K., & Mohamed, I. (2016). gendist: An R package for generated probability distribution models. *PloS one*, 11(6).
- Azzalini, A. (1985). A class of distributions which includes the normal ones. *Scandinavian journal of statistics*, 171-178.

**Examples**

```
y=rskew(10, spec1="norm", arg1=list(mean=0,sd=0.1), spec2="logis",  
        arg2=list(location=0,scale=0.2))
```



# Index

darctan, [3](#)  
dcomposite, [4](#)  
dfolded, [5](#)  
dmixt, [6](#)  
dskew, [8](#)

gendist (gendist-package), [2](#)  
gendist-package, [2](#)

parctan, [9](#)  
pcomposite, [10](#)  
pfolded, [11](#)  
pmixt, [12](#)  
pskew, [13](#)

qarctan, [14](#)  
qcomposite, [16](#)  
qfolded, [17](#)  
qmixt, [18](#)  
qskew, [19](#)

rarctan, [20](#)  
rcomposite, [21](#)  
rfolded, [22](#)  
rmixt, [22](#)  
rskew, [23](#)