

# Package: hybridts (via r-universe)

September 18, 2024

**Title** Hybrid Time Series Forecasting Using Error Remodeling Approach

**Version** 0.1.0

**Author** Tanujit Chakraborty [aut, cre, cph]

**Description** Method and tool for generating hybrid time series forecasts using an error remodeling approach. These forecasting approaches utilize a recursive technique for modeling the linearity of the series using a linear method (e.g., ARIMA, Theta, etc.) and then models (forecasts) the residuals of the linear forecaster using non-linear neural networks (e.g., ANN, ARNN, etc.). The hybrid architectures comprise three steps: firstly, the linear patterns of the series are forecasted which are followed by an error re-modeling step, and finally, the forecasts from both the steps are combined to produce the final output. This method additionally provides the confidence intervals as needed. Ten different models can be implemented using this package. This package generates different types of hybrid error correction models for time series forecasting based on the algorithms by Zhang. (2003), Chakraborty et al. (2019), Chakraborty et al. (2020), Bhattacharyya et al. (2021), Chakraborty et al. (2022), and Bhattacharyya et al. (2022)  
<doi:10.1016/S0925-2312(01)00702-0>  
<doi:10.1016/j.physa.2019.121266>  
<doi:10.1016/j.chaos.2020.109850>  
<doi:10.1109/IJCNN52387.2021.9533747>  
<doi:10.1007/978-3-030-72834-2\_29>  
<doi:10.1007/s11071-021-07099-3>.

**Maintainer** Tanujit Chakraborty <tanujitisi@gmail.com>

**License** GPL (>= 2)

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**Imports** forecast, nntools, stats, WaveletArima, Metrics

**Depends** datasets

**Suggests** ggplot2

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2023-04-11 08:10:08 UTC

## Contents

arima_ann . . . . .	2
arima_arln . . . . .	3
arima_warima . . . . .	4
ets_arln . . . . .	5
rw_ann . . . . .	5
rw_arln . . . . .	6
summary_hybridts . . . . .	6
theta_ann . . . . .	7
theta_arln . . . . .	7
warima_ann . . . . .	8
warima_arln . . . . .	9

**Index** **10**

---

arima_ann	<i>Hybrid ARIMA ANN Forecasting Model</i>
-----------	---

---

## Description

Hybrid ARIMA ANN Forecasting Model

## Usage

```
arima_ann(y, n, PI = FALSE)
```

## Arguments

y	A numeric vector or time series
n	An integer specifying the forecast horizon
PI	A logical flag (default = FALSE) for generating the prediction interval.

## Value

The forecast of the time series of size n is generated along with the optional output of confidence interval (PI = TRUE) for the forecast.

## References

- Zhang, G. P. (2003). Time series forecasting using a hybrid ARIMA and neural network model. *Neurocomputing*, 50, 159-175.
- Chakraborty, T., Ghosh, I., Mahajan, T., & Arora, T. (2022). Nowcasting of COVID-19 confirmed cases: Foundations, trends, and challenges. *Modeling, Control and Drug Development for COVID-19 Outbreak Prevention*, 1023-1064.

---

 arima\_arnn

*Hybrid ARIMA ARNN Forecasting Model*


---

## Description

Hybrid ARIMA ARNN Forecasting Model

## Usage

```
arima_arnn(y, n, PI = FALSE, ret_fit = FALSE)
```

## Arguments

y	A numeric vector or time series
n	An integer specifying the forecast horizon
PI	A logical flag (default = FALSE) for generating the prediction interval.
ret_fit	A logical flag specifying that the fitted values of the model on the training set should be returned if true, otherwise, false (default)

## Value

The forecast of the time series of size n is generated along with the optional output of fitted values (`ret_fit = TRUE`) and confidence interval (`PI = TRUE`) for the forecast.

## References

- Chakraborty, T., Chattopadhyay, S., & Ghosh, I. (2019). Forecasting dengue epidemics using a hybrid methodology. *Physica A: Statistical Mechanics and its Applications*, 527, 121266.
- Chakraborty, T., Ghosh, I., Mahajan, T., & Arora, T. (2022). Nowcasting of COVID-19 confirmed cases: Foundations, trends, and challenges. *Modeling, Control and Drug Development for COVID-19 Outbreak Prevention*, 1023-1064.

## Examples

```
arima_arnn(y = datasets::lynx, n = 3)
```

---

`arima_warima`*Hybrid ARIMA WARIMA Forecasting Model*

---

**Description**

Hybrid ARIMA WARIMA Forecasting Model

**Usage**

```
arima_warima(y, n, p = 5, q = 5, PI = FALSE, ret_fit = FALSE)
```

**Arguments**

<code>y</code>	A numeric vector or time series
<code>n</code>	An integer specifying the forecast horizon
<code>p</code>	An integer indicating the maximum order of AR process. Default is 5.
<code>q</code>	An integer indicating the maximum order of MA process. Default is 5.
<code>PI</code>	A logical flag (default = FALSE) for generating the prediction interval.
<code>ret_fit</code>	A logical flag specifying that the fitted values of the model on the training set should be returned if true, otherwise, false (default)

**Value**

The forecast of the time series of size `n` is generated along with the optional output of fitted values (`ret_fit = TRUE`) and confidence interval (`PI = TRUE`) for the forecast.

**References**

- Chakraborty, T., & Ghosh, I. (2020). Real-time forecasts and risk assessment of novel coronavirus (COVID-19) cases: A data-driven analysis. *Chaos, Solitons & Fractals*, 135, 109850.
- Chakraborty, T., Ghosh, I., Mahajan, T., & Arora, T. (2022). Nowcasting of COVID-19 confirmed cases: Foundations, trends, and challenges. *Modeling, Control and Drug Development for COVID-19 Outbreak Prevention*, 1023-1064.

**Examples**

```
arima_warima(y = datasets::lynx, n = 3)
```

---

ets_arnn	<i>Hybrid ETS ARNN Forecasting Model</i>
----------	--

---

**Description**

Hybrid ETS ARNN Forecasting Model

**Usage**

```
ets_arnn(y, n, PI = FALSE, ret_fit = FALSE)
```

**Arguments**

y	A numeric vector or time series
n	An integer specifying the forecast horizon
PI	A logical flag (default = FALSE) for generating the prediction interval.
ret_fit	A logical flag specifying that the fitted values of the model on the training set should be returned if true, otherwise, false (default)

**Value**

The forecast of the time series of size n is generated along with the optional output of fitted values (ret\_fit = TRUE) and confidence interval (PI = TRUE) for the forecast.

**Examples**

```
ets_arnn(y = datasets::lynx, n = 3)
```

---

rw_ann	<i>Hybrid Random Walk ANN Forecasting Model</i>
--------	---

---

**Description**

Hybrid Random Walk ANN Forecasting Model

**Usage**

```
rw_ann(y, n, PI = FALSE)
```

**Arguments**

y	A numeric vector or time series
n	An integer specifying the forecast horizon
PI	A logical flag (default = FALSE) for generating the prediction interval.

**Value**

The forecast of the time series of size  $n$  is generated along with the optional output of confidence interval ( $PI = TRUE$ ) for the forecast.

---

rw_arnn	<i>Hybrid Random Walk ARNN Forecasting Model</i>
---------	--

---

**Description**

Hybrid Random Walk ARNN Forecasting Model

**Usage**

```
rw_arnn(y, n, PI = FALSE, ret_fit = FALSE)
```

**Arguments**

y	A numeric vector or time series
n	An integer specifying the forecast horizon
PI	A logical flag (default = FALSE) for generating the prediction interval.
ret_fit	A logical flag specifying that the fitted values of the model on the training set should be returned if true, otherwise, false (default)

**Value**

The forecast of the time series of size  $n$  is generated along with the optional output of fitted values ( $ret\_fit = TRUE$ ) and confidence interval ( $PI = TRUE$ ) for the forecast.

**Examples**

```
rw_arnn(y = datasets::lynx, n = 3)
```

---

summary_hybridts	<i>Summarized score of all the hybrid models implemented in this package</i>
------------------	--

---

**Description**

Summarized score of all the hybrid models implemented in this package

**Usage**

```
summary_hybridts(train, test)
```

**Arguments**

train	A numeric vector or time series object for training the hybrid models
test	A numeric vector or time series object for evaluating the hybrid models

**Value**

A data frame where the rows represent the out-of-sample scores for each of the hybrid models and the columns represent the RMSE, MASE, and sMAPE scores.

---

theta_ann	<i>Hybrid Theta ANN Forecasting Model</i>
-----------	---

---

**Description**

Hybrid Theta ANN Forecasting Model

**Usage**

```
theta_ann(y, n, PI = FALSE)
```

**Arguments**

y	A numeric vector or time series
n	An integer specifying the forecast horizon
PI	A logical flag (default = FALSE) for generating the prediction interval.

**Value**

The forecast of the time series of size n is generated along with the optional output of confidence interval (PI = TRUE) for the forecast.

---

theta_arann	<i>Hybrid Theta ARNN Forecasting Model</i>
-------------	--

---

**Description**

Hybrid Theta ARNN Forecasting Model

**Usage**

```
theta_arann(y, n, PI = FALSE, ret_fit = FALSE)
```

**Arguments**

y	A numeric vector or time series
n	An integer specifying the forecast horizon
PI	A logical flag (default = FALSE) for generating the prediction interval.
ret_fit	A logical flag specifying that the fitted values of the model on the training set should be returned if true, otherwise, false (default)

**Value**

The forecast of the time series of size n is generated along with the optional output of fitted values (`ret_fit = TRUE`) and confidence interval (`PI = TRUE`) for the forecast.

**References**

- Bhattacharyya, A., Chakraborty, T., & Rai, S. N. (2022). Stochastic forecasting of COVID-19 daily new cases across countries with a novel hybrid time series model. *Nonlinear Dynamics*, 1-16.
- Bhattacharyya, A., Chattopadhyay, S., Pattnaik, M., & Chakraborty, T. (2021, July). Theta Autoregressive Neural Network: A Hybrid Time Series Model for Pandemic Forecasting. In *2021 International Joint Conference on Neural Networks (IJCNN)* (pp. 1-8). IEEE.

**Examples**

```
theta_arann(y = datasets::lynx, n = 3)
```

---

warima\_ann

*Hybrid WARIMA ANN Forecasting Model*

---

**Description**

Hybrid WARIMA ANN Forecasting Model

**Usage**

```
warima_ann(y, n, p = 5, q = 5, PI = FALSE)
```

**Arguments**

y	A numeric vector or time series
n	An integer specifying the forecast horizon
p	An integer indicating the maximum order of AR process. Default is 5.
q	An integer indicating the maximum order of MA process. Default is 5.
PI	A logical flag (default = FALSE) for generating the prediction interval.



**Value**

The forecast of the time series of size  $n$  is generated along with the optional output of confidence interval ( $PI = TRUE$ ) for the forecast.

**References**

- Chakraborty, T., Ghosh, I., Mahajan, T., & Arora, T. (2022). Nowcasting of COVID-19 confirmed cases: Foundations, trends, and challenges. *Modeling, Control and Drug Development for COVID-19 Outbreak Prevention*, 1023-1064.

---

 warima\_arnn

*Hybrid WARIMA ARNN Forecasting Model*


---

**Description**

Hybrid WARIMA ARNN Forecasting Model

**Usage**

```
warima_arnn(y, n, p = 5, q = 5, PI = FALSE, ret_fit = FALSE)
```

**Arguments**

<code>y</code>	A numeric vector or time series
<code>n</code>	An integer specifying the forecast horizon
<code>p</code>	An integer indicating the maximum order of AR process. Default is 5.
<code>q</code>	An integer indicating the maximum order of MA process. Default is 5.
<code>PI</code>	A logical flag (default = FALSE) for generating the prediction interval.
<code>ret_fit</code>	A logical flag specifying that the fitted values of the model on the training set should be returned if true, otherwise, false (default)

**Value**

The forecast of the time series of size  $n$  is generated along with the optional output of fitted values ( $ret\_fit = TRUE$ ) and confidence interval ( $PI = TRUE$ ) for the forecast.

**References**

- Chakraborty, T., Ghosh, I., Mahajan, T., & Arora, T. (2022). Nowcasting of COVID-19 confirmed cases: Foundations, trends, and challenges. *Modeling, Control and Drug Development for COVID-19 Outbreak Prevention*, 1023-1064.

**Examples**

```
warima_arnn(y = datasets::lynx, n = 3)
```

# Index

arima\_ann, 2  
arima\_arnn, 3  
arima\_warima, 4

ets\_arnn, 5

rw\_ann, 5  
rw\_arnn, 6

summary\_hybridts, 6

theta\_ann, 7  
theta\_arnn, 7

warima\_ann, 8  
warima\_arnn, 9