

Package: jlme (via r-universe)

July 3, 2024

Title Regression Modelling with 'GLM.jl' and 'MixedModels.jl' in 'Julia'

Version 0.1.0

Description Bindings to 'Julia' packages 'GLM.jl' [<doi:10.5281/zenodo.3376013>](https://doi.org/10.5281/zenodo.3376013) and 'MixedModels.jl' [<doi:10.5281/zenodo.12575371>](https://doi.org/10.5281/zenodo.12575371), powered by 'JuliaConnector'. Fits (generalized) linear (mixed-effects) regression models in 'Julia' using familiar model fitting syntax from R. Offers 'broom'-style data frame summary functionalities for 'Julia' regression models.

License MIT + file LICENSE

URL <https://yjunechoe.github.io/jlme/>

Depends R (>= 4.1)

Imports generics, JuliaConnector, JuliaFormulae, MASS, stats, utils

Suggests broom, broom.mixed, lme4, testthat (>= 3.0.0)

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.3.2

SystemRequirements Julia (>= 1.8)

NeedsCompilation no

Author June Choe [aut, cre] ([<https://orcid.org/0000-0002-0701-921X>](https://orcid.org/0000-0002-0701-921X))

Maintainer June Choe [<jjchoe001@gmail.com>](mailto:jjchoe001@gmail.com)

Repository CRAN

Date/Publication 2024-07-02 15:50:02 UTC

Contents

check_julia_ok	2
jlme	3
jlme_tidiers	4

Index	5
--------------	----------

`check_julia_ok`*Set up Julia connection for jlme*

Description

Set up Julia connection for jlme

Usage`check_julia_ok()``stop_julia()``jlme_status()``jlme_setup(..., restart = FALSE, threads = NULL, verbose = interactive())`**Arguments**

<code>...</code>	Unused
<code>restart</code>	Whether to run <code>stop_julia()</code> first, before attempting setup
<code>threads</code>	Number of threads to start Julia with. Defaults to 1
<code>verbose</code>	Whether to alert setup progress. Defaults to <code>interactive()</code>

Value

Invisibly returns TRUE on success

Examples

```
# Check whether Julia installation meets requirements
check_julia_ok()

# Connect to a Julia runtime for use with `{jlme}`
jlme_setup()

# Show information about the Julia runtime
jlme_status()

# Stop Julia runtime
stop_julia()
```

jlm

*Fit a (mixed-effects) regression model in Julia***Description**

Fit a (mixed-effects) regression model in Julia

Usage

```
jlm(formula, data, family = "gaussian", contrasts = jl_contrasts(data), ...)

jlmer(
  formula,
  data,
  family = NULL,
  contrasts = jl_contrasts(data),
  ...,
  progress = interactive()
)
```

Arguments

formula	A formula written in Julia syntax. Can be a string or a language object.
data	A data frame
family	A distribution family
contrasts	A Julia dictionary of contrasts Inferred from data by default.
...	Additional arguments to the <code>fit()</code> function called in Julia
progress	Whether to print model fitting progress. Defaults to <code>interactive()</code>

Value

A julia model object of class `jlme`

Examples

```
jlme_setup(restart = TRUE)

# Fixed effects models
lm(mpg ~ hp, mtcars)
jlm(mpg ~ hp, mtcars)

# Auto-handling of contrasts
x <- mtcars
x$cyl_helm <- factor(x$cyl)
contrasts(x$cyl_helm) <- contr.helmert(3)
colnames(contrasts(x$cyl_helm)) <- c("4vs6", "4&6vs8")
```

```
lm(mpg ~ cyl_helm, x)
jlm(mpg ~ cyl_helm, x)

# Mixed effects models
library(lme4)

glmer(r2 ~ Anger + Gender + (1 | id), VerbAgg, family = "binomial")
jlmer(r2 ~ Anger + Gender + (1 | id), VerbAgg, family = "binomial")

stop_julia()
```

jlme_tidiers

Tidier methods for Julia regression models

Description

Tidier methods for Julia regression models

Usage

```
## S3 method for class 'jlme'
tidy(x, effects = c("var_model", "ran_pars", "fixed"), ...)

## S3 method for class 'jlme'
glance(x, ...)
```

Arguments

x	An object of class <code>jlmer_mod</code>
effects	One of "var_model", "ran_pars", or "fixed"
...	Unused

Value

A data frame

Index

`check_julia_ok`, 2

`glance.jlme(jlme_tidiers)`, 4

`jlme`, 3

`jlme_setup(check_julia_ok)`, 2

`jlme_status(check_julia_ok)`, 2

`jlme_tidiers`, 4

`jlmer(jlme)`, 3

`stop_julia(check_julia_ok)`, 2

`tidy.jlme(jlme_tidiers)`, 4