

# Package: matman (via r-universe)

September 7, 2024

**Type** Package

**Title** Material Management

**Version** 1.1.3

**Date** 2021-12-13

**Maintainer** Leon Binder <leon.binder@th-deg.de>

**Description** A set of functions, classes and methods for performing ABC and ABC/XYZ analyses, identifying overperforming, underperforming and constantly performing items, and plotting, analyzing as well as predicting the temporal development of items.

**License** GPL-3

**Depends** R (>= 3.5.0), shiny

**Imports** methods, graphics, stats, utils, data.table, dplyr, tidyr, tidyselect, plotly, DT, shinydashboard, shinyWidgets, forecast, parsedate, lubridate

**Encoding** UTF-8

**LazyData** true

**LazyLoad** true

**RoxygenNote** 7.1.2

**NeedsCompilation** no

**Author** Leon Binder [cre, aut], Bernhard Bauer [aut], Michael Scholz [aut]

**Repository** CRAN

**Date/Publication** 2021-12-13 09:30:02 UTC

## Contents

matman-package . . . . .	2
ABCXYZComparison-class . . . . .	3
ABCXYZData-class . . . . .	4

aggregateData . . . . .	5
Amount . . . . .	6
compare . . . . .	7
compare,ABCXYZData,ABCXYZData-method . . . . .	8
computeABCXYZAnalysis . . . . .	9
computeConstants . . . . .	11
computeOverperformer . . . . .	12
computeUnderperformer . . . . .	14
detectTimeVariations . . . . .	15
expandData . . . . .	16
Forecast-class . . . . .	18
matmanDemo . . . . .	19
plot,ABCXYZData,ANY-method . . . . .	19
plotValueSeries . . . . .	21
predictValue . . . . .	22
show,ABCXYZComparison-method . . . . .	24
show,ABCXYZData-method . . . . .	25
show,Forecast-method . . . . .	26
Stocks . . . . .	27
summary . . . . .	27
summary,ABCXYZComparison-method . . . . .	28
summary,ABCXYZData-method . . . . .	29
summary,Forecast-method . . . . .	30
<b>Index</b>	<b>32</b>

---

matman-package	<i>Material Management</i>
----------------	----------------------------

---

## Description

A set of functions, classes and methods for performing ABC and ABC/XYZ analyses, identifying overperforming, underperforming and constantly performing items, and plotting, analyzing as well as predicting the temporal development of items.

## Details

Package:	matman
Type:	Package
Version:	1.1.4
Date:	2021-11-15
License:	GPL-3
Depends:	R (>= 3.5.0), stats

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

---

ABCXYZComparison-class

*Class* ABCXYZComparison

---

**Description**

This S4 class represents the result of a comparison of two ABC/XYZ analysis results.

**Slots**

`data` (data.frame) The comparison result as data.frame.  
`type` (character) The type of the analysis that has been performed. This is either 'abc' or 'abcxyz'.  
`valueDiff` (numeric) The difference between the value of an item in ABC/XYZ analysis A and the value of the same item in ABC/XYZ analysis B that is required to consider the item in the comparison.  
`xyzCoefficientDiff` (numeric) The difference between the xyz coefficient of an item in ABC/XYZ analysis A and the xyz coefficient of the same item in ABC/XYZ analysis B that is required to consider the item in the comparison.  
`unequalABC` (logical) If TRUE only items are returned, where the ABC-Classes are different. If FALSE only items are returned, where the ABC-Classes are equal. If NA, no further restriction takes place based on the column ABC.  
`unequalXYZ` (logical) If TRUE only items are returned, where the XYZ-Classes are different. If FALSE only items are returned, where the XYZ-Classes are equal. If NA, no further restriction takes place based on the column XYZ.

**Objects from the Class**

Objects can be created by calling the function `compare` function. This S4 class represents the result of a comparison of two ABC/XYZ analysis results.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>



---

aggregateData	<i>Performs a temporal aggregation of a data frame</i>
---------------	--

---

**Description**

Aggregates a data frame based on a timestamp column to days, weeks, months, quarters, years or total.

**Usage**

```
aggregateData(  
  data,  
  value = NULL,  
  item,  
  timestamp,  
  temporalAggregation = c("day", "week", "month", "quarter", "year", "total"),  
  fiscal = 1,  
  aggregationFun = sum  
)
```

**Arguments**

data	Data frame or matrix on which the ABC analysis is performed.
value	Name(s) of the column variable(s) that contains the values for the ABC and XYZ analysis.
item	Names of the columns including the item names or identifiers (e.g., product name, EAN).
timestamp	Name of the column including the timestamp. This column should be in POSIX or Date-format.
temporalAggregation	Temporal aggregation mode for the XYZ-analysis. Possible modes are 'day', 'week', 'month', 'quarter', 'year', and 'total'. Total only aggregates by item whereas the other modes aggregate by item an temporal unit.
fiscal	consider the start of the business year. Default is set to 1 (January)
aggregationFun	Function for aggregating the value column. Default is sum.

**Value**

Returns a data frame with the aggregated data with the columns of item, timestamp and sum, which is the sum of the value column.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

**See Also**[expandData](#)**Examples**

```
data('Amount')
aggregatedData = aggregateData(data = Amount,
  value = "value",
  item = "item",
  timestamp = "date",
  temporalAggregation = "quarter")
```

---

Amount

*Amount data*

---

**Description**

A dataset containing 23 items and their amounts over 3 years of data.

**Usage**

Amount

**Format**

A data frame with 10,000 rows and 9 variables:

**date** Date in format yyyy-mm-dd

**week** Date in format yyyy-'W'ww

**month** Date in format yyyy-mm

**quarter** Date in format yyyy-'Q'q

**year** Date in format yyyy

**item** Item ID

**itemgroup** Item group ID

**amount** Item amount

**value** Item value

**Source**

anonymized real data

---

compare	<i>Compares two S4 objects</i>
---------	--------------------------------

---

**Description**

Compares two S4 objects.

**Usage**

```
compare(object1, object2, ...)
```

**Arguments**

object1	First S4 object.
object2	Second S4 object.
...	Further comparison parameters.

**Value**

Comparison result.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[compare](#)

**Examples**

```
data("Amount")
data1 = Amount[sample(1:nrow(Amount), 1000),]
data2 = Amount[sample(1:nrow(Amount), 1000),]
abcxyzData1 = computeABCXYZAnalysis(data1, value = "value", item = "item", timestamp = "date",
                                     temporalAggregation = "day", XY = 0.5, YZ = 1)
abcxyzData2 = computeABCXYZAnalysis(data2, value = "value", item = "item", timestamp = "date",
                                     temporalAggregation = "day", XY = 0.5, YZ = 1)
comparison = compare(abcxyzData1, abcxyzData2)
```

---

compare,ABCXYZData,ABCXYZData-method

*Compares the results of two ABC/XYZ analyses*

---

## Description

Compares the class assignments of two ABC- or two ABC/XYZ analyses.

## Usage

```
## S4 method for signature 'ABCXYZData,ABCXYZData'
compare(
  object1,
  object2,
  valueDiff = NA,
  xyzCoefficientDiff = NA,
  unequalABC = NA,
  unequalXYZ = NA
)
```

## Arguments

object1	Object of class ABCXYZData.
object2	Object of class ABCXYZData.
valueDiff	Only items with a difference of the column value larger than valueDiff between the first and second ABC-XYZ-Analysis are returned. In the comparison data.frame a new column is added for the difference in the value columns.
xyzCoefficientDiff	Only items with a difference of the column xyzCoefficient larger than the xyzCoefficientDiff between the first and second ABC-XYZ-Analysis are returned. In the comparison data.frame a new column is added for the difference in the xyzCoefficient columns.
unequalABC	If TRUE only items are returned, where the ABC-Classes are different. If FALSE only items are returned, where the ABC-Classes are equal. If NA, no further restriction takes place based on the column ABC.
unequalXYZ	If TRUE only items are returned, where the XYZ-Classes are different. If FALSE only items are returned, where the XYZ-Classes are equal. If NA, no further restriction takes place based on the column XYZ.

## Value

An ABCXYZComparison object.



**Author(s)**

Leon Binder <leon.binder@th-deg.de>

Bernhard Bauer <bernhard.bauer@th-deg.de>

Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[ABCXYZComparison](#)

**Examples**

```
data("Amount")
data1 = Amount[sample(1:nrow(Amount), 1000),]
data2 = Amount[sample(1:nrow(Amount), 1000),]
abcxyzData1 = computeABCXYZAnalysis(data1, value = "value", item = "item", timestamp = "date",
                                   temporalAggregation = "day", XY = 0.5, YZ = 1)
abcxyzData2 = computeABCXYZAnalysis(data2, value = "value", item = "item", timestamp = "date",
                                   temporalAggregation = "day", XY = 0.5, YZ = 1)
comparison = compare(abcxyzData1, abcxyzData2)
```

---

computeABCXYZAnalysis *Performs an ABC/XYZ analysis*

---

**Description**

Divides a given data frame into 3 classes, A, B, C, according to the value of one column (e.g., revenue).

**Usage**

```
computeABCXYZAnalysis(
  data,
  value,
  item,
  timestamp,
  temporalAggregation = c("day", "week", "month", "quarter", "year"),
  AB = 80,
  BC = 95,
  XY = NA,
  YZ = NA,
  ignoreZeros = FALSE
)
```

**Arguments**

data	Data frame or matrix on which the ABC analysis is performed.
value	Name of the column variable that contains the value for the ABCXYZ analysis.
item	Names of the columns including the item names or identifiers (e.g., product name, EAN).
timestamp	Name of the column including the timestamp. This column should be in POSIX or date-format.
temporalAggregation	Temporal aggregation for the XYZ-analysis (i.e., "day", "week", "month", "quarter", "year").
AB	Threshold (in percent) between category A and B.
BC	Threshold (in percent) between category B and C.
XY	Threshold (in percent) between category X and Y.
YZ	Threshold (in percent) between category Y and Z.
ignoreZeros	Whether zero values should be ignored in XYZ-analysis.

**Value**

Returns an ABCXYZData object. Only positive values are displayed

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
 Bernhard Bauer <bernhard.bauer@th-deg.de>  
 Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[ABCXYZData summary](#)

**Examples**

```
# ABC Analysis
data("Amount")
abcResult = computeABCXYZAnalysis(data = Amount,
  value = "value",
  item = "item",
  timestamp = "date")

# ABC/XYZ Analysis
data("Amount")
abcxyzResult = computeABCXYZAnalysis(data = Amount,
  value = "value",
  item = "item",
  timestamp = "date",
  temporalAggregation = "week",
  XY = 0.3, YZ = 0.5)
```

---

computeConstants	<i>Select constant items</i>
------------------	------------------------------

---

### Description

Selects items with a constant value for a specified time period.

### Usage

```
computeConstants(
  data,
  value,
  group,
  timestamp,
  timestampFormat = c("day", "week", "month", "quater", "year"),
  currentTime,
  thresholdTime = 7,
  use_latest = FALSE
)
```

### Arguments

data	Dataframe containing item stock data.
value	Name of the column variable containing the stock values.
group	Name(s) of the column(s) that are used to group stock data. These columns are usually the item ID or item name to group stock data by items.
timestamp	Name of the column including the timestamp. This column should be in Date, POSIX, YY-mm, YYYY-'W'ww, YYYY-mm, YYYY-'Q'q or YYYY format.
timestampFormat	Declares in which format the timestamp comes in (i.e., "day", "week", "month", "quarter", "year")
currentTime	Qualifying date for the value variable. Date must exist in data and have the same format as timestamp-variable.
thresholdTime	Time for which the value shouldn't exceed the threshold value. Number declares the time in the format of timestampFormat.
use_latest	boolean value. If TRUE data will expand and dates with noexisting values will be filled up with the latest known values.

### Value

Returns a data frame listing all constant items, the date since when the stock is constant and the value of the stock since this time.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>

Bernhard Bauer <bernhard.bauer@th-deg.de>

Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[computeUnderperformer](#) [computeOverperformer](#)

**Examples**

```
data("Stocks")
constants = computeConstants(data=Stocks,
                             value = "stock",
                             group = "item",
                             timestamp = "date",
                             timestampFormat = "day",
                             currentTime = "2019-07-27",
                             thresholdTime = 7,
                             use_latest = FALSE)
```

---

computeOverperformer *Select overperforming items*

---

**Description**

Selects items with a value higher than a given threshold for a specified time period.

**Usage**

```
computeOverperformer(
  data,
  value,
  group,
  timestamp,
  timestampFormat = c("day", "week", "month", "quarter", "year"),
  currentTime,
  thresholdValue = 0,
  thresholdTime = 90,
  use_latest = FALSE
)
```

**Arguments**

data	Dataframe containing item stock data.
value	Name of the column variable containing the stock values.
group	Name(s) of the column(s) that are used to group stock data. These columns are usually the item ID or item name to group stock data by items.
timestamp	Name of the column including the timestamp. This column should be in Date, POSIX , YY-mm, YYYY-'W'ww, YYYY-mm, YYYY-'Q'q or YYYY format.
timestampFormat	Declares in which format the timestamp comes in (i.e., "day", "week", "month", "quarter", "year")
currentTime	Qualifying date for the value variable. Date must exist in data and have the same format as timestamp-variable.
thresholdValue	Name of the colum variable containing the items' stock threshold value or the threshold value used in this analysis for all items.
thresholdTime	Time for which the value shouldn't exceed the threshold value. Number declares the time in the format of timestampFormat.
use_latest	boolean value. If TRUE data will expand and dates with noexisting values will be filled up with the latest known values.

**Value**

Returns a data frame listing all overperforming items, the date their stock was the last time under the threshold (lastunder), the duration in days since the stock is over the threshold (toolowindays), the average difference between the stock and the threshold (meandiff) and the count of switched between over- and underperformance (moves).

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
 Bernhard Bauer <bernhard.bauer@th-deg.de>  
 Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[computeUnderperformer](#) [computeConstants](#)

**Examples**

```
data("Stocks")
overperformer = computeOverperformer(data = Stocks,
  value = "stock",
  group = "item",
  timestamp = "date",
  timestampFormat = "day",
  currentTime = "2019-07-27",
  thresholdValue = "reorderlevel",
  thresholdTime = 0,
  use_latest = FALSE)
```

---

computeUnderperformer *Select underperforming items*

---

### Description

Selects items with a value lower than a given threshold for a specified time period.

### Usage

```
computeUnderperformer(
  data,
  value,
  group,
  timestamp,
  timestampFormat = c("day", "week", "month", "quarter", "year"),
  currentTime,
  thresholdValue = 0,
  thresholdTime = 90,
  use_latest = FALSE
)
```

### Arguments

data	Dataframe containing item stock data.
value	Name of the column variable containing the stock values.
group	Name(s) of the column(s) that are used to group stock data. These columns are usually the item ID or item name to group stock data by items.
timestamp	Name of the column including the timestamp. This column should be in Date, POSIX, YY-mm, YYYY-'W'ww, YYYY-mm, YYYY-'Q'q or YYYY format.
timestampFormat	Declares in which format the timestamp comes in (i.e., "day", "week", "month", "quarter", "year")
currentTime	Qualifying date for the value variable. Date must exist in data and have the same format as timestamp-variable.
thresholdValue	Name of the colum variable containing the items' stock threshold value or the threshold value used in this analysis for all items.
thresholdTime	Time for which the value shouldn't exceed the threshold value. Number declares the time in the format of timestampFormat
use_latest	boolean value. If TRUE data will expand and dates with noexisting values will be filled up with the latest known values

### Value

Returns a data frame listing all underperforming items, the date their stock was the last time over the threshold (lastover), the duration in days since the stock is under the threshold (toolowindays), the average difference between the stock and the threshold (meandiff) and the count of switched between over- and underperformance (moves).

**Author(s)**

Leon Binder <leon.binder@th-deg.de>

Bernhard Bauer <bernhard.bauer@th-deg.de>

Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[computeOverperformer](#) [computeConstants](#)

**Examples**

```
data("Stocks")
underperformer = computeUnderperformer(data=Stocks,
                                       value = "stock",
                                       group = "item",
                                       timestamp = "date",
                                       timestampFormat = "day",
                                       currentTime = "2019-07-27",
                                       thresholdValue = "minstock",
                                       thresholdTime = 90,
                                       use_latest = FALSE)
```

---

`detectTimeVariations` *Detects items whose value (stock, demand, etc.) has changed over time*

---

**Description**

Detects items whose value (stock, demand, etc.) has changed over time in contrast to other items. This analysis is based on the Macnaughton-Smith et al. clustering algorithm.

**Usage**

```
detectTimeVariations(
  data,
  value,
  item,
  timestamp,
  temporalAggregation = c("day", "week", "month", "quarter", "year"),
  aggregationFun = sum,
  preProcess = NA,
  recentTimePeriods = 5
)
```

**Arguments**

data	Data frame that will be expanded.
value	Name of the column variable that contains the value for the ABC and XYZ analysis.
item	Name of the column including the item names or identifiers (e.g., product name, EAN)
timestamp	Name of the column including the timestamp. This column should be in POSIX or Date-format.
temporalAggregation	Temporal aggregation mode (i.e., "day", "week", "month", "quarter", "year").
aggregationFun	Function for aggregating the value column. Default is sum.
preProcess	A string vector that defines a pre-processing of the aggregated data before clustering. Available pre-processing methods are "center", "scale", "standardize", and "normalize". Default is NA (no pre-processing).
recentTimePeriods	Integer indicating the number of time periods that are used to define the recent item values. Default is 5.

**Value**

Returns a data frame showing to which cluster each item belongs based on all value and based on the recent values as well as whether the item has switched the cluster.

**References**

Macnaughton-Smith, P., Williams, W.T., Dale, M.B., Mockett, L.G. (1964) "Dissimilarity Analysis: a new Technique of Hierarchical Sub-division", *Nature*, **202**, 1034–1035.

**Examples**

```
data("Amount")
timeVariations = detectTimeVariations(data = Amount,
  value = "amount",
  item = "item",
  timestamp = "date",
  temporalAggregation = "week")
```

---

expandData

*Expands a temporal data frame*

---

**Description**

Expands a temporal data frame and fills values for missing dates.



**Usage**

```
expandData(  
  data,  
  expand,  
  expandTo = c("all", "event"),  
  valueColumns,  
  latest_values = F,  
  valueLevels = NA,  
  timestamp,  
  timestampFormat = c("day", "week", "month", "quarter", "year"),  
  keepData = T  
)
```

**Arguments**

data	Data frame that will be expanded.
expand	Name of the variables that will be expanded.
expandTo	Defines whether values for the variables to be expanded will be filled for all dates or only those dates included in the data.
valueColumns	Name of the columns that are filled with specific values.
latest_values	If True missing values are filled with the latest known value until the next known value comes in.
valueLevels	Specific values that are used to fill the value columns. If latest_values = TRUE only values with no known values in the past of this values are specified with this specific values.
timestamp	Name of the column including the timestamp. This column should be in Date , YY-mm, YYYY-'W'ww, YYYY-mm, YYYY-'Q'q or YYYY format.
timestampFormat	Declares in which format the timestamp comes in (i.e., "day", "week", "month", "quarter", "year").
keepData	Defines whether variables that will not be expanded should be kept.

**Value**

Returns the expanded data frame.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>

Bernhard Bauer <bernhard.bauer@th-deg.de>

Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[aggregateData](#)

**Examples**

```

data("Amount")
expandedItems = expandData(Amount,
  expand = c("item", "itemgroup"),
  expandTo = "all",
  valueColumns = c("amount", "value"),
  latest_values = TRUE,
  valueLevels = c(0, 0),
  timestamp = "date",
  timestampFormat = "day")

```

Forecast-class

*Class* Forecast**Description**

This S4 class represents the result of forecast using function `predictValue`.

**Slots**

`data` (data.frame) Data frame including the predicted data and optionally the training data.

`models` (list) List of fitted ARIMA models.

`value` (character) Name of the value column.

`item` (character) Name of the item column.

`items` (character) IDs or Names of the items.

**Objects from the Class**

Objects can be created by calling the function `predictValue`. This S4 class represents the result of a forecast.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>

Bernhard Bauer <bernhard.bauer@th-deg.de>

Michael Scholz <michael.scholz@th-deg.de>

**Examples**

```

data("Amount")
prediction = predictValue(data = Amount,
  value = "amount",
  item = "item",
  timestamp = "date",
  temporalAggregation = "week",
  timeUnitsAhead = 3)
prediction

```

---

matmanDemo	<i>Launches a demo app</i>
------------	----------------------------

---

**Description**

Launches a shiny app that demonstrates how to use the functions provides by package matman.

**Usage**

```
matmanDemo()
```

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

**Examples**

```
## Not run: matmanDemo()
```

---

plot, ABCXYZData, ANY-method	<i>Plots the result of an ABC/XYZ analysis</i>
------------------------------	--

---

**Description**

Plots a graph that shows what percentage of items is responsible for what amount of value.

**Usage**

```
## S4 method for signature 'ABCXYZData,ANY'  
plot(  
  x,  
  plot_engine = c("graphics", "plotly"),  
  title = "",  
  xlab = "",  
  ylab = "",  
  top5lab = NA,  
  color = list(itemColor = "blue", top5Color = "black", aColor = "green", bColor =  
    "orange", cColor = "red"),  
  item = NA,  
  ...  
)
```

**Arguments**

<code>x</code>	Object of class <code>ABCXYZData</code> .
<code>plot_engine</code>	Name of the plot engine ("graphics", "plotly")
<code>title</code>	Plot title (e.g. 'ABC-Analysis').
<code>xlab</code>	Label of x-axis (e.g. 'Percentage of Items').
<code>ylab</code>	Label of y-axis (e.g. 'Percentage of cumulative Value').
<code>top5lab</code>	Title of the rank of the top 5 items (e.g. 'Items with the highest Value').
<code>color</code>	List of plot colors (i.e., <code>itemColor</code> , <code>top5Color</code> , <code>aColor</code> , <code>bColor</code> , <code>cColor</code> ). Default is <code>list(itemColor = "blue", top5Color = "black", aColor = "green", bColor = "orange", cColor = "red")</code> .
<code>item</code>	Name of a single column with an identifier, that is displayed in the top-5-ranking. Used if the <code>ABCXYZData</code> object has multiple item columns. If NA the first item column is displayed.
<code>...</code>	Further optional parameters for function <code>graphics::plot</code> or function <code>plotly::plot_ly</code> .

**Author(s)**

Leon Binder <leon.binder@th-deg.de>

Bernhard Bauer <bernhard.bauer@th-deg.de>

Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[computeABCXYZAnalysis ABCXYZData](#)

**Examples**

```
data("Amount")
abcResult = computeABCXYZAnalysis(data = Amount,
  value = "value",
  item = "item",
  timestamp = "date")
plot(abcResult,
  plot_engine = "graphics",
  title = "ABC Analysis",
  xlab = "Items",
  ylab = "Demand")
```

---

plotValueSeries	<i>Plots the development of the values</i>
-----------------	--

---

### Description

Plots a bar chart that shows the sum of the value column for a certain time interval.

### Usage

```
plotValueSeries(  
  data,  
  item,  
  item_id,  
  value,  
  timestamp,  
  temporalAggregation = c("day", "week", "month", "quarter", "year"),  
  expand = TRUE,  
  withTrendLine = TRUE,  
  windowLength = 5,  
  trendLineType = "s"  
)
```

### Arguments

data	Data frame or matrix on which the ABC analysis is performed.
item	Name of the column including the item name or identifier (e.g., product name, EAN).
item_id	Name of the item that will be displayed.
value	Name of the column variable that contains the values.
timestamp	Name of the column including the timestamp. This column should be in POSIX or date-format.
temporalAggregation	Temporal aggregation for the XYZ-analysis (i.e., "day", "week", "month", "quarter", "year").
expand	Indicator if the data should be expanded with time intervals that have no data.
withTrendLine	Indicator if a trend line should be displayed in the bar chart.
windowLength	Backwards window length.
trendLineType	If "s" the simple and if "w" the weighted moving average is calculated.

### Value

A plotly bar chart, that shows the development of the value column.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>

Bernhard Bauer <bernhard.bauer@th-deg.de>

Michael Scholz <michael.scholz@th-deg.de>

**Examples**

```
data("Amount")
plotValueSeries(Amount,
  item = "item",
  item_id = "45186",
  value = "amount",
  timestamp = "date",
  temporalAggregation = "week",
  withTrendLine = TRUE,
  windowLength = 10,
  trendLineType = "w")
```

---

predictValue

*Predicts the value for items*

---

**Description**

Predicts the value for items based on previous values. Previous values can be aggregated to value per day, week, month, quarter or year. An ARIMA model is estimated for each item based on the function `forecast:auto.arima`. The best model is selected and used for prediction. Note that only models without drift term will be considered in order to ensure consistent predictions.

**Usage**

```
predictValue(
  data,
  value,
  item,
  timestamp,
  temporalAggregation = c("day", "week", "month", "quarter", "year"),
  aggregationFun = sum,
  timeUnitsAhead = 1,
  digits = 3,
  expand = F,
  keepPreviousData = F,
  level = 0.95,
  ...
)
```

**Arguments**

<code>data</code>	Data frame including previous values.
<code>value</code>	Name of the column representing the item value.
<code>item</code>	Name of the column representing the item ID or the item name.
<code>timestamp</code>	Name of the column including the timestamp. This column should be in POSIX or date-format.
<code>temporalAggregation</code>	Temporal aggregation mode (i.e., "day", "week", "month", "quarter", "year").
<code>aggregationFun</code>	Function for aggregating the value column. Default is sum.
<code>timeUnitsAhead</code>	Integer indicating the number of time units (i.e., days, weeks, months, quarters or years) the should be predicted.
<code>digits</code>	Integer indicating the number of significant digits used for the predicted values.
<code>expand</code>	Logical indicating whether the data will be expanded after they are aggregated. Default is not (FALSE).
<code>keepPreviousData</code>	Logical indicating whether the data from the given data frame will be added to the result or not. Default is not (FALSE).
<code>level</code>	Numeric value representing the confidence level for the predictions. The default is 0.95 (i.e. lower level = 0.025 and upper level = 0.975).
<code>...</code>	Further arguments for function <code>forecast::auto.arima</code> .

**Value**

Returns a Forecast object.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[auto.arima Forecast](#)

**Examples**

```
# Simple Example
data("Amount")
prediction = predictValue(data = Amount,
  value = "amount",
  item = "item",
  timestamp = "date",
  temporalAggregation = "week",
  timeUnitsAhead = 3)
prediction
```

```
# More Sophisticated Example
data("Amount")
prediction = predictValue(data = Amount,
  value = "amount",
  item = "item",
  timestamp = "date",
  temporalAggregation = "week",
  aggregationFun = mean,
  timeUnitsAhead = 5,
  digits = 4,
  keepPreviousData = TRUE,
  level = 0.9,
  trace = TRUE)
prediction
```

---

show,ABCXYZComparison-method

*Shows an ABCXYZComparison object*

---

## Description

Shows an ABCXYZComparison object as a table consisting of the absolute and relative amount of each item, the cumulative relative amount and the ABC-class for both ABCXYZData objects. It furthermore shows the ABC comparison of the two objects. If XY and YZ parameters have been specified for computing the ABCXYZData object, the table also includes a column for the XYZ coefficient, the XYZ-class, the ABC/XYZ-class and the XYZ comparison.

## Usage

```
## S4 method for signature 'ABCXYZComparison'
show(object)
```

## Arguments

object            The ABCXYZComparison object

## Author(s)

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

## See Also

[ABCXYZComparison compare](#)





---

show,Forecast-method    *Shows a Forecast object*

---

### Description

Shows the predicted data of a Forecast object. If the Forecast object was created using `keepPreviousData = TRUE`, also the training data are shown

### Usage

```
## S4 method for signature 'Forecast'  
show(object)
```

### Arguments

object                    The Forecast object

### Author(s)

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

### See Also

[Forecast](#)

### Examples

```
data("Amount")  
prediction = predictValue(data = Amount,  
  value = "amount",  
  item = "item",  
  timestamp = "date",  
  temporalAggregation = "week",  
  timeUnitsAhead = 3)  
prediction
```

---

Stocks	<i>Stock data</i>
--------	-------------------

---

**Description**

A dataset containing 10 items and their stocks over 3 years of data.

**Usage**

Stocks

**Format**

A data frame with 1,610 rows and 5 variables:

**date** Date in format yyyy-mm-dd

**item** Item ID

**stock** Item stock value

**minstock** Minimum stock per item

**reorderlevel** Stock threshold for triggering item reorders

**Source**

anonymized real data

---

summary	<i>Summarizes an S4 object</i>
---------	--------------------------------

---

**Description**

Summarizes an S4 object.

**Usage**

```
summary(object, ...)
```

**Arguments**

object            S4 object.

...                Optional parameters.

**Value**

Summary.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

**See Also**

[summary](#) [summary](#) [summary](#)

**Examples**

```
data("Amount")
abcResult = computeABCXYZAnalysis(data = Amount,
  value = "value",
  item = "item",
  timestamp = "date")
summary(abcResult)
```

---

summary,ABCXYZComparison-method

*Prints the summary of the comparison of two ABC/XYZ analyses*

---

**Description**

Summarizes the differences between two ABCXYZData objects.

**Usage**

```
## S4 method for signature 'ABCXYZComparison'
summary(object, withMissing = FALSE)
```

**Arguments**

object            Object of class ABCXYZComparison.  
withMissing      Logical indicating whether missing categories will be shown. Default is FALSE.

**Value**

A contingency table showing the differences.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

**See Also**[compare ABCXYZComparison](#)**Examples**

```
data("Amount")
data1 = Amount[sample(1:nrow(Amount), 1000),]
data2 = Amount[sample(1:nrow(Amount), 1000),]
abcxyzData1 = computeABCXYZAnalysis(data1, value = "value", item = "item", timestamp = "date",
                                   temporalAggregation = "day", XY = 0.5, YZ = 1)
abcxyzData2 = computeABCXYZAnalysis(data2, value = "value", item = "item", timestamp = "date",
                                   temporalAggregation = "day", XY = 0.5, YZ = 1)
comparison = compare(abcxyzData1, abcxyzData2)
summary(comparison)
```

---

```
summary,ABCXYZData-method
```

*Prints the result summary of an ABC/XYZ analysis*

---

**Description**

Summarizes the items count and value sum grouped by the different ABC- or ABC/XYZ-Classes.

**Usage**

```
## S4 method for signature 'ABCXYZData'
summary(object, withMissing = FALSE)
```

**Arguments**

**object**            Object of class ABCXYZData.  
**withMissing**      Logical indicating whether missing categories will be shown. Default is FALSE.

**Value**

A data.table with the summarized results.

**Author(s)**

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

**See Also**[computeABCXYZAnalysis ABCXYZData](#)

## Examples

```
# ABC Analysis
data("Amount")
abcResult = computeABCXYZAnalysis(data = Amount,
  value = "value",
  item = "item",
  timestamp = "date")
summary(abcResult)

# ABC/XYZ Analysis
data("Amount")
abcxyzResult = computeABCXYZAnalysis(data = Amount,
  value = "value",
  item = "item",
  timestamp = "date",
  temporalAggregation = "week",
  XY = 0.3, YZ = 0.5)
summary(abcxyzResult)
```

---

summary,Forecast-method

*Prints the summary of a Forecast object*

---

## Description

Summarizes the fitted models estimated for predicting item values (e.g., demand, stock).

## Usage

```
## S4 method for signature 'Forecast'
summary(object)
```

## Arguments

object            Object of class Forecast

## Value

A data frame showing a summary of fitted models.

## Author(s)

Leon Binder <leon.binder@th-deg.de>  
Bernhard Bauer <bernhard.bauer@th-deg.de>  
Michael Scholz <michael.scholz@th-deg.de>

## See Also

[predictValue Forecast](#)

### **Examples**

```
data("Amount")
prediction = predictValue(data = Amount,
  value = "amount",
  item = "item",
  timestamp = "date",
  temporalAggregation = "week",
  timeUnitsAhead = 3)
summary(prediction)
```

# Index

- \* **ABC-Analysis**
    - matman-package, [2](#)
  - \* **XYZ-Analysis**
    - matman-package, [2](#)
  - \* **classes**
    - ABCXYZComparison-class, [3](#)
    - ABCXYZData-class, [4](#)
    - Forecast-class, [18](#)
  - \* **datasets**
    - Amount, [6](#)
    - Stocks, [27](#)
  - \* **methods**
    - compare, [7](#)
    - compare, ABCXYZData, ABCXYZData-method, [8](#)
    - plot, ABCXYZData, ANY-method, [19](#)
    - plotValueSeries, [21](#)
    - show, ABCXYZComparison-method, [24](#)
    - show, ABCXYZData-method, [25](#)
    - show, Forecast-method, [26](#)
    - summary, [27](#)
    - summary, ABCXYZComparison-method, [28](#)
    - summary, ABCXYZData-method, [29](#)
    - summary, Forecast-method, [30](#)
- ABCXYZComparison, [9](#), [24](#), [29](#)  
ABCXYZComparison-class, [3](#)  
ABCXYZData, [10](#), [20](#), [25](#), [29](#)  
ABCXYZData-class, [4](#)  
aggregateData, [5](#), [17](#)  
Amount, [6](#)  
auto.arima, [23](#)
- compare, [7](#), [7](#), [24](#), [29](#)  
compare, ABCXYZData, ABCXYZData-method, [8](#)  
compare, ABCXYZData-method  
(compare, ABCXYZData, ABCXYZData-method), [8](#)
- computeABCXYZAnalysis, [9](#), [20](#), [25](#), [29](#)  
computeConstants, [11](#), [13](#), [15](#)  
computeOverperformer, [12](#), [12](#), [15](#)  
computeUnderperformer, [12](#), [13](#), [14](#)
- detectTimeVariations, [15](#)
- expandData, [6](#), [16](#)
- Forecast, [23](#), [26](#), [30](#)  
Forecast-class, [18](#)
- matman (matman-package), [2](#)  
matman-package, [2](#)  
matmanDemo, [19](#)
- plot, ABCXYZData, ANY-method, [19](#)  
plotValueSeries, [21](#)  
predictValue, [22](#), [30](#)
- show, ABCXYZComparison-method, [24](#)  
show, ABCXYZData-method, [25](#)  
show, Forecast-method, [26](#)  
Stocks, [27](#)  
summary, [10](#), [27](#), [28](#)  
summary, ABCXYZComparison-method, [28](#)  
summary, ABCXYZData-method, [29](#)  
summary, Forecast-method, [30](#)