

Package: mclustAddons (via r-universe)

November 20, 2024

Title Addons for the 'mclust' Package

Version 0.9

Date 2024-09-19

Description Extend the functionality of the 'mclust' package for Gaussian finite mixture modeling by including: density estimation for data with bounded support (Scrucca, 2019 <[doi:10.1002/bimj.201800174](https://doi.org/10.1002/bimj.201800174)>); modal clustering using MEM (Modal EM) algorithm for Gaussian mixtures (Scrucca, 2021 <[doi:10.1002/sam.11527](https://doi.org/10.1002/sam.11527)>); entropy estimation via Gaussian mixture modeling (Robin & Scrucca, 2023 <[doi:10.1016/j.csda.2022.107582](https://doi.org/10.1016/j.csda.2022.107582)>).

License GPL (>= 2)

URL <https://mclust-org.github.io/mclustAddons/>

Depends mclust (>= 6.1), R (>= 4.0)

Imports cli, doParallel, doRNG (>= 1.6), foreach, graphics, grDevices, iterators, knitr (>= 1.12), parallel, Rcpp (>= 1.0), rmarkdown (>= 0.9), stats, utils

LinkingTo Rcpp, RcppArmadillo (>= 0.10)

VignetteBuilder knitr

ByteCompile true

Encoding UTF-8

NeedsCompilation yes

Repository CRAN

RoxygenNote 7.3.2

Author Luca Scrucca [aut, cre, cph]
(<<https://orcid.org/0000-0003-3826-0484>>)

Maintainer Luca Scrucca <luca.scrucca@unipg.it>

Date/Publication 2024-09-20 16:20:02 UTC

Config/pak/sysreqs make

Contents

cdfDensityBounded	2
densityMclustBounded	5
EntropyGMM	8
GaussianMixtureMEM	10
GMMlogreturn	11
mclustAddons-internal	13
MclustBounded	13
MclustBoundedParameters	14
mclustMarginalParams	15
MclustMEM	16
plot.densityMclustBounded	18
plot.MclustBounded	19
plot.MclustMEM	20
predict.densityMclustBounded	22
predict.MclustBounded	23
racial	24
rangepowerTransform	25
suicide	27
VaR	27
VaR.GMMlogreturn	28
Index	30

cdfDensityBounded	<i>Cumulative distribution and quantiles of univariate model-based mixture density estimation for bounded data</i>
-------------------	--

Description

Compute the cumulative density function (cdf) or quantiles of a one-dimensional density for bounded data estimated via the transformation-based approach for Gaussian mixtures in [densityMclustBounded\(\)](#).

Diagnostic plots for density estimation of bounded data via transformation-based approach of Gaussian mixtures. Only available for the one-dimensional case.

The two diagnostic plots for density estimation in the one-dimensional case are discussed in Loader (1999, pp- 87-90).

Usage

```
cdfDensityBounded(object, data, ngrid = 100, ...)
```

```
quantileDensityBounded(object, p, ...)
```

```
densityMclustBounded.diagnostic(
  object,
  type = c("cdf", "qq"),
```

```

    col = c("black", "black"),
    lwd = c(2, 1),
    lty = c(1, 1),
    legend = TRUE,
    grid = TRUE,
    ...
)

```

Arguments

object	An object of class 'mclustDensityBounded' obtained from a call to densityMclustBounded() function.
data	A numeric vector of evaluation points.
ngrid	The number of points in a regular grid to be used as evaluation points if no data are provided.
...	Additional arguments.
p	A numeric vector of probabilities corresponding to quantiles.
type	The type of graph requested: <ul style="list-style-type: none"> • "cdf" A plot of the estimated CDF versus the empirical distribution function. • "qq" A Q-Q plot of sample quantiles versus the quantiles obtained from the inverse of the estimated cdf.
col	A pair of values for the color to be used for plotting, respectively, the estimated CDF and the empirical cdf.
lwd	A pair of values for the line width to be used for plotting, respectively, the estimated CDF and the empirical cdf.
lty	A pair of values for the line type to be used for plotting, respectively, the estimated CDF and the empirical cdf.
legend	A logical indicating if a legend must be added to the plot of fitted CDF vs the empirical CDF.
grid	A logical indicating if a grid() should be added to the plot.

Details

The cdf is evaluated at points given by the optional argument data. If not provided, a regular grid of length ngrid for the evaluation points is used.

The quantiles are computed using bisection linear search algorithm.

Value

`cdfDensityBounded()` returns a list of x and y values providing, respectively, the evaluation points and the estimated cdf.

`quantileDensityBounded()` returns a vector of quantiles.

No return value, called for side effects.

Author(s)

Luca Scrucca

References

Loader C. (1999), Local Regression and Likelihood. New York, Springer.

See Also[densityMclustBounded\(\)](#), [plot.densityMclustBounded\(\)](#).[densityMclustBounded\(\)](#), [plot.densityMclustBounded\(\)](#).**Examples**

```

# univariate case with lower bound
x <- rchisq(200, 3)
dens <- densityMclustBounded(x, lbound = 0)

xgrid <- seq(-2, max(x), length=1000)
cdf <- cdfDensityBounded(dens, xgrid)
str(cdf)
plot(xgrid, pchisq(xgrid, df = 3), type = "l", xlab = "x", ylab = "CDF")
lines(cdf, col = 4, lwd = 2)

q <- quantileDensityBounded(dens, p = c(0.01, 0.1, 0.5, 0.9, 0.99))
cbind(quantile = q, cdf = cdfDensityBounded(dens, q)$y)
plot(cdf, type = "l", col = 4, xlab = "x", ylab = "CDF")
points(q, cdfDensityBounded(dens, q)$y, pch = 19, col = 4)

# univariate case with lower & upper bounds
x <- rbeta(200, 5, 1.5)
dens <- densityMclustBounded(x, lbound = 0, ubound = 1)

xgrid <- seq(-0.1, 1.1, length=1000)
cdf <- cdfDensityBounded(dens, xgrid)
str(cdf)
plot(xgrid, pbeta(xgrid, 5, 1.5), type = "l", xlab = "x", ylab = "CDF")
lines(cdf, col = 4, lwd = 2)

q <- quantileDensityBounded(dens, p = c(0.01, 0.1, 0.5, 0.9, 0.99))
cbind(quantile = q, cdf = cdfDensityBounded(dens, q)$y)
plot(cdf, type = "l", col = 4, xlab = "x", ylab = "CDF")
points(q, cdfDensityBounded(dens, q)$y, pch = 19, col = 4)

# univariate case with lower bound
x <- rchisq(200, 3)
dens <- densityMclustBounded(x, lbound = 0)
plot(dens, x, what = "diagnostic")
# or

```

```

densityMclustBounded.diagnostic(dens, type = "cdf")
densityMclustBounded.diagnostic(dens, type = "qq")

# univariate case with lower & upper bounds
x <- rbeta(200, 5, 1.5)
dens <- densityMclustBounded(x, lbound = 0, ubound = 1)
plot(dens, x, what = "diagnostic")
# or
densityMclustBounded.diagnostic(dens, type = "cdf")
densityMclustBounded.diagnostic(dens, type = "qq")

```

densityMclustBounded *Model-based mixture density estimation for bounded data*

Description

Density estimation for bounded data via transformation-based approach for Gaussian mixtures.

Usage

```

densityMclustBounded(
  data,
  G = NULL,
  modelNames = NULL,
  lbound = NULL,
  ubound = NULL,
  lambda = c(-3, 3),
  prior = NULL,
  initialization = NULL,
  nstart = 25,
  parallel = FALSE,
  seed = NULL,
  ...
)

## S3 method for class 'densityMclustBounded'
summary(object, parameters = FALSE, ...)

```

Arguments

data	A numeric vector, matrix, or data frame of observations. If a matrix or data frame, rows correspond to observations and columns correspond to variables.
G	An integer vector specifying the numbers of mixture components. By default G=1:3.

modelNames	A vector of character strings indicating the Gaussian mixture models to be fitted on the transformed-data space. See <code>mclust::mclustModelNames()</code> for a description of available models.
lbound	Numeric vector providing lower bounds for variables.
ubound	Numeric vector providing upper bounds for variables.
lambda	A numeric vector providing the range (min and max) of searched values for the transformation parameter(s). If a matrix is provided, then for each variable a row should be provided containing the range of lambda values for the transformation parameter. If a variable must have a fixed lambda value, the provided min and max values should be equal. See examples below.
prior	A function specifying a prior for Bayesian regularization of Gaussian mixtures. See <code>mclust::priorControl()</code> for details.
initialization	A list containing one or more of the following components: <ul style="list-style-type: none"> • noise A logical or numeric vector indicating an initial guess as to which observations are noise in the data. If numeric the entries should correspond to row indexes of the data. If logical an automatic entropy-based guess of noisy observations is made. When supplied, a noise term will be added to the model in the estimation. • Vinv When a noise component is included in the model, this is a numerical optional argument providing the reciprocal of the volume of the data. By default, the <code>mclust::hypvol()</code> is used on the transformed data from a preliminary model.
nstart	An integer value specifying the number of replications of k-means clustering to be used for initializing the EM algorithm. See <code>kmeans()</code> .
parallel	An optional argument which allows to specify if the search over all possible models should be run sequentially (default) or in parallel. For a single machine with multiple cores, possible values are: <ul style="list-style-type: none"> • a logical value specifying if parallel computing should be used (TRUE) or not (FALSE, default) for evaluating the fitness function; • a numerical value which gives the number of cores to employ. By default, this is obtained from the function <code>parallel::detectCores()</code>; • a character string specifying the type of parallelisation to use. This depends on system OS: on Windows OS only "snow" type functionality is available, while on Unix/Linux/Mac OSX both "snow" and "multicore" (default) functionalities are available. <p>In all the cases described above, at the end of the search the cluster is automatically stopped by shutting down the workers.</p> <p>If a cluster of multiple machines is available, evaluation of the fitness function can be executed in parallel using all, or a subset of, the cores available to the machines belonging to the cluster. However, this option requires more work from the user, who needs to set up and register a parallel back end. In this case the cluster must be explicitly stopped with <code>parallel::stopCluster()</code>.</p>
seed	An integer value containing the random number generator state. This argument can be used to replicate the result of k-means initialisation strategy. Note that if parallel computing is required, the doRNG package must be installed.

... Further arguments passed to or from other methods.
object An object of class 'densityMclustBounded'.
parameters A logical, if TRUE the estimated parameters of mixture components are printed.

Details

For more details see vignette("mclustAddons")

Value

Returns an object of class 'densityMclustBounded'.

Author(s)

Luca Scrucca

References

Scrucca L. (2019) A transformation-based approach to Gaussian mixture density estimation for bounded data. *Biometrical Journal*, 61:4, 873–888. doi:10.1002/bimj.201800174

See Also

[predict.densityMclustBounded\(\)](#), [plot.densityMclustBounded\(\)](#).

Examples

```
# univariate case with lower bound
x <- rchisq(200, 3)
xgrid <- seq(-2, max(x), length=1000)
f <- dchisq(xgrid, 3) # true density
dens <- densityMclustBounded(x, lbound = 0)
summary(dens)
summary(dens, parameters = TRUE)
plot(dens, what = "BIC")
plot(dens, what = "density")
lines(xgrid, f, lty = 2)
plot(dens, what = "density", data = x, breaks = 15)

# univariate case with lower & upper bounds
x <- rbeta(200, 5, 1.5)
xgrid <- seq(-0.1, 1.1, length=1000)
f <- dbeta(xgrid, 5, 1.5) # true density
dens <- densityMclustBounded(x, lbound = 0, ubound = 1)
summary(dens)
plot(dens, what = "BIC")
plot(dens, what = "density")
plot(dens, what = "density", data = x, breaks = 9)

# bivariate case with lower bounds
x1 <- rchisq(200, 3)
```

```

x2 <- 0.5*x1 + sqrt(1-0.5^2)*rchisq(200, 5)
x <- cbind(x1, x2)
plot(x)
dens <- densityMclustBounded(x, lbound = c(0,0))
summary(dens, parameters = TRUE)
plot(dens, what = "BIC")
plot(dens, what = "density")
plot(dens, what = "density", type = "hdr")
plot(dens, what = "density", type = "persp")
# specify different ranges for the lambda values of each variable
dens1 <- densityMclustBounded(x, lbound = c(0,0),
                             lambda = matrix(c(-2,2,0,1), 2, 2, byrow=TRUE))
# set lambda = 0 fixed for the second variable
dens2 <- densityMclustBounded(x, lbound = c(0,0),
                             lambda = matrix(c(0,1,0,0), 2, 2, byrow=TRUE))

dens[c("lambdaRange", "lambda", "loglik", "df")]
dens1[c("lambdaRange", "lambda", "loglik", "df")]
dens2[c("lambdaRange", "lambda", "loglik", "df")]

```

EntropyGMM

Gaussian mixture-based estimation of entropy

Description

Compute an estimate of the (differential) entropy from a Gaussian Mixture Model (GMM) fitted using the *mclust* package.

Usage

```

EntropyGMM(object, ...)

## S3 method for class 'densityMclust'
EntropyGMM(object, ...)

## S3 method for class 'densityMclustBounded'
EntropyGMM(object, ...)

## S3 method for class 'Mclust'
EntropyGMM(object, ...)

## S3 method for class 'data.frame'
EntropyGMM(object, ...)

## S3 method for class 'matrix'
EntropyGMM(object, ...)

```


EntropyGauss(sigma)

nats2bits(x)

bits2nats(x)

Arguments

object	An object of class 'Mclust', 'densityMclust', or 'densityMclustBounded', obtained by fitting a Gaussian mixture via, respectively, <code>mclust::Mclust()</code> , <code>mclust::densityMclust()</code> , and <code>densityMclustBounded()</code> . If a matrix or data.frame is provided as input, a GMM using the provided data is estimated preliminary to computing the entropy. In this case further arguments can be provided to control the fitted model (e.g. number of mixture components and/or covariances decomposition).
...	Further arguments passed to or from other methods.
sigma	A symmetric covariance matrix.
x	A vector of values.

Details

For more details see `vignette("mclustAddons")`

Value

- `EntropyGMM()` returns an estimate of the entropy based on a estimated Gaussian mixture model (GMM) fitted using the **mclust** package. If a matrix of data values is provided, a GMM is preliminary fitted to the data and then the entropy computed.
- `EntropyGauss()` returns the entropy for a multivariate Gaussian distribution with covariance matrix `sigma`.
- `nats2bits()` and `bits2nats()` convert input values in nats to bits, and viceversa. Information-theoretic quantities have different units depending on the base of the logarithm used: nats are expressed in base-2 logarithms, whereas bits in natural logarithms.

Author(s)

Luca Scrucca

References

Robin S. and Scrucca L. (2023) Mixture-based estimation of entropy. *Computational Statistics & Data Analysis*, 177, 107582. doi:10.1016/j.csda.2022.107582

See Also

`mclust::Mclust()`, `mclust::densityMclust()`.

Examples

```
X = iris[,1:4]
mod = densityMclust(X, plot = FALSE)
h = EntropyGMM(mod)
h
bits2nats(h)
EntropyGMM(X)
```

GaussianMixtureMEM *Modal EM algorithm for Gaussian Mixtures*

Description

A function implementing a fast and efficient Modal EM algorithm for Gaussian mixtures.

Usage

```
GaussianMixtureMEM(
  data,
  pro,
  mu,
  sigma,
  control = list(eps = 1e-05, maxiter = 1000, stepsize = function(t) 1 - exp(-0.1 * t),
    denoise = TRUE, alpha = 0.01, keep.path = FALSE),
  ...
)
```

Arguments

data	A numeric vector, matrix, or data frame of observations. Categorical variables are not allowed. If a matrix or data frame, rows correspond to observations (n) and columns correspond to variables (d).
pro	A $(G \times 1)$ vector of mixing probabilities for a Gaussian mixture of G components.
mu	A $(d \times G)$ matrix of component means for a d -variate Gaussian mixture of G components.
sigma	A $(d \times d \times G)$ array of component covariance matrices for a d -variate Gaussian mixture of G components.
control	A list of control parameters: <ul style="list-style-type: none"> • <code>eps</code>, <code>maxiter</code> Numerical values setting the tolerance and the maximum number of iterations of the MEM algorithm; • <code>stepsize</code> A function controlling the step size of the MEM algorithm; • <code>denoise</code> A logical, if TRUE a denoising procedure is used when $d > 1$ to discard all modes whose density is negligible;

- `alpha` A numerical value used when `denoise = TRUE` for computing the hypervolume of central $(1 - \alpha)100$ region of a multivariate Gaussian;
 - `keep.path` A logical controlling whether or not the full paths to modes must be returned.
- ... Further arguments passed to or from other methods.

Value

Returns a list containing the following elements:

- `n` The number of input data points.
- `d` The number of variables/features.
- `parameters` The Gaussian mixture parameters.
- `iter` The number of iterations of MEM algorithm.
- `nmodes` The number of modes estimated by the MEM algorithm.
- `modes` The coordinates of modes estimated by MEM algorithm.
- `path` If requested, the coordinates of full paths to modes for each data point.
- `logdens` The log-density at the estimated modes.
- `logvol` The log-volume used for denoising (if requested).
- `classification` The modal clustering classification of input data points.

Author(s)

Luca Scrucca

References

Scrucca L. (2021) A fast and efficient Modal EM algorithm for Gaussian mixtures. *Statistical Analysis and Data Mining*, 14:4, 305–314. doi: [10.1002/sam.11527](https://doi.org/10.1002/sam.11527)

See Also

[McLustMEM\(\)](#).

GMMlogreturn

Modeling log-returns distribution via Gaussian Mixture Models

Description

Gaussian mixtures for modeling the distribution of financial log-returns.

Usage

```
GMMlogreturn(y, ...)
```

```
## S3 method for class 'GMMlogreturn'
summary(object, ...)
```

Arguments

<code>y</code>	A numeric vector providing the log-returns of a financial stock.
<code>...</code>	Further arguments passed to <code>densityMclustBounded()</code> . For a full description of available arguments see the corresponding help page.
<code>object</code>	An object of class 'GMMlogreturn'.

Details

Let P_t be the price of a financial stock for the current time frame (day for instance), and P_{t-1} the price of the previous time frame. The log-return at time t is defined as:

$$y_t = \log\left(\frac{P_t}{P_{t-1}}\right)$$

A univariate heteroscedastic GMM using Bayesian regularization (as described in `mclust::priorControl()`) is fitted to the observed log-returns. The number of mixture components is automatically selected by BIC, unless specified with the optional `G` argument.

Value

Returns an object of class 'GMMlogreturn'.

Author(s)

Luca Scrucca

References

Scrucca L. (2024) Entropy-based volatility analysis of financial log-returns using Gaussian mixture models. Unpublished manuscript.

See Also

[VaR.GMMlogreturn\(\)](#), [ES.GMMlogreturn\(\)](#).

Examples

```
set.seed(123)
z = sample(1:2, size = 250, replace = TRUE, prob = c(0.8, 0.2))
y = double(length(z))
y[z == 1] = rnorm(sum(z == 1), 0, 1)
y[z == 2] = rnorm(sum(z == 2), -0.5, 2)
GMM = GMMlogreturn(y)
summary(GMM)
y0 = extendrange(GMM$data, f = 0.1)
y0 = seq(min(y0), max(y0), length = 1000)
plot(GMM, what = "density", data = y, xlab = "log-returns",
      breaks = 21, col = 4, lwd = 2)
```

mclustAddons-internal *Internal **mclustAddons** functions*

Description

Internal functions not intended to be called directly by users.

Usage

```
as.MclustBounded(x, ...)

## Default S3 method:
as.MclustBounded(x, ...)

## S3 method for class 'densityMclustBounded'
as.MclustBounded(x, ...)

as.densityMclustBounded(x, ...)

## Default S3 method:
as.densityMclustBounded(x, ...)

## S3 method for class 'MclustBounded'
as.densityMclustBounded(x, ...)
```

Arguments

x	An object of class specific for the method.
...	Further arguments passed to or from other methods.

MclustBounded	<i>Model-based clustering for bounded data</i>
---------------	--

Description

Clustering of bounded data via transformation-based approach for Gaussian mixtures.

Usage

```
MclustBounded(data, ...)

## S3 method for class 'MclustBounded'
summary(object, classification = TRUE, parameters = FALSE, ...)
```

Arguments

data	A numeric vector, matrix, or data frame of observations. If a matrix or data frame, rows correspond to observations and columns correspond to variables.
...	Further arguments passed to <code>densityMclustBounded()</code> . For a full description of available arguments see the corresponding help page.
object	An object of class 'MclustBounded'.
classification	A logical, if TRUE a table of MAP classification/clustering of observations is printed.
parameters	A logical, if TRUE the estimated parameters of mixture components are printed.

Details

For more details see `vignette("mclustAddons")`

Value

Returns an object of class 'MclustBounded'.

Author(s)

Luca Scrucca

References

Scrucca L. (2019) A transformation-based approach to Gaussian mixture density estimation for bounded data. *Biometrical Journal*, 61:4, 873–888. doi:[10.1002/bimj.201800174](https://doi.org/10.1002/bimj.201800174)

See Also

[densityMclustBounded\(\)](#), [predict.MclustBounded\(\)](#), [plot.MclustBounded\(\)](#).

MclustBoundedParameters

Recover parameters in the original scale

Description

Given a GMM for bounded data, computes the means and variances in the original scale from the estimated mixture components parameters dataset using simulations.

Usage

```
MclustBoundedParameters(object, nsim = 1e+06, ...)
```

Arguments

object	An object of class 'MclustBounded' or 'densityMclustBounded'.
nsim	An integer specifying the number of simulations to employ.
...	Further arguments passed to or from other methods.

Examples

```
x = rlnorm(1000, 0, 1)
mod = densityMclustBounded(x, lbound = 0, lambda = 0)
summary(mod, parameters = TRUE)
plot(mod, what = "density")
# transformed parameters (from log-normal distribution)
# mean
with(mod$parameters,
      exp(mean + 0.5*variance$sigma^2))
# var
with(mod$parameters,
      (exp(variance$sigma^2) - 1)*exp(2*mean + variance$sigma^2))
# using simulations
MclustBoundedParameters(mod)
```

mclustMarginalParams *Marginal parameters from fitted GMMs via mclust*

Description

Function to compute the marginal parameters from a fitted Gaussian mixture models.

Usage

```
mclustMarginalParams(object, ...)

gmm2margParams(pro, mu, sigma, ...)
```

Arguments

object	An object of class Mclust or densityMclust.
...	Further arguments passed to or from other methods.
pro	A vector of mixing proportions for each mixture component.
mu	A matrix of mean vectors for each mixture component. For a d -variate dataset on G components, the matrix has dimension $(d \times G)$.
sigma	An array of covariance matrices for each mixture component. For a d -variate dataset on G components, the array has dimension $(d \times d \times G)$.

Details

Given a G -component GMM with estimated mixture weight π_k , mean vector μ_k , and covariance matrix Σ_k , for mixture component $k = 1, \dots, G$, then the marginal distribution has:

- mean vector

$$\mu = \sum_{k=1}^G \pi_k \mu_k$$

- covariance matrix

$$\Sigma = \sum_{k=1}^G \pi_k \Sigma_k + \pi_k (\mu_k - \mu)' (\mu_k - \mu)$$

Value

Returns a list of two components for the mean and covariance of the marginal distribution.

Author(s)

Luca Scrucca

References

Frühwirth-Schnatter S. (2006) *Finite Mixture and Markov Switching Models*, Springer, Sec. 6.1.1

See Also

`mclust::Mclust()`, `mclust::densityMclust()`.

Examples

```
x = iris[,1:4]
mod = Mclust(x, G = 3)
mod$parameters$pro
mod$parameters$mean
mod$parameters$variance$sigma
mclustMarginalParams(mod)
```

Description

Modal-clustering estimation by applying the Modal EM algorithm to Gaussian mixtures fitted using the *mclust* package.

Usage

```
MclustMEM(object, data = NULL, ...)
```

```
## S3 method for class 'MclustMEM'  
summary(object, ...)
```

Arguments

object	An object of class 'Mclust' or 'densityMclust' obtained by fitting a Gaussian mixture via, respectively, <code>mclust::Mclust()</code> and <code>mclust::densityMclust()</code> .
data	If provided, a numeric vector, matrix, or data frame of observations. If a matrix or data frame, rows correspond to observations (n) and columns correspond to variables (d). If not provided, the data used for fitting the Gaussian mixture model, and provided with the object argument, are used.
...	Further arguments passed to or from other methods.

Details

For more details see `vignette("mclustAddons")`

Value

Returns an object of class 'MclustMEM' with elements described in `GaussianMixtureMEM()`.

Author(s)

Luca Scrucca

References

Scrucca L. (2021) A fast and efficient Modal EM algorithm for Gaussian mixtures. *Statistical Analysis and Data Mining*, 14:4, 305–314. doi:10.1002/sam.11527

See Also

`GaussianMixtureMEM()`, `plot.MclustMEM()`.

Examples

```
data(Baudry_etal_2010_JCGS_examples, package = "mclust")  
  
plot(ex4.1)  
GMM <- Mclust(ex4.1)  
plot(GMM, what = "classification")  
MEM <- MclustMEM(GMM)  
MEM  
summary(MEM)  
plot(MEM)  
  
plot(ex4.4.2)
```

```
GMM <- Mclust(ex4.4.2)
plot(GMM, what = "classification")
MEM <- MclustMEM(GMM)
MEM
summary(MEM)
plot(MEM, addDensity = FALSE)
```

`plot.densityMclustBounded`

Plotting method for model-based mixture density estimation for bounded data

Description

Plots for `mclustDensityBounded` objects.

Usage

```
## S3 method for class 'densityMclustBounded'
plot(x, what = c("BIC", "density", "diagnostic"), data = NULL, ...)
```

Arguments

<code>x</code>	An object of class 'densityMclustBounded' obtained from a call to <code>densityMclustBounded()</code> .
<code>what</code>	The type of graph requested: <ul style="list-style-type: none"> • "BIC" for a plot of BIC values for the estimated models versus the number of components. • "density" for a plot of estimated density; if data is also provided the density is plotted over the given data points. • "diagnostic" for diagnostic plots (only available for the one-dimensional case).
<code>data</code>	Optional data points.
<code>...</code>	Further available arguments: <ul style="list-style-type: none"> • For 1-dimensional data: <pre>hist.col = "lightgrey", hist.border = "white", breaks = "Sturges"</pre> • For 2-dimensional data: <pre>type = c("contour", "hdr", "image", "persp"), transformation = c("none", "log", "sq"), grid = 100, nlevels = 11, levels = NULL, prob = c(0.25, 0.5, 0.75), col = grey(0.6), color.palette = blue2grey.colors, points.col = 1, points.cex = 0.8,</pre> • For $d > 2$-dimensional data: <pre>type = c("contour", "hdr"), gap = 0.2, grid = 100, nlevels = 11, levels = NULL, prob = col = grey(0.6), color.palette = blue2grey.colors, code{points.col = 1, points.cex =</pre>

Value

No return value, called for side effects.

Author(s)

Luca Scrucca

References

Scrucca L. (2019) A transformation-based approach to Gaussian mixture density estimation for bounded data. *Biometrical Journal*, 61:4, 873–888. doi:10.1002/bimj.201800174

See Also

[densityMclustBounded\(\)](#), [predict.densityMclustBounded\(\)](#).

Examples

```
# univariate case with lower bound
x <- rchisq(200, 3)
dens <- densityMclustBounded(x, lbound = 0)
plot(dens, what = "BIC")
plot(dens, what = "density", data = x, breaks = 15)

# univariate case with lower & upper bound
x <- rbeta(200, 5, 1.5)
dens <- densityMclustBounded(x, lbound = 0, ubound = 1)
plot(dens, what = "BIC")
plot(dens, what = "density", data = x, breaks = 9)

# bivariate case with lower bounds
x1 <- rchisq(200, 3)
x2 <- 0.5*x1 + sqrt(1-0.5^2)*rchisq(200, 5)
x <- cbind(x1, x2)
dens <- densityMclustBounded(x, lbound = c(0,0))
plot(dens, what = "density")
plot(dens, what = "density", data = x)
plot(dens, what = "density", type = "hdr")
plot(dens, what = "density", type = "persp")
```

plot.MclustBounded *Plotting method for model-based clustering of bounded data*

Description

Plotting method for model-based clustering of bounded data

Usage

```
## S3 method for class 'MclustBounded'
plot(x, what = c("BIC", "classification", "uncertainty"), dimens = NULL, ...)
```

Arguments

x	An object of class 'MclustBounded'.
what	A string specifying the type of graph requested. Available choices are: <ul style="list-style-type: none"> • "BIC" Plot of BIC values used for choosing the number of clusters. • "classification" Plot showing the clustering. For data in more than two dimensions, a scatterplot of pairwise coordinate projections using the specified <code>dimens</code> is produced. • "uncertainty" Plot of classification uncertainty. For data in more than two dimensions, a scatterplot of pairwise coordinate projections using the specified <code>dimens</code> is produced.
dimens	A vector of integers specifying the dimensions of the coordinate projections.
...	Further arguments passed to or from other methods.

Value

No return value, called for side effects.

plot.MclustMEM

Plotting method for modal-clustering based on Gaussian Mixtures

Description

Plots for MclustMEM objects.

Usage

```
## S3 method for class 'MclustMEM'
plot(
  x,
  dimens = NULL,
  addDensity = TRUE,
  addPoints = TRUE,
  symbols = NULL,
  colors = NULL,
  cex = NULL,
  labels = NULL,
  cex.labels = NULL,
  gap = 0.2,
  ...
)
```

Arguments

x	An object of class 'densityMclustBounded' obtained from a call to densityMclustBounded() .
dimens	A vector of integers specifying the dimensions of the coordinate projections.
addDensity	A logical indicating whether or not to add density estimates to the plot.
addPoints	A logical indicating whether or not to add data points to the plot.
symbols	Either an integer or character vector assigning a plotting symbol to each unique class in classification. Elements in symbols correspond to classes in order of appearance in the sequence of observations (the order used by the function <code>unique</code>). The default is given by <code>mclust.options("classPlotSymbols")</code> .
colors	Either an integer or character vector assigning a color to each unique class in classification. Elements in colors correspond to classes in order of appearance in the sequence of observations (the order used by the function <code>unique</code>). The default is given by <code>mclust.options("classPlotColors")</code> .
cex	A vector of numerical values specifying the size of the plotting symbol for each unique class in classification. By default <code>cex = 1</code> for all classes is used.
labels	A vector of character strings for labelling the variables. The default is to use the column dimension names of data.
cex.labels	A numerical value specifying the size of the text labels.
gap	A numerical argument specifying the distance between subplots (see pairs()).
...	Further arguments passed to or from other methods.

Value

No return value, called for side effects.

Author(s)

Luca Scrucca

References

Scrucca L. (2021) A fast and efficient Modal EM algorithm for Gaussian mixtures. *Statistical Analysis and Data Mining*, 14:4, 305–314. doi: [10.1002/sam.11527](https://doi.org/10.1002/sam.11527)

See Also

[MclustMEM\(\)](#).

Examples

```
# 1-d example
GMM <- Mclust(iris$Petal.Length)
MEM <- MclustMEM(GMM)
plot(MEM)

# 2-d example
```

```

data(Baudry_etal_2010_JCGS_examples)
GMM <- Mclust(ex4.1)
MEM <- MclustMEM(GMM)
plot(MEM)
plot(MEM, addPoints = FALSE)
plot(MEM, addDensity = FALSE)

# 3-d example
GMM <- Mclust(ex4.4.2)
MEM <- MclustMEM(GMM)
plot(MEM)
plot(MEM, addPoints = FALSE)
plot(MEM, addDensity = FALSE)

```

predict.densityMclustBounded

Model-based mixture density estimation for bounded data

Description

Predict density estimates for univariate and multivariate bounded data based on Gaussian finite mixture models estimated by [densityMclustBounded\(\)](#).

Usage

```

## S3 method for class 'densityMclustBounded'
predict(
  object,
  newdata,
  what = c("dens", "cdens", "z"),
  logarithm = FALSE,
  ...
)

```

Arguments

object	An object of class 'densityMclustBounded' resulting from a call to densityMclustBounded() .
newdata	A numeric vector, matrix, or data frame of observations. If missing the density is computed for the input data obtained from the call to densityMclustBounded() .
what	A character string specifying what to retrieve: "dens" returns a vector of values for the mixture density; "cdens" returns a matrix of component densities for each mixture component (along the columns); "z" returns a matrix of component posterior probabilities.
logarithm	A logical value indicating whether or not the logarithm of the densities/probabilities should be returned.
...	Further arguments passed to or from other methods.

Value

Returns a vector or a matrix of values evaluated at newdata depending on the argument what (see above).

Author(s)

Luca Scrucca

References

Scrucca L. (2019) A transformation-based approach to Gaussian mixture density estimation for bounded data. *Biometrical Journal*, 61:4, 873–888. doi:10.1002/bimj.201800174

See Also

[densityMclustBounded\(\)](#), [plot.densityMclustBounded\(\)](#).

Examples

```
y <- sample(0:1, size = 200, replace = TRUE, prob = c(0.6, 0.4))
x <- y*rchisq(200, 3) + (1-y)*rchisq(200, 10)
dens <- densityMclustBounded(x, lbound = 0)
summary(dens)
plot(dens, what = "density", data = x, breaks = 11)

xgrid <- seq(0, max(x), length = 201)
densx <- predict(dens, newdata = xgrid, what = "dens")
cdensx <- predict(dens, newdata = xgrid, what = "cdens")
cdensx <- sweep(cdensx, MARGIN = 2, FUN = "*", dens$parameters$pro)
plot(xgrid, densx, type = "l", lwd = 2)
matplot(xgrid, cdensx, type = "l", col = 3:4, lty = 2:3, lwd = 2, add = TRUE)

z <- predict(dens, newdata = xgrid, what = "z")
matplot(xgrid, z, col = 3:4, lty = 2:3, lwd = 2, ylab = "Posterior probabilities")
```

predict.MclustBounded *Model-based clustering estimation for bounded data*

Description

Predict clustering for univariate and multivariate bounded data based on Gaussian finite mixture models estimated by [MclustBounded\(\)](#).

Usage

```
## S3 method for class 'MclustBounded'
predict(object, newdata, ...)
```

Arguments

object	An object of class 'MclustBounded' resulting from a call to MclustBounded() .
newdata	A numeric vector, matrix, or data frame of observations. If missing the density is computed for the input data obtained from the call to MclustBounded() .
...	Further arguments passed to or from other methods.

Value

Returns a list of with the following components:

- **classification** A factor of predicted cluster labels for newdata.
- **z** A matrix whose $[i, k]$ th entry is the probability that i th observation in newdata belongs to the k th cluster.

Author(s)

Luca Scrucca

References

Scrucca L. (2019) A transformation-based approach to Gaussian mixture density estimation for bounded data. *Biometrical Journal*, 61:4, 873–888. doi:[10.1002/bimj.201800174](https://doi.org/10.1002/bimj.201800174)

See Also

[MclustBounded\(\)](#), [plot.MclustBounded\(\)](#).

racial

Racial data

Description

Proportion of white student enrollment in 56 school districts in Nassau County (Long Island, New York), for the 1992-1993 school year.

Format

A data frame with the following variables:

District School district.

PropWhite Proportion of white student enrolled.

Source

Simonoff, S.J. (1996) *Smoothing Methods in Statistics*, Springer-Verlag, New York, p. 52

rangePowerTransform *Range–power transformation*

Description

Functions to compute univariate range–power transformation and its back-transform.

Usage

```
rangePowerTransform(x, lbound = -Inf, ubound = +Inf, lambda = 1)
```

```
rangePowerBackTransform(y, lbound = -Inf, ubound = +Inf, lambda = 1)
```

Arguments

x	A numeric vector of data values.
lbound	A numerical value of variable lower bound.
ubound	A numerical value of variable upper bound.
lambda	A numerical value for the power transformation.
y	A numeric vector of transformed data values.

Details

The *range–power transformation* can be applied to variables with bounded support.

Lower bound case

Suppose x is a univariate random variable with lower bounded support $\mathcal{S}_X \equiv (l, \infty)$, where $l > -\infty$. Consider a preliminary *range transformation* defined as $x \mapsto (x - l)$, which maps $\mathcal{S}_X \rightarrow \mathbb{R}^+$. The *range–power transformation* is a continuous monotonic transformation defined as

$$t(x; \lambda) = \begin{cases} \frac{(x - l)^\lambda - 1}{\lambda} & \text{if } \lambda \neq 0 \\ \log(x - l) & \text{if } \lambda = 0 \end{cases}$$

with back-transformation function

$$t^{-1}(y; \lambda) = \begin{cases} (\lambda y + 1)^{1/\lambda} + l & \text{if } \lambda \neq 0 \\ \exp(y) + l & \text{if } \lambda = 0 \end{cases}$$

Lower and upper bound case

Suppose x is a univariate random variable with bounded support $\mathcal{S}_X \equiv (l, u)$, where $-\infty < l < u < +\infty$. Consider a preliminary *range transformation* defined as $x \mapsto (x - l)/(u - x)$, which

maps $\mathcal{S}_{\mathcal{X}} \rightarrow \mathbb{R}^+$.

In this case, the *range-power transformation* is a continuous monotonic transformation defined as

$$t(x; \lambda) = \begin{cases} \frac{\left(\frac{x-l}{u-x}\right)^{\lambda} - 1}{\lambda} & \text{if } \lambda \neq 0 \\ \log\left(\frac{x-l}{u-x}\right) & \text{if } \lambda = 0, \end{cases}$$

with back-transformation function

$$t^{-1}(y; \lambda) = \begin{cases} \frac{l + u(\lambda y + 1)^{1/\lambda}}{1 + (\lambda y + 1)^{1/\lambda}} & \text{if } \lambda \neq 0 \\ \frac{l + u \exp(y)}{1 + \exp(y)} & \text{if } \lambda = 0 \end{cases}$$

Value

Returns a vector of transformed or back-transformed values.

Author(s)

Luca Scrucca

References

Scrucca L. (2019) A transformation-based approach to Gaussian mixture density estimation for bounded data. *Biometrical Journal*, 61:4, 873–888. doi:10.1002/bimj.201800174

See Also

[densityMclustBounded](#).

Examples

```
# Lower bound case
x = rchisq(1000, 5)
y = rangepowerTransform(x, lbound = 0, lambda = 1/3)
par(mfrow=c(2,2))
hist(x, main = NULL, breaks = 21); rug(x)
hist(y, xlab = "y = t(x)", main = NULL, breaks = 21); rug(y)
xx = rangepowerBackTransform(y, lbound = 0, lambda = 1/3)
hist(xx, xlab = "t^-1(y) = x", main = NULL, breaks = 21); rug(xx)
plot(x, xx, ylab = "t^-1(y)"); abline(0,1)

# Lower and upper bound case
x = rbeta(1000, 2, 1)
y = rangepowerTransform(x, lbound = 0, ubound = 1, lambda = 0)
par(mfrow=c(2,2))
hist(x, main = NULL, breaks = 21); rug(x)
hist(y, xlab = "y = t(x)", main = NULL, breaks = 21); rug(y)
```

```
xx = rangepowerBackTransform(y, lbound = 0, ubound = 1, lambda = 0)
hist(xx, xlab = "t^-1(y) = x", main = NULL, breaks = 21); rug(xx)
plot(x, xx, ylab = "t^-1(y)"); abline(0,1)
```

suicide

Suicide data

Description

Lengths of treatment spells (in days) of control patients in suicide study.

Format

A vector of containing the lengths (days) of 86 spells of psychiatric treatment undergone by patients used as controls in a study of suicide risks.

Source

Silverman, B. W. (1986) Density Estimation, Chapman & Hall, Tab 2.1.

VaR

Financial risk measures

Description

Generic functions for computing Value-at-Risk (VaR) and Expected Shortfall (ES).

Usage

```
VaR(object, ...)
```

```
ES(object, ...)
```

Arguments

object An object of class specific for the method.

... Further arguments passed to or from other methods.

VaR.GMMlogreturn *Risk measures from Gaussian mixtures modeling*

Description

Value-at-Risk (VaR) and Expected Shortfall (ES) from the fit of Gaussian mixtures provided by `GMMlogreturn()` function.

Usage

```
## S3 method for class 'GMMlogreturn'
VaR(object, alpha, ...)
```

```
## S3 method for class 'GMMlogreturn'
ES(object, alpha, ...)
```

Arguments

<code>object</code>	An object of class 'GMMlogreturn'.
<code>alpha</code>	A vector of values in the interval (0, 1) for which the risk measures should be calculated.
<code>...</code>	Further arguments passed to or from other methods.

Details

$VaR(\alpha)$ is the maximum potential loss over a specified time horizon with probability equal to the confidence level $1 - \alpha$.

$ES(\alpha)$ is the expected loss given that the loss exceeds the $VaR(\alpha)$ level.

Value

Returns a numerical value corresponding to VaR or ES at given level(s).

References:

Ruppert Matteson (2015) *Statistics and Data Analysis for Financial Engineering*, Springer, Chapter 19.

Cizek Hardle Weron (2011) *Statistical Tools for Finance and Insurance*, 2nd ed., Springer, Chapter 2.

Examples

```
z = sample(1:2, size = 250, replace = TRUE, prob = c(0.8, 0.2))
y = double(length(z))
y[z == 1] = rnorm(sum(z == 1), 0, 1)
y[z == 2] = rnorm(sum(z == 2), -0.5, 2)
GMM = GMMlogreturn(y)
alpha = seq(0.01, 0.1, by = 0.001)
```

```
matplot(alpha, data.frame(VaR = VaR(GMM, alpha),
                          ES = ES(GMM, alpha)),
         type = "l", col = c(2,4), lty = 1, lwd = 2,
         xlab = expression(alpha), ylab = "Loss")
legend("topright", col = c(2,4), lty = 1, lwd = 2,
      legend = c("VaR", "ES"), inset = 0.02)
```

Index

- * **datasets**
 - racial, [24](#)
 - suicide, [27](#)
- as.densityMclustBounded
 - (mclustAddons-internal), [13](#)
- as.MclustBounded
 - (mclustAddons-internal), [13](#)
- bits2nats (EntropyGMM), [8](#)
- cdfDensityBounded, [2](#)
- densityMclustBounded, [5](#), [26](#)
- densityMclustBounded(), [2-4](#), [9](#), [12](#), [14](#), [18](#),
[19](#), [21-23](#)
- densityMclustBounded.diagnostic
 - (cdfDensityBounded), [2](#)
- EntropyGauss (EntropyGMM), [8](#)
- EntropyGMM, [8](#)
- ES (VaR), [27](#)
- ES.GMMlogreturn (VaR.GMMlogreturn), [28](#)
- ES.GMMlogreturn(), [12](#)
- GaussianMixtureMEM, [10](#)
- GaussianMixtureMEM(), [17](#)
- gmm2margParams (mclustMarginalParams),
[15](#)
- GMMlogreturn, [11](#)
- GMMlogreturn(), [28](#)
- grid(), [3](#)
- kmeans(), [6](#)
- mclust::densityMclust(), [9](#), [16](#), [17](#)
- mclust::hypvol(), [6](#)
- mclust::Mclust(), [9](#), [16](#), [17](#)
- mclust::mclustModelNames(), [6](#)
- mclust::priorControl(), [6](#), [12](#)
- mclustAddons-internal, [13](#)
- MclustBounded, [13](#)
- MclustBounded(), [23](#), [24](#)
- MclustBoundedParameters, [14](#)
- mclustMarginalParams, [15](#)
- MclustMEM, [16](#)
- MclustMEM(), [11](#), [21](#)
- nats2bits (EntropyGMM), [8](#)
- pairs(), [21](#)
- parallel::detectCores(), [6](#)
- parallel::stopCluster(), [6](#)
- plot.densityMclustBounded, [18](#)
- plot.densityMclustBounded(), [4](#), [7](#), [23](#)
- plot.MclustBounded, [19](#)
- plot.MclustBounded(), [14](#), [24](#)
- plot.MclustMEM, [20](#)
- plot.MclustMEM(), [17](#)
- predict.densityMclustBounded, [22](#)
- predict.densityMclustBounded(), [7](#), [19](#)
- predict.MclustBounded, [23](#)
- predict.MclustBounded(), [14](#)
- print.densityMclustBounded
 - (densityMclustBounded), [5](#)
- print.MclustBounded (MclustBounded), [13](#)
- print.MclustMEM (MclustMEM), [16](#)
- print.summary.densityMclustBounded
 - (densityMclustBounded), [5](#)
- print.summary.MclustBounded
 - (MclustBounded), [13](#)
- print.summary.MclustMEM (MclustMEM), [16](#)
- quantileDensityBounded
 - (cdfDensityBounded), [2](#)
- racial, [24](#)
- rangepowerBackTransform
 - (rangepowerTransform), [25](#)
- rangepowerTransform, [25](#)
- suicide, [27](#)

summary.densityMclustBounded
 (densityMclustBounded), [5](#)
summary.GMMlogreturn (GMMlogreturn), [11](#)
summary.MclustBounded (MclustBounded),
 [13](#)
summary.MclustMEM (MclustMEM), [16](#)

VaR, [27](#)
VaR.GMMlogreturn, [28](#)
VaR.GMMlogreturn(), [12](#)