

Package: nonabsdid (via r-universe)

June 18, 2026

Type Package

Title Visualize Heterogeneity-Robust Event Studies for Non-Absorbing Treatments

Version 0.3.2

Description Runs several heterogeneity-robust difference-in-differences (DID) event-study estimators for non-absorbing (i.e., treatment can switch on and off) binary treatments through their own packages, harmonizes their output onto a common time axis and tidy data structure, and overlays them in a single 'ggplot2' panel for visual comparison. Supported estimators include those provided by 'DIDmultiplegtDYN', 'PanelMatch', and 'fect', with an optional naive two-way fixed-effects reference series via 'fixest'. The underlying methods are respectively described in Clement de Chaisemartin and Xavier D'Haultfoeuille. ``Difference-in-Differences Estimators of Intertemporal Treatment Effects." The Review of Economics and Statistics (2026) <[doi:10.1162/rest_a_01414](https://doi.org/10.1162/rest_a_01414)>, Kosuke Imai, In Song Kim, and Erik H. Wang. ``Matching methods for causal inference with time-series cross-sectional data." American Journal of Political Science 67.3 (2023) <[doi:10.1111/ajps.12685](https://doi.org/10.1111/ajps.12685)>, Licheng Liu, Ye Wang, and Yiqing Xu. ``A practical guide to counterfactual estimators for causal inference with time-series cross-sectional data." American Journal of Political Science 68.1 (2024) <[doi:10.1111/ajps.12723](https://doi.org/10.1111/ajps.12723)>, and Laurent R. Bergé, Kyle Butts, and Grant McDermott. ``Fast and user-friendly econometrics estimations: The R package 'fixest'." arXiv preprint (2026) <[doi:10.48550/arXiv.2601.21749](https://doi.org/10.48550/arXiv.2601.21749)>. A single `nabs_event_study()` wrapper runs any supported estimator with a common interface; `nabs_event_study_simple()` provides a one-line front door for quick exploratory runs; the S3 generic `as_nabs_event_study()` coerces estimator output into a tidy stable schema; and `nabs_event_plot()` overlays multiple methods on a single 'ggplot2' panel, with optional naive two-way fixed effects drawn in a neutral color as a reference.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 4.1.0)

Imports cli, dplyr, ggplot2, rlang, stats, tibble

Suggests DIDmultiplegtDYN, polars, PanelMatch, fect, fixest, knitr, rmarkdown, testthat (>= 3.0.0), vdiffr, withr

Config/testthat/edition 3

URL <https://github.com/takuma1102/nonabsdid>

BugReports <https://github.com/takuma1102/nonabsdid/issues>

VignetteBuilder knitr

Additional_repositories <https://rpolars.r-universe.dev>

Config/roxygen2/version 8.0.0

NeedsCompilation no

Author Takuma Iwasaki [aut, cre] (ORCID:
<<https://orcid.org/0009-0000-8782-4851>>)

Maintainer Takuma Iwasaki <iwasakit@stanford.edu>

Repository <https://cran.r-universe.dev>

Date/Publication 2026-06-18 13:50:02 UTC

RemoteUrl <https://github.com/cran/nonabsdid>

RemoteRef HEAD

RemoteSha 95ee89b8c604e151844e7f23a391fae23cfc8035

Contents

as_nabs_event_study	3
nabs_event_plot	6
nabs_event_study	9
nabs_event_study_simple	11
naive_twfe	13
Index	15

as_nabs_event_study *Coerce an estimator result to a tidy event-study tibble*

Description

'as_nabs_event_study()' is an S3 generic that converts the native output object of a supported estimator into the unified *nabs_event_study_tbl* schema used by [nabs_event_plot()]. Methods exist for objects of class "did_multiplegt_dyn" (from 'DIDmultiplegtDYN'), "PanelEstimate" (from 'PanelMatch'), "fect" (from 'fect'), and "fixest" (from 'fixest', used for the naive TWFE reference series).

Usage

```
as_nabs_event_study(  
  x,  
  method = NULL,  
  outcome = NA_character_,  
  conf.level = 0.95,  
  ...  
)  
  
## S3 method for class 'fixest'  
as_nabs_event_study(  
  x,  
  method = NULL,  
  outcome = NA_character_,  
  conf.level = 0.95,  
  ...  
)  
  
## S3 method for class 'did_multiplegt_dyn'  
as_nabs_event_study(  
  x,  
  method = NULL,  
  outcome = NA_character_,  
  conf.level = 0.95,  
  ...  
)  
  
## S3 method for class 'fect'  
as_nabs_event_study(  
  x,  
  method = NULL,  
  outcome = NA_character_,  
  conf.level = 0.95,  
  ...  
)
```

```

## S3 method for class 'list'
as_nabs_event_study(
  x,
  method = NULL,
  outcome = NA_character_,
  conf.level = 0.95,
  ...
)

## S3 method for class 'nabs_event_study_result'
as_nabs_event_study(
  x,
  method = NULL,
  outcome = NA_character_,
  conf.level = 0.95,
  ...
)

## S3 method for class 'nabs_event_study_simple'
as_nabs_event_study(
  x,
  method = NULL,
  outcome = NA_character_,
  conf.level = 0.95,
  ...
)

## S3 method for class 'PanelEstimate'
as_nabs_event_study(
  x,
  method = NULL,
  outcome = NA_character_,
  conf.level = 0.95,
  pre_obj = NULL,
  add_reference = TRUE,
  ...
)

```

Arguments

<code>x</code>	A supported estimator object.
<code>method</code>	Optional override for the ‘method’ column. If ‘NULL’, the default for that estimator is used.
<code>outcome</code>	Optional outcome name to record in the ‘outcome’ column.
<code>conf.level</code>	Confidence level for ‘conf.low’ / ‘conf.high’. Default ‘0.95’. When the underlying object stores its own CI bounds (e.g. ‘fect’), those are used as-is and ‘conf.level’ is recorded as metadata only.

...	Method-specific arguments. See the individual method files for details (e.g. 'pre_obj' for the 'PanelEstimate' method).
pre_obj	A 'placebo_test' result from 'PanelMatch::placebo_test()', used to fill in the pre-treatment portion of the path.
add_reference	Logical; if 'TRUE' (default) and 'pre_obj' is given, adds a '(time = -1, estimate = 0)' row.

Details

A 'data.frame' method is also provided as an escape hatch: it accepts any frame that already contains 'time' and 'estimate' columns and fills in the rest of the schema if missing.

fixest method

Extracts coefficients on 'time_to_event' interactions of the form 'time_to_event:<k>' or 'time_to_event:<k>:<interaction>', the coefficient names produced by 'fixest::i()'. These are treated as event-study *levels* (the classic absorbing-treatment parametrisation). Standard errors come from the model's clustered VCOV; confidence intervals use the normal approximation and 'conf.level'.

Note that [naive_twfe()] does not fit this absorbing parametrisation itself – it uses a distributed-lag design in treatment levels – but this method is retained so that models you fit yourself with 'fixest::i()' can still be tidied.

fect method

'fect::fect()' returns event-study coordinates in '\$time' and '\$att', with confidence-interval bounds in the two-column matrix '\$att.bound'. Standard errors are pulled from '\$est.att[, "S.E."]' when available; if the object was fit without 'se = TRUE', only the point estimates are returned and SE / CI columns are filled with 'NA'.

The 'method' label is auto-detected from 'x\$method', the option that was passed to 'fect::fect()':

- "fe" -> "FE" (two-way fixed-effects imputation; Borusyak-style)
- "ife" -> "IFE" (interactive fixed effects; Bai 2009)
- "mc" -> "MC" (matrix completion; Athey et al. 2021)

Pass an explicit 'method' argument to override this auto-detected label.

PanelMatch method

For 'PanelMatch::PanelEstimate()' the post-treatment leads are stored as '\$estimate' / '\$standard.error' (singular). The pre-treatment placebo results from 'PanelMatch::placebo_test()' use '\$estimates' / '\$standard.errors' (plural). To produce a single event-study path, pass the placebo object via 'pre_obj':

```
pm <- PanelMatch::PanelMatch(...)
pe <- PanelMatch::PanelEstimate(pm, panel.data = pd)
pl <- PanelMatch::placebo_test(pm, panel.data = pd, plot = FALSE)
tidy <- as_nabs_event_study(pe, pre_obj = pl)
```

A 'time = -1' reference point with 'estimate = 0' is inserted so that the event-study path is anchored at $t = -1$, matching common practice and the 'did' / 'fixest::iplot' convention. Disable with 'add_reference = FALSE'.

Value

A tibble of class "nabs_event_study_tbl" with one row per relative period and the columns documented in the package overview.

Examples

```
# The data.frame escape hatch needs no estimator packages: pass a frame
# that already has `time` and `estimate`; the remaining schema columns
# (including CIs derived from `std.error`) are filled in automatically.
raw <- data.frame(
  time      = -3:4,
  estimate  = c(-0.05, 0.01, 0.00, 0.02, 0.30, 0.42, 0.38, 0.50),
  std.error = 0.12
)
tidy_fit <- as_nabs_event_study(raw, method = "DCDH", outcome = "y")

# With the DCDH estimator installed, coerce its native object directly.
if (requireNamespace("DIDmultiplegtDYN", quietly = TRUE) &&
    requireNamespace("polars", quietly = TRUE)) {
  set.seed(1)
  library(polars)
  panel <- expand_grid(id = 1:60, t = 1:10)
  panel$d <- with(panel, as.integer(
    (id %% 4 == 1 & t %in% 4:7) |
    (id %% 4 == 2 & t %in% 5:8) |
    (id %% 4 == 3 & t %in% 6:9)
  ))
  panel$y <- 0.2 * panel$t + 0.5 * panel$d + rnorm(nrow(panel))

  fit <- DIDmultiplegtDYN::did_multiplegt_dyn(
    df = panel,
    outcome = "y",
    group = "id",
    time = "t",
    treatment = "d",
    effects = 3,
    placebo = 2
  )
  as_nabs_event_study(fit, outcome = "y")
}
```

nabs_event_plot

Plot one or more event-study tibbles on a single panel

Description

Overlays event-study estimates from any combination of supported estimators on a single ggplot2 panel. Two visual encodings are available via 'style':

Usage

```
nabs_event_plot(
  ...,
  style = c("prepost_color", "method_shape"),
  connect = FALSE,
  connect_linewidth = 0.4,
  reference = NULL,
  reference_color = "grey20",
  palette = "default",
  shapes = NULL,
  xlim = NULL,
  ylim = NULL,
  dodge = 0.5,
  point_size = 2.5,
  errorbar_width = 0.1,
  x_break_by = 2,
  show_pre_post_legend = TRUE,
  xlab = "Relative time to treatment change",
  ylab = "Estimated effect",
  base_size = 11
)
```

Arguments

...	One or more ‘nabs_event_study_tbl’ objects. Bare arguments and a single list are both accepted.
style	Visual encoding. One of “prepost_color” (default; color differs by pre/post) or “method_shape” (color and marker shape both encode the method, shared across pre/post).
connect	Logical. If ‘TRUE’, point estimates within each series are joined by a thin line. Default ‘FALSE’. The line is split at the treatment boundary so pre- and post-treatment segments are not joined across the discontinuity.
connect_linewidth	Width of the connecting line when ‘connect = TRUE’. Default ‘0.4’.
reference	Optional ‘nabs_event_study_tbl’ to draw as a neutral-color reference layer (typically a naive TWFE estimate). Drawn under the main series.
reference_color	Color for the reference series. Default “grey20”.
palette	Either “default” (the package’s built-in palette, patterned after the DCDH/PanelMatch/IFE conventions in the codebase this package was extracted from), “colorblind” (Okabe-Ito), or a named character vector of colors. For ‘style = “prepost_color”’ the names are keyed by “<method>_<window>”, e.g. ‘c(“DCDH_pre” = “#DE2D26”, “DCDH_post” = “#3182BD”, ...)’. For ‘style = “method_shape”’ the names are keyed by “<method>”, e.g. ‘c(“DCDH” = “#DE2D26”, ...)’.
shapes	Optional named integer vector of plotting symbols keyed by “<method>”, used only when ‘style = “method_shape”’. Defaults to the package’s built-in shape set.

xlim, ylim	Numeric length-2 vectors for axis limits. 'NULL' lets ggplot2 choose.
dodge	Width of the position-dodge applied to points, lines, and error bars. The 'reference' series shares this dodge with the main series, so all series (including the naive TWFE reference) get their own evenly-spaced horizontal slot and their CIs do not overlap. Default '0.5'.
point_size, errorbar_width	Aesthetic controls for the geom layers.
x_break_by	Spacing between x-axis ticks (default 2, giving ... -4, -2, 0, 2, 4, 6 ...). Event-study time is integer, so this avoids ggplot2's default half-integer breaks like 2.5.
show_pre_post_legend	Logical. Only relevant for 'style = "prepost_color"'. If 'TRUE', the legend keys are labeled "<method>; pre" / "<method>; post". If 'FALSE', only one key per method is shown. Default 'TRUE'.
xlab, ylab	Axis labels.
base_size	Base font size passed to 'theme_minimal()'.

Details

* "prepost_color" (default) – each method gets its own color, with separate shades for pre- and post-treatment periods, mirroring common conventions in DCDH-style plots. Points are drawn as circles throughout. * "method_shape" – each method gets a single color *and* a single marker shape. Pre and post periods share both the color and the shape; they are told apart only by their position relative to time 0. Because method is double-encoded (color + shape), this style stays legible in grayscale.

An optional 'reference' series – typically a naive TWFE fit from [naive_twfe()] – is drawn in a neutral color (default black) so the reader can see what the heterogeneity-robust estimators are correcting against.

Set 'connect = TRUE' to join each series' point estimates with a thin line, in addition to the points and error bars.

Value

A 'ggplot' object.

Examples

```
dcdh_tidy <- as_nabs_event_study(
  data.frame(
    time = -2:3,
    estimate = c(-0.06, -0.02, 0.10, 0.22, 0.28, 0.31),
    std.error = 0.08
  ),
  method = "DCDH",
  outcome = "y"
)

ife_tidy <- as_nabs_event_study(
```

```

data.frame(
  time = -2:3,
  estimate = c(-0.04, 0.00, 0.08, 0.18, 0.25, 0.27),
  std.error = 0.10
),
method = "IFE",
outcome = "y"
)

nabs_event_plot(dcdh_tidy, ife_tidy, xlim = c(-2, 3))
nabs_event_plot(dcdh_tidy, ife_tidy, style = "method_shape", connect = TRUE)

```

nabs_event_study *Run an event-study estimator with a unified interface*

Description

`nabs_event_study()` is a thin wrapper around the three supported estimators (DCDH, PanelMatch, IFE/fect) that takes a single, common argument set and dispatches to the correct underlying package. It is **not** intended to expose every option of every estimator; for that, call the underlying packages directly and tidy their output with `[as_nabs_event_study()]`.

Usage

```

nabs_event_study(
  data,
  outcome,
  treatment,
  unit,
  time,
  method = c("DCDH", "PanelMatch", "IFE", "FE", "MC"),
  lags = 6L,
  leads = 8L,
  controls = NULL,
  cluster = unit,
  conf.level = 0.95,
  ...
)

```

Arguments

<code>data</code>	A panel data frame.
<code>outcome, treatment, unit, time</code>	Character column names.
<code>method</code>	One of <code>"DCDH"</code> , <code>"PanelMatch"</code> , <code>"IFE"</code> .
<code>lags, leads</code>	Integer pre- and post-period lengths.
<code>controls</code>	Optional character vector of covariate names.

<code>cluster</code>	Character; cluster variable. Defaults to 'unit'.
<code>conf.level</code>	Confidence level for the tidied output. Default 0.95.
<code>...</code>	Extra arguments passed straight to the underlying estimator.

Details

What it does cover:

- Variable names (outcome, treatment, unit, time),
- Pre/post window length ('lags', 'leads'),
- Optional covariates and clustering,
- Reasonable defaults that match the three packages' typical use.

Value

A list of class "nabs_event_study_result" with elements:

'tidy' An 'nabs_event_study_tbl'.

'fit' The native estimator object (for diagnostics).

'call' The call that produced it.

Examples

```
if (requireNamespace("DIDmultiplegtDYN", quietly = TRUE) &&
    requireNamespace("polars", quietly = TRUE)) {
  set.seed(1)
  library(polars)
  panel <- expand.grid(id = 1:60, t = 1:10)
  panel$d <- with(panel, as.integer(
    (id %% 4 == 1 & t %in% 4:7) |
    (id %% 4 == 2 & t %in% 5:8) |
    (id %% 4 == 3 & t %in% 6:9)
  ))
  panel$y <- 0.2 * panel$t + 0.5 * panel$d + rnorm(nrow(panel))

  res_dcdh <- nabs_event_study(
    panel,
    outcome = "y",
    treatment = "d",
    unit = "id",
    time = "t",
    method = "DCDH",
    lags = 2,
    leads = 2
  )
  res_dcdh$tidy
}
```

 nabs_event_study_simple

One-line exploratory front door for non-absorbing event studies

Description

‘nabs_event_study_simple()’ is a deliberately opinionated convenience wrapper for the *first 30 seconds* of an analysis. You give it your data and the four column names that identify outcome / treatment / unit / time, and it tries to give you a sensible event-study figure with as little typing as possible.

Usage

```
nabs_event_study_simple(
  data,
  outcome,
  treatment,
  unit,
  time,
  methods = c("DCDH", "PanelMatch", "IFE"),
  include_twfe = TRUE,
  lags = NULL,
  leads = NULL,
  controls = NULL,
  verbose = TRUE,
  ...
)
```

Arguments

data	A panel data frame.
outcome, treatment, unit, time	Character column names. The treatment column should be a 0/1 indicator (it is allowed to switch back to 0, i.e. non-absorbing).
methods	Character vector of estimators to run. Any subset of ‘c("DCDH", "PanelMatch", "IFE", "FE", "MC)’. Default ‘c("DCDH", "PanelMatch", "IFE)’. – the three classic heterogeneity-robust estimators.
include_twfe	Logical; if ‘TRUE’ (default), also fit a naive TWFE reference series via [naive_twfe()] and overlay it in a neutral color.
lags, leads	Integer pre- and post-period lengths. If ‘NULL’ (default), reasonable values are auto-chosen from the panel: ‘leads’ is set to roughly one third of the longest post-treatment span (capped at 8), and ‘lags’ to roughly one quarter of the longest pre-treatment span (capped at 6). Override either explicitly to be sure of the window.
controls	Optional character vector of covariate names; passed straight through to each estimator.

verbose Logical; if 'TRUE' (default), print a brief progress message before each estimator runs.

... Forwarded to [nabs_event_plot()] (e.g. 'xlim', 'ylim', 'palette', 'ylab', 'x_break_by').

Details

By default it runs **all three** heterogeneity-robust estimators (DCDH, PanelMatch, IFE) plus a naive TWFE reference, and returns a single overlay plot along with the tidy tibbles and raw fits. Use it to *see the picture quickly*; for a careful, publication-ready result, switch to [nabs_event_study()] and tune options per estimator.

If a particular estimator's package is not installed, that estimator is silently skipped with a message and the rest are still attempted. This is intentional: the goal of '_simple()' is to give you *something* to look at even if your environment isn't fully provisioned.

Errors from a single estimator (for instance, PanelMatch failing because there are too few clean controls in the lag window) are caught, reported as a warning, and the remaining estimators continue.

Value

A list of class "nabs_event_study_simple" with elements:

'plot' A 'ggplot' object; the overlay figure.

'tidy' A single combined 'nabs_event_study_tbl' with all methods.

'per_method' Named list of per-method tidy tibbles.

'fits' Named list of native estimator objects.

'twfe' The TWFE reference (or 'NULL').

'call' The matched call.

Examples

```
if (requireNamespace("DIDmultiplegtDYN", quietly = TRUE) &&
    requireNamespace("polars", quietly = TRUE)) {
  set.seed(1)
  library(polars)
  panel <- expand.grid(id = 1:60, t = 1:10)
  panel$d <- with(panel, as.integer(
    (id % 4 == 1 & t %in% 4:7) |
    (id % 4 == 2 & t %in% 5:8) |
    (id % 4 == 3 & t %in% 6:9)
  ))
  panel$y <- 0.2 * panel$t + 0.5 * panel$d + rnorm(nrow(panel))

  res <- nabs_event_study_simple(
    panel,
    outcome = "y",
    treatment = "d",
    unit = "id",
    time = "t",
    methods = "DCDH",
```

```

    include_twfe = FALSE,
    lags = 2,
    leads = 2,
    verbose = FALSE
  )
  res$tidy
}

```

naive_twfe

Estimate a naive two-way fixed-effects (TWFE) event study

Description

Runs a basic event-study TWFE regression of ‘outcome’ on leads and lags of the treatment, with unit and time fixed effects, using ‘fixest::feols()’. The result is ***deliberately unsophisticated*** – the point of ‘nonabsdid’ is to contrast this naive benchmark against heterogeneity-robust estimators (DCDH, ‘fect’, PanelMatch).

Usage

```

naive_twfe(
  data,
  outcome,
  treatment,
  unit,
  time,
  lags = 12L,
  leads = 6L,
  controls = NULL,
  cluster = unit,
  conf.level = 0.95
)

```

Arguments

data	A data frame (panel) in long format.
outcome, treatment, unit, time	Character scalars naming the outcome, the 0/1 (or ‘FALSE’/‘TRUE’) treatment indicator, the unit id, and the time variable.
lags	Non-negative integer: number of pre-treatment periods (event times $-1, \dots, -lags$) to report. Event time ‘-1’ is the omitted reference.
leads	Non-negative integer: number of post-treatment periods (event times $0, \dots, leads$) to report.
controls	Optional character vector of additional control columns.
cluster	Character vector of column names to cluster standard errors on. Defaults to ‘unit’.
conf.level	Confidence level for the returned tibble. Default 0.95.

Details

Unlike a classic event study, `naive_twfe()` does **not** assume the treatment is absorbing. It is built for binary treatments that can switch on *and off* over time (e.g. a policy that is repealed, a subsidy that lapses). It fits a distributed-lag TWFE in the treatment *levels*,

$$y_{it} = \alpha_i + \gamma_t + \sum_k \beta_k D_{i,t+k} + \varepsilon_{it},$$

i.e. the outcome on the leads and lags of the treatment indicator with unit and time fixed effects. The coefficient on lag *k* is reported at event time *+k* and the coefficient on lead *k* at event time *-k*, so the path is defined relative to a treatment *change* rather than to a single absorbing onset. Event time *-1* is the omitted reference. Each β_k is a partial correlation, not a heterogeneity-robust dynamic effect – that is the point of the benchmark.

The naming of *lags*/*leads* follows the package convention used elsewhere (and in the README): *lags* counts pre-periods, *leads* counts post-periods, so *lags = 6, leads = 8* yields event times on *[-6, 8]*.

Coefficients and standard errors are read directly from the fitted model (clustered as requested); the reference period *-1* is reported as exactly zero.

Value

An `nabs_event_study_tbl` with `method = "TWFE"`. The fitted `fixest` model is attached as the `"fit"` attribute.

Examples

```
df <- data.frame(
  id = rep(1:4, each = 8),
  yr = rep(1:8, times = 4),
  d = c(rep(0, 8),
        0, 0, 1, 1, 1, 0, 0, 0,
        0, 0, 0, 1, 1, 1, 1, 0,
        rep(0, 8)),
  y = rnorm(32)
)
naive_twfe(df, outcome = "y", treatment = "d",
           unit = "id", time = "yr", lags = 2, leads = 3)
```

Index

[as_nabs_event_study](#), 3

[nabs_event_plot](#), 6

[nabs_event_study](#), 9

[nabs_event_study_simple](#), 11

[naive_twfe](#), 13