

Package: oceCens (via r-universe)

September 17, 2024

Type Package

Title Ordered Composite Endpoints with Censoring

Version 0.1.2

Date 2023-08-24

Description Estimates win ratio or Mann-Whitney parameter for two group comparisons using ordered composite endpoints with right censoring as described in Follmann, Fay, Hamasaki, and Evans (2020)<[doi:10.1002/sim.7890](https://doi.org/10.1002/sim.7890)>.

License GPL-3

Depends R (>= 3.5.0), survival

Suggests testthat (>= 3.0.0),knitr, rmarkdown

Encoding UTF-8

LazyData true

VignetteBuilder knitr

RoxygenNote 7.2.3

Config/testthat/edition 3

NeedsCompilation no

Author Michael P. Fay [aut, cre], Dean Follmann [aut]

Maintainer Michael P. Fay <mfay@niaid.nih.gov>

Repository CRAN

Date/Publication 2023-08-24 15:50:02 UTC

Contents

coxph2WR	2
oceCens	3
oceCoxph	3
oceFormat	4
oceNPMLE	6
oceSimple	6

oceTest	7
percci	9
plot.oceCoxph	10
plot.oceNPMLE	12
simScenario5	13

Index	14
--------------	-----------

coxph2WR	<i>Take coxph object and translate results to win ratios.</i>
----------	---

Description

Let `cout` a `coxph` object, then Using normal approximations and the output from the `cout$coefficients` and `cout$var`. If the cluster argument is used in the `coxph` call, then `cout$var` is the robust variance (see [coxph](#)).

Usage

```
coxph2WR(coutput, conf.level = 0.95)
```

Arguments

<code>coutput</code>	a <code>coxph</code> object created by coxph .
<code>conf.level</code>	confidence level.

Details

The function takes a beta coefficient and returns the win ratio version: $\exp(-\beta)$. Confidence intervals are calculated by $\exp(-\beta) \pm qnorm(1-(1-\text{conf.level})/2) \cdot \sqrt{\text{coutput\$var}}$. P-values are two-sided.

Value

A vector or matrix with 4 elements (or columns) giving the win ratio, the lower and upper confidence limits, and the two-sided p-value.

References

Follmann, D., Fay, M. P., Hamasaki, T., and Evans, S. (2020). Analysis of ordered composite endpoints. *Statistics in Medicine*, 39(5), 602-616.

Examples

```
data(simScenario5)
xform<-oceFormat(data=simScenario5,oceTime=c("T1","T2","T3"),
  oceStatus=c("I1","I2","I3"),
  group="Z",outputDataFrame=TRUE)
# perform cox regression using time varying treatment effects, IZ1,IZ2, IZ3
# associated with the 3 prioritized endpoints
cout<- coxph(Surv(START, STOP, status) ~ IZ1+IZ2+IZ3, data=xform$data)
coxph2WR(cout)
```

oceCens	<i>oceCens: A package for ordered composite endpoints with censoring.</i>
---------	---

Description

An ordered composite endpoint combines several time-to-event endpoints into one score. The package compares two groups with two parameters, the win ratio, $P[Y1>Y0]/P[Y0>Y1]$, and the Mann-Whitney parameter, $P[Y1>Y0]+(1/2)P[Y1=Y0]$, where $Y1$ and $Y0$ are the oce scores in the two groups. The main function is [oceTest](#), which calls many of the other functions and has several different methods for estimation. Statistical details are in Follmann, et al 2020.

References

Follmann, D., Fay, M. P., Hamasaki, T., and Evans, S. (2020). Analysis of ordered composite endpoints. *Statistics in Medicine*, 39(5), 602-616.

oceCoxph	<i>Estimate win ratio or Mann-Whitney parameter using Cox Proportional Hazards</i>
----------	--

Description

Usually called from within [oceTest](#), but useful for getting coxph output details or customizing graphics. Estimation done using coxph (partial likelihood methods).

Usage

```
oceCoxph(oceData)
```

Arguments

oceData output from [oceFormat](#)

Value

An oceCoxph object, which is a list with the following elements (where Y_g =ordered composite endpoint score for group= g):

oceNames long names for each of the ordered endpoints

TAU maximum of all the time-to-event variables (even censored ones)

coxOutput output from coxph function

int01 estimate of $P[Y_0 > Y_1]$

int10 estimate of $P[Y_1 > Y_0]$

WR win ratio, estimate of $P[Y_1 > Y_0]/P[Y_0 > Y_1]$

MW desirability of outcome ranking, estimate of $P[Y_1 > Y_0] + (1/2)P[Y_1 = Y_0]$

See Also

For an example using plotting see [plot.oceCoxph](#). For Cox regression with other covariates, see `vignette("Using oceCens", package="oceCens")`.

oceFormat

Format ordered composite endpoint.

Description

Usually called from within [oceTest](#). Input data.frame with one row for each individual and columns for k time-to-event outcomes, k status variables, and a group variable. Format output so that each individual has several rows representing different intervals at risk. Returns a list with elements used for later calculations.

Usage

```
oceFormat(
  data,
  oceTime,
  oceStatus,
  group,
  id = NULL,
  oceNames = NULL,
  outputDataFrame = FALSE
)
```

Arguments

data data.frame name, must have variables with names listed in `oceTime`, `oceStatus`, `group`

oceTime character vector with ordered (primary is first) names of different time-to-event variables.

oceStatus	character vector with ordered names of status (0=censored, 1=event) variables.
group	name of group variable.
id	name of ID variable, NULL creates integer IDs.
oceNames	long names of ordered endpoints, NULL uses oceTime.
outputDataFrame	logical, output a data.frame in the list, defaults to FALSE for speed in the bootstrap.

Value

A list with the following elements:

timeMatrix n by k matrix with input values for k time-to-event values for each of n individuals

statusMatrix n by k matrix of status values

Z n vector of group variable with elements either 0 or 1

oceNames k vector of long oceNames (for plotting labels)

id m vector of individual ids, one element for each interval, so $m > n$

group m vector of group values, either 0 or 1

status m vector of status for each interval

START m vector, START of interval

STOP m vector, end of interval

TAU maximum of the time-to-event outcomes

IZMatrix m by k matrix, with jth column an indicator of representing ordering score 'time' for the jth endpoint

data a data.frame output if outputDataFrame=TRUE, with variables: id, group, status, START, STOP, IZ1,...,IZk (columns of IZMatrix)

Examples

```
d.temp<-data.frame(T1=c(1,4,3,6),s1=c(0,0,1,0),T2=c(4,1,5,3),
  s2=c(1,0,0,1),z=c(0,0,1,1))
d.temp
x<-oceFormat(data=d.temp,oceTime=c("T1","T2"),oceStatus=c("s1","s2"),
  group="z",outputDataFrame=TRUE)
# put time to second event starting at TAU
x$TAU
x$data
```

oceNPML *Estimate win ratio or Mann-Whitney parameter using NPML*

Description

Estimation done using NPML (nonparametric maximum likelihood estimators of survival).

Usage

```
oceNPML(oceData)
```

Arguments

oceData output from [oceFormat](#)

Value

An object of class 'oceNPML', which is a list with the following elements (where Y_g =ordered composite endpoint score for group= g):

oceNames long names for each of the ordered endpoints

TAU maximum of all the time-to-event variables (even censored ones)

KM0 survfit output for group=0 subset

KM1 survfit output for group=1 subset

WR win ratio, estimate of $P[Y_1 > Y_0] / P[Y_0 > Y_1]$

MW desirability of outcome ranking, estimate of $P[Y_1 > Y_0] + (1/2)P[Y_1 = Y_0]$

See Also

See [plot.oceNPML](#) for an example with plotting.

oceSimple *Estimate win ratio or Mann-Whitney parameter using Simple Method*

Description

Usually called from within [oceTest](#). Estimation done using simple method and output from [oceCoxph](#).

Usage

```
oceSimple(oceData, oceCoxOutput = NULL)
```

Arguments

oceData output from [oceFormat](#).

oceCoxOutput output from [oceCoxph](#), if NULL recalculates using oceData and [oceCoxph](#).

Value

A list with the following elements (where Y_g =ordered composite endpoint score for group=g):

int01 estimate of $P[Y_0 > Y_1]$ (calculated from `oceCoxph`)

int10 estimate of $P[Y_1 > Y_0]$ (calculated from `oceCoxph`)

WR win ratio, estimate of $P[Y_1 > Y_0]/P[Y_0 > Y_1]$

MW desirability of outcome ranking, estimate of $P[Y_1 > Y_0] + (1/2)P[Y_1 = Y_0]$

 oceTest

Tests for ordered composite endpoints with censoring.

Description

An ordered composite endpoint (oce) is a way of ranking responses by ordering several types of responses by order of importance. Rank by the most important response, then break ties with the next most important, and so on. The tests here are based on two sample tests. Let Y_0 and Y_1 be the oce score in the control arm and treatment arm, respectively. Then here we estimate both the win ratio (WR), $P[Y_1 > Y_0]/P[Y_0 > Y_1]$, or the Mann-Whitney parameter, $P[Y_1 > Y_0] + (1/2) \Pr[Y_1 = Y_0]$. Different methods are used to estimate those parameters, and inferences are done by bootstrap percentile methods.

Usage

```
oceTest(
  data,
  oceTime,
  oceStatus,
  group,
  id = NULL,
  oceNames = NULL,
  method = c("all", "npml", "coxph", "simple"),
  ciMethod = c("WLW", "bootstrap"),
  conf.int = FALSE,
  conf.level = 0.95,
  nBoot = 2000,
  plot = FALSE,
  ...
)
```

Arguments

data	data.frame name, must have variables with names listed in <code>oceTime</code> , <code>oceStatus</code> , <code>group</code>
oceTime	character vector with ordered (primary is first) names of different time-to-event variables.

<code>oceStatus</code>	character vector with ordered names of status (0=censored, 1=event) variables.
<code>group</code>	name of group variable.
<code>id</code>	name of ID variable, NULL creates integer IDs.
<code>oceNames</code>	long names of ordered endpoints, NULL uses <code>oceTime</code> .
<code>method</code>	Estimation method, one of 'all', 'npml', 'coxph' or 'simple'. Default is 'all' which calculates all of the three methods. See details.
<code>ciMethod</code>	confidence interval method, default is 'bootstrap'
<code>conf.int</code>	Logical, should confidence intervals be calculated.
<code>conf.level</code>	confidence level.
<code>nBoot</code>	number of bootstrap replicates (ignored if <code>conf.int=FALSE</code>).
<code>plot</code>	logical, plot oce score by group as survival functions (NPMLE version, except if <code>method='coxph'</code>). For more control over those plots see either plot.oceNPMLE or plot.oceCoxph .
<code>...</code>	holder space for future arguments.

Details

This idea is to stack the time to first event for the k different types of events. So if TAU is the maximum time that any individual is in the study, then the primary type of event has scores that fall into $(0, \text{TAU}]$, the secondary type has scores that fall into $(\text{TAU}, 2 * \text{TAU}]$, and so on. Then we rank by the primary type (e.g., death), but if there are many ties in the primary type (e.g., many that did not die during the study), then we break ties by the secondary type of event, and so on.

The difficulty is when there is censoring in time, because that imposes interval censoring on the score scale. This can be handled with interval censoring methods (although in a non-standard way). The 'npml' method calculates a nonparametric maximum likelihood estimate of the 'survival' distribution of the ordering score for each arm, then gets the estimates by numeric integration. The 'coxph' method uses an interval censored proportional hazards model treating the oce scores as time using `coxph` from the survival R package. The 'simple' method uses part of the 'coxph' method together with a more simple estimator. Each method produces a win ratio $(P[Y1 > Y0] / P[Y0 > Y1])$ and a Mann-Whitney $(P[Y1 > Y0] + (1/2) \Pr[Y1 = Y0])$ estimate. Details are given in Follmann, et al (2020).

When `ciMethod="bootstrap"` inferences are done by nonparametric bootstrap percentile method (see [percci](#)) in order to account for the correlation among the different types of responses. When `ciMethod="WLW"` and `method="coxph"`, then the win ratio is calculated by the Cox model with the standard errors of the $\log(\text{HR})$ or $\log(\text{WR})$ calculated by the robust sandwich method suggested by Wei, Lin, and Weissfeld (1989). P-values are all two-sided and test the null hypothesis of no difference between the arms (for the win ratio, the null value is 1, while for the MW the null value is 0).

For access to the coxph output see [oceCoxph](#), or for the NPMLE output see [oceNPMLE](#).

Value

If `conf.int=FALSE` then a vector of estimates determined by method results. If `conf.int=TRUE` then a matrix is returned with a row for each estimate, and 4 columns for the Estimate, lower confidence limit, upper confidence limit, and two-sided p-value.

References

- Follmann, D., Fay, M. P., Hamasaki, T., and Evans, S. (2020). Analysis of ordered composite endpoints. *Statistics in Medicine*, 39(5), 602-616.
- Wei, L. J., Lin, D. Y., & Weissfeld, L. (1989). Regression analysis of multivariate incomplete failure time data by modeling marginal distributions. *Journal of the American statistical association*, 84(408), 1065-1073.

Examples

```
data(simScenario5)
oceTest(data=simScenario5, oceTime=c("T1", "T2", "T3"),
  oceStatus=c("I1", "I2", "I3"), group=c("Z"), id = "PATID",
  oceNames = c("Death", "Stroke/MI", "Bleed"), method=c("all"))
```

percci

Percentile Bootstrap Two-sided Confidence Intervals and p-values

Description

Input vector of bootstrap replicates and get either the two-sided percentile confidence interval or the compatible two-sided p-value.

Usage

```
percci(Ti, conf.level = 0.95)

percpval(Ti, theta0 = 0)
```

Arguments

Ti	A numeric vector of bootstrap replicates of an estimate.
conf.level	Confidence level.
theta0	Null hypothesis value of estimand.

Details

Simple functions, where `percci` gives two-sided confidence intervals and `percpval` gives two-sided p-values.

We get a two-sided p-value by inverting the percentile Bootstrap confidence interval. This is not straightforward if there are not enough bootstrap samples and/or if the minimum and maximum of the replicates do not cover the null value. If there are B bootstrap resamples, then the interval from the minimum to the maximum has confidence level $=1 - 2/(B+1)$. We can see this because the percentile interval (see Efron and Tibshirani, 1993, p. 160 bottom) is $T[k]$, $T[B+1-k]$ where $k = \text{floor}((B+1) * (1 - \text{conf.level}) / 2)$, where T is an ordered vector of B test statistics calculated from B bootstrap replicates ($T = T_i[\text{order}(T_i)]$). Therefore, if $\text{conf.level} > 1 - 2/(B+1)$ then we cannot get a percentile interval, so if the min and max of T do not surround θ_0 , then a two-sided p-value can be stated to be $p \leq 2/(B+1)$. If the p-value is $2/(B+1)$, then it is the lowest possible for that B , and increasing B may produce a lower p-value.

Value

percci returns only a two-sided confidence interval and percpval returns only a two-sided p-value.

Functions

- percpval(): Bootstrap percentile p-values

References

Efron, B and Tibshirani, RJ (1993) An Introduction to the Bootstrap. Chapman and Hall.

Examples

```
set.seed(123)
y<- rnorm(100)+0.1
nB<- 1e5
Tstat<- rep(NA,nB)
for (i in 1:nB){
  Tstat[i]<-mean( sample(y,replace=TRUE) )
}
# two-sided bootstrap percentile p-value
# that mean is different from 0
percpval(Tstat,theta=0)
# 95% percentile interval
percci(Tstat)
# compare to t-test
t.test(y)

# to show that the functions are close to compatible
# set confidence level to 1-pvalue
pval<-percpval(Tstat,theta=0)
confLevel<- 1-pval
pval
# then lower limit should be close to 0
percci(Tstat, conf.level=confLevel)
```

plot.oceCoxph

Plot oceNPMLE object.

Description

Plot oceNPMLE object.

Usage

```
## S3 method for class 'oceCoxph'
plot(
  x,
  linesonly = FALSE,
  xlab = "Ordering Score",
  ylab = "Proportion with a larger ordering score",
  col = c("red", "blue"),
  ...
)
```

Arguments

x	oceCoxph object (see oceCoxph).
linesonly	logical, add lines to an existing plot?
xlab	x label
ylab	y label
col	color vector, col[1] for group=0 and col[2] for group=1.
...	Extra arguments (e.g., lwd=3) added to both lines functions.

Value

The function invisibly (see [invisible](#)) returns a list with 4 elements: (time0, surv0, time1, and surv1)

See Also

Example in [plot.oceNPML](#) shows adding lines from the coxph output to an existing plot.

Examples

```
# need to first run oceFormat and oceCoxph
data(simScenario5)
dataFmt<-oceFormat(data=simScenario5, oceTime=c("T1","T2","T3"),
  oceStatus=c("I1","I2","I3"), group=c("Z"),
  oceNames = c("Death","Stroke/MI","Bleed"))
coxOutput<- oceCoxph(dataFmt)
plot(coxOutput, xlab="Custom x label")
```

plot.oceNPMLE	<i>Plot oceNPMLE object.</i>
---------------	------------------------------

Description

Plot oceNPMLE object.

Usage

```
## S3 method for class 'oceNPMLE'
plot(
  x,
  xlab = "Ordering Score",
  ylab = "Proportion with a larger ordering score",
  ylim = c(0, 1),
  col = c("red", "blue"),
  mark.time = TRUE,
  ...
)
```

Arguments

<code>x</code>	oceNPMLE object (see oceNPMLE).
<code>xlab</code>	x label
<code>ylab</code>	y label
<code>ylim</code>	limits for the y axis, defaults to c(0,1)
<code>col</code>	color vector, col[1] for group=0 and col[2] for group=1.
<code>mark.time</code>	logical, should censored values be plotted?
<code>...</code>	Extra arguments (e.g., <code>lwd=2</code>) added to lines functions.

Value

No return value, called for side effects.

Examples

```
data(simScenario5)
dataFmt<-oceFormat(data=simScenario5, oceTime=c("T1","T2","T3"),
  oceStatus=c("I1","I2","I3"), group=c("Z"),
  oceNames = c("Death","Stroke/MI","Bleed"))
npmleOutput<- oceNPMLE(dataFmt)
plot(npmleOutput, xlab="Custom x label", mark.time=FALSE, lwd=2)
# can add lines from coxph output
coxOutput<- oceCoxph(dataFmt)
plot(coxOutput, linesonly=TRUE, col=c("orange","purple"),lwd=2)
legend("bottomleft",
```

```
legend=c("grp=0, NPML", "grp=1, NPML", "grp=0, coxph", "grp=1, coxph"),  
col=c("red", "blue", "orange", "purple"), lty=c(1,1,1,1), lwd=2)
```

simScenario5

Simulated data from simulation scenario 5

Description

Simulated data in the supplement to Follmann, et al (2020). T1,T2, and T3 are the time to the first event for three different types of events (e.g., Death, Stroke/MI, Bleed). I1,I2, and I3 are the associated status variables (0=censored, 1=event). Other variables are PATID (patient ID) and Z (0=control arm, 1=treatment arm).

Usage

```
data(simScenario5)
```

Format

A data frame with 400 obs. and 8 variables.

References

Follmann, D., Fay, M. P., Hamasaki, T., and Evans, S. (2020). Analysis of ordered composite endpoints. *Statistics in Medicine*, 39(5), 602-616.

Index

* datasets

simScenario5, 13

coxph, 2, 8

coxph2WR, 2

invisible, 11

oceCens, 3

oceCens-package (oceCens), 3

oceCoxph, 3, 6–8, 11

oceFormat, 3, 4, 6

oceNPML, 6, 8, 12

oceSimple, 6

oceTest, 3, 4, 6, 7

percci, 8, 9

percpval (percci), 9

plot.oceCoxph, 4, 8, 10

plot.oceNPML, 6, 8, 11, 12

simScenario5, 13