

Package: qgarch (via r-universe)

May 7, 2026

Type Package

Title Quadratic GARCH-in-Mean Models for Volatility Feedback

Version 0.1.0

Description Fits quadratic generalized autoregressive conditional heteroskedasticity-in-mean (QGARCH-M) models motivated by Campbell and Hentschel (1992). The package supports models with lambda fixed at zero, lambda restricted to a function of the remaining parameters, lambda estimated freely, and a threshold extension with state-dependent lambda. It also provides tools for starting values, estimation, forecasting, likelihood-ratio testing, moment diagnostics, and replication with the included monthly U.S. stock market dataset.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 4.1.0)

Imports MASS

Suggests testthat (>= 3.0.0)

LazyData true

URL <https://github.com/sho-125/qgarch>

BugReports <https://github.com/sho-125/qgarch/issues>

Config/testthat/edition 3

Config/roxygen2/version 8.0.0

NeedsCompilation no

Author Jędrzej Białkowski [aut], Sanghyun Hong [aut, cre], Moritz Wagner [aut]

Maintainer Sanghyun Hong <sanghyun.hong@canterbury.ac.nz>

Repository <https://cran.r-universe.dev>

Date/Publication 2026-05-07 19:07:53 UTC

RemoteUrl <https://github.com/cran/qgarch>

RemoteRef HEAD

RemoteSha 2f71cda3afb801e6580c8e2b6c6cfd497057c029

Contents

coef.qgarch	2
fitted.qgarch	3
logLik.qgarch	3
plot.qgarch	4
predict.qgarch	4
print.qgarch	5
print.summary.qgarch	5
qgarch_default_starts	6
qgarch_fit	6
qgarch_lr_test	8
qgarch_moments	8
residuals.qgarch	9
summary.qgarch	9
us_monthly	10
vcov.qgarch	10
Index	12

coef.qgarch	<i>Extract coefficients from a qgarch model</i>
-------------	---

Description

Extract coefficients from a qgarch model

Usage

```
## S3 method for class 'qgarch'
coef(object, ...)
```

Arguments

object	A fitted qgarch object.
...	Additional arguments. Supports type = "estimated" or type = "full".

Value

A named numeric vector of coefficients.

fitted.qgarch	<i>Fitted values from a qgarch model</i>
---------------	--

Description

Fitted values from a qgarch model

Usage

```
## S3 method for class 'qgarch'  
fitted(object, ...)
```

Arguments

object	A fitted qgarch object.
...	Unused.

Value

A numeric vector of fitted values.

logLik.qgarch	<i>Log-likelihood for a qgarch model</i>
---------------	--

Description

Log-likelihood for a qgarch model

Usage

```
## S3 method for class 'qgarch'  
logLik(object, ...)
```

Arguments

object	A fitted qgarch object.
...	Unused.

Value

An object of class "logLik".

plot.qgarch	<i>Plot a qgarch model</i>
-------------	----------------------------

Description

Plot a qgarch model

Usage

```
## S3 method for class 'qgarch'
plot(x, which = c("sigma2", "standardized"), ...)
```

Arguments

x	A fitted qgarch object.
which	Which plot to show: "sigma2" or "standardized".
...	Additional graphical arguments passed to graphics::plot() .

Value

The input object, invisibly.

predict.qgarch	<i>Forecast from a generalized qgarch(m, n) model</i>
----------------	---

Description

Forecast from a generalized qgarch(m, n) model

Usage

```
## S3 method for class 'qgarch'
predict(object, n.ahead = 1L, ...)
```

Arguments

object	A fitted qgarch object.
n.ahead	Number of periods ahead to forecast.
...	Unused.

Value

A data frame with forecast horizon, conditional mean, conditional variance, and conditional standard deviation.

print.qgarch	<i>Print a qgarch model</i>
--------------	-----------------------------

Description

Print a qgarch model

Usage

```
## S3 method for class 'qgarch'  
print(x, digits = max(3L, getOption("digits") - 2L), ...)
```

Arguments

x	A fitted qgarch object.
digits	Number of digits to print.
...	Unused.

Value

The input object, invisibly.

print.summary.qgarch	<i>Print a qgarch summary</i>
----------------------	-------------------------------

Description

Print a qgarch summary

Usage

```
## S3 method for class 'summary.qgarch'  
print(x, digits = max(3L, getOption("digits") - 2L), ...)
```

Arguments

x	An object of class "summary.qgarch".
digits	Number of digits to print.
...	Unused.

Value

The input object, invisibly.

qgarch_default_starts *Default starting values for qgarch estimation*

Description

Creates a compact but order-adaptive set of starting values for the selected qgarch model.

Usage

```
qgarch_default_starts(
  x,
  model = c("zero", "restricted", "free", "threshold"),
  arch_order = 1L,
  garch_order = 1L
)
```

Arguments

x	A numeric vector or one-column data frame containing the observed series.
model	Character string specifying the model variant. Must be one of "zero", "restricted", "free", or "threshold".
arch_order	Positive integer giving the ARCH lag order.
garch_order	Positive integer giving the GARCH lag order.

Value

A list of named numeric vectors containing candidate starting values.

qgarch_fit *Fit generalized qgarch(m, n) models*

Description

Fits QGARCH-in-mean models using nonlinear minimization of the negative log-likelihood. Four variants are supported: a zero-lambda model, a restricted-lambda model, a free-lambda model, and a threshold model with state-dependent lambda.

Usage

```
qgarch_fit(
  x,
  model = c("zero", "restricted", "free", "threshold"),
  arch_order = 1L,
  garch_order = 1L,
  threshold_indicator = NULL,
```

```

start = NULL,
rho = 1,
steptol = 1e-10,
tysize = 0.1,
iterlim = 300L,
print.level = 0,
hessian = TRUE,
vcov_type = c("auto", "sandwich", "hessian", "opg", "none")
)

```

Arguments

x	A numeric vector or one-column data frame containing the observed series. The series must contain only finite, non-missing values.
model	Character string specifying the model variant. Must be one of "zero", "restricted", "free", or "threshold".
arch_order	Positive integer giving the ARCH lag order m.
garch_order	Positive integer giving the GARCH lag order n.
threshold_indicator	Optional threshold indicator used only when model = "threshold". Must have the same length as x. Nonzero values are converted to 1 and zero values to 0.
start	Optional starting values. May be NULL, a numeric vector, or a list of numeric vectors.
rho	Scalar used in the restricted-lambda mapping.
steptol	Step tolerance passed to <code>stats::nlm()</code> .
tysize	Typical size passed to <code>stats::nlm()</code> . A single value is repeated to the appropriate length.
iterlim	Maximum number of iterations passed to <code>stats::nlm()</code> .
print.level	Print level passed to <code>stats::nlm()</code> .
hessian	Logical; should the Hessian be returned by <code>stats::nlm()</code> ?
vcov_type	Character string controlling standard-error estimation. One of "auto", "sandwich", "hessian", "opg", or "none". In "auto" mode, Hessian-based standard errors are tried first.

Value

An object of class "qgarch".

qgarch_lr_test	<i>Likelihood ratio test for nested qgarch models</i>
----------------	---

Description

Compares two fitted qgarch models using the likelihood ratio test.

Usage

```
qgarch_lr_test(restricted, unrestricted, df = NULL)
```

Arguments

restricted	A fitted qgarch object representing the restricted model.
unrestricted	A fitted qgarch object representing the unrestricted model.
df	Degrees of freedom for the test. If NULL, it is computed as the difference in the number of estimated coefficients.

Value

A data frame with the likelihood ratio statistic, degrees of freedom, p-value, and the model names. The returned object has class `c("qgarch_lr_test", "data.frame")`.

qgarch_moments	<i>Compute sample moments for a series</i>
----------------	--

Description

Computes the sample mean, variance, skewness, and excess kurtosis for a numeric series, along with simple standard errors.

Usage

```
qgarch_moments(x, scale_mean_variance = 1)
```

Arguments

x	A numeric vector or a one-column data frame containing the series.
scale_mean_variance	A finite scalar used to rescale the reported mean and variance and their standard errors.

Value

A list with elements:

estimate Named numeric vector of moment estimates.

std_error Named numeric vector of standard errors.

n Number of usable observations.

The returned object has class "qgarch_moments".

residuals.qgarch	<i>Residuals from a qgarch model</i>
------------------	--------------------------------------

Description

Residuals from a qgarch model

Usage

```
## S3 method for class 'qgarch'
residuals(object, type = c("raw", "standardized", "eta"), ...)
```

Arguments

object	A fitted qgarch object.
type	Type of residuals to return: "raw", "standardized", or "eta".
...	Unused.

Value

A numeric vector of residuals.

summary.qgarch	<i>Summarize a qgarch model</i>
----------------	---------------------------------

Description

Summarize a qgarch model

Usage

```
## S3 method for class 'qgarch'
summary(object, ...)
```

Arguments

object A fitted qgarch object.
 ... Unused.

Value

An object of class "summary.qgarch".

us_monthly	<i>Monthly U.S. data</i>
------------	--------------------------

Description

Monthly data used in examples and tests for the qgarch package.

Usage

```
us_monthly
```

Format

A data frame with monthly observations and 3 variables:

YearMon Month of the observation.

Mktrf Market excess return.

ER Excess return series.

Source

Prepared by the package author.

vcov.qgarch	<i>Variance-covariance matrix for a qgarch model</i>
-------------	--

Description

Variance-covariance matrix for a qgarch model

Usage

```
## S3 method for class 'qgarch'
vcov(object, ...)
```

vcov.qgarch

11

Arguments

object	A fitted qgarch object.
...	Unused.

Value

A variance-covariance matrix.

Index

- * **datasets**
 - us_monthly, 10
- coef.qgarch, 2
- fitted.qgarch, 3
- graphics::plot(), 4
- logLik.qgarch, 3
- plot.qgarch, 4
- predict.qgarch, 4
- print.qgarch, 5
- print.summary.qgarch, 5
- qgarch_default_starts, 6
- qgarch_fit, 6
- qgarch_lr_test, 8
- qgarch_moments, 8
- residuals.qgarch, 9
- stats::nlm(), 7
- summary.qgarch, 9
- us_monthly, 10
- vcov.qgarch, 10