

Package: sdpdth (via r-universe)

October 14, 2024

Type Package

Title M-Estimator for Threshold Spatial Dynamic Panel Data Model

Version 0.2

Author Junyue Wu

Maintainer Junyue Wu <wu.junyue.p1@dc.tohoku.ac.jp>

Description M-estimator for threshold and non-threshold spatial dynamic panel data model. Yang, Z (2018) <[doi:10.1016/j.jeconom.2017.08.019](https://doi.org/10.1016/j.jeconom.2017.08.019)>. Wu, J., Matsuda, Y (2021) <[doi:10.1007/s43071-021-00008-1](https://doi.org/10.1007/s43071-021-00008-1)>.

License MIT + file LICENSE

Imports Rcpp (>= 1.0.5), rCMA, matrixcalc, rJava, Matrix

LinkingTo Rcpp, RcppArmadillo

LazyData true

Encoding UTF-8

RoxygenNote 7.1.1

Depends R (>= 2.10)

NeedsCompilation yes

Repository CRAN

Date/Publication 2021-03-22 15:20:02 UTC

Contents

sdpdth-package	2
data_n	2
data_nw	2
data_th	3
data_w	3
msdpd	3
msdpdth	6
print.msdpd	8
print.msdpdth	9
wald_test	9

Index**11**

sdpdth-package	<i>sdpdth</i>
----------------	---------------

Description

M-estimator for threshold and non-threshold spatial dynamic panel data model.

Author(s)

Junyue Wu <wu.junyue.p1@dc.tohoku.ac.jp>

data_n	<i>A simulated data set for testing</i>
--------	---

Description

A simulated data set for testing

Usage

data_n

Format

An object of class `list` of length 4.

data_nw	<i>A simulated data set for testing</i>
---------	---

Description

A simulated data set for testing

Usage

data_nw

Format

An object of class `matrix` with 12 rows and 12 columns.

data_th	<i>A simulated data set for testing</i>
---------	---

Description

A simulated data set for testing

Usage

data_th

Format

An object of class `list` of length 8.

data_w	<i>A simulated data set for testing</i>
--------	---

Description

A simulated data set for testing

Usage

data_w

Format

An object of class `matrix` with 16 rows and 16 columns.

msdpd	<i>M-estimator for spatial dynamic panel data model</i>
-------	---

Description

Estimating the spatial dynamic panel data model with M-estimator

Usage

```

msdpd(
  y,
  x,
  w1,
  correction = TRUE,
  hessian_er = FALSE,
  true_range = FALSE,
  max_try = 5,
  w2 = w1,
  w3 = w1,
  no_tf = FALSE,
  model = "full",
  rcpp = TRUE,
  cma_pop_multi = 1
)

```

Arguments

<code>y</code>	matrix, containing regional index (first column), time index (second column, numeric) and dependent variable (third column, numeric).
<code>x</code>	matrix, containing regional index (first column), time index (second column, numeric) and regressors (numeric).
<code>w1</code>	matrix, the spatial weight matrix. If <code>w2</code> and <code>w3</code> are supplied, the spatial weight matrix for spatial lag.
<code>correction</code>	logical, whether to use adjusted score function. Default value is TRUE.
<code>hessian_er</code>	logical, whether to output hessian based se. Ignored if <code>correction</code> is set to False. Default value is FALSE.
<code>true_range</code>	logical, whether to used the accurate stationary check. Default value is FALSE due to performance reasons.
<code>max_try</code>	integer, maximum attempt for the solver. Default value is 5.
<code>w2</code>	matrix, the spatial weight matrix for spatio-temporal lag. Default value is the same as <code>w1</code> .
<code>w3</code>	matrix, the spatial weight matrix for spatial error. Default value is the same as <code>w1</code> .
<code>no_tf</code>	logical, whether to account for time effect. Default value is TRUE.
<code>model</code>	character, indicates the model used for estimation, can be "full", "slm", "sem", "stl". See Details.
<code>rcpp</code>	logical, whether to use the rcpp implementation to calculate the score function. Default value is TRUE.
<code>cma_pop_multi</code>	integer, multiplier for the population size used in CMA-ES. Default value is 1.

Details

Estimating the spatial dynamic panel data model with Yang(2018)'s M-estimator

$$y_{ti} = \mu_i + \alpha_t + x_{ti}\beta + \rho y_{t-1,i} + \lambda_1 \sum_{j=1}^n w_{1,ij} y_{tj} + \lambda_2 \sum_{j=1}^n w_{2,ij} y_{t-1,j} + u_{ti}, u_{ti} = \lambda_3 \sum_{j=1}^n w_{3,ij} u_{tj} + v_{ti}, i = 1, \dots, n, t = 1, \dots,$$

The minimum number of time-periods is 4. Make sure the rows and columns of w1, w2, and w3 are lined up with the regional index. Sub-models can be specified by argument "model"

- "full" Full model
- "slm" $\lambda_2 = \lambda_3 = 0$
- "sem" $\lambda_1 = \lambda_2 = 0$
- "stl" $\lambda_3 = 0$

Some suggestions when the optimizer fails:

- Increase max_try
- Increase cma_pop_multi
- try a different submodel

Value

A list of estimation results of S3 class "msdpd"

- "coefficient" list, coefficients and standard errors
- "model" character, model used for estimation
- "vc_mat" matrix, variance-covariance matrix
- "hessian" matrix, optional, hessian matrix

References

Yang, Z. (2018). Unified M-estimation of fixed-effects spatial dynamic models with short panels. *Journal of Econometrics*, 205(2), 423-447.

Examples

```
data(data_n, data_nw)
result <- msdpd(y = data_n$y, x = data_n$x, w1 = data_nw)
```

msdpdth

M-estimator for threshold spatial dynamic panel data model

Description

Estimating threshold spatial dynamic panel data model with M-estimator

Usage

```
msdpdth(
  y,
  x,
  w1,
  th,
  correction = TRUE,
  max_try = 5,
  all_er = FALSE,
  true_range = FALSE,
  residual = FALSE,
  w3 = w1,
  w2 = w1,
  no_tf = FALSE,
  model = "full",
  th_type = "row",
  ini_val = NULL,
  rcpp = TRUE,
  cma_pop_multi = 1
)
```

Arguments

y	matrix, containing regional index (first column), time index (second column) and dependent variable (third column).
x	matrix, containing regional index (first column), time index (second column) and regressors.
w1	matrix, the spatial weight matrix. If w2 and w3 are supplied, the spatial weight matrix for spatial lag.
th	data.frame, containing regional index (first column, numeric) and grouping indicator(second column, logical). The number of rows should be the same as the number of regions.
correction	logical, whether to use adjusted score function. Default value is TRUE.
max_try	integer, maximum attempt for the solver. Default value is 5.
all_er	logical, whether to output Hessian and Gamma matrix based se. Ignored if correction is set to FALSE. Default value is FALSE.

<code>true_range</code>	logical, whether to use the accurate stationary check. Default value is FALSE due to performance reasons.
<code>residual</code>	logical, whether to output the residual. Default value is FALSE.
<code>w3</code>	matrix, the spatial weight matrix for spatial error. Default value is the same as <code>w1</code> .
<code>w2</code>	matrix, the spatial weight matrix for spatio-temporal lag. Default value is the same as <code>w1</code> .
<code>no_tf</code>	logical, whether to account for time effect. Default value is TRUE.
<code>model</code>	character, indicates the model used for estimation, can be "full", "slm", "sem", "stl". See Details.
<code>th_type</code>	character, "row" or "col". Indicates whether the threshold is applied to the columns or the rows of the weight matrix. Default value is "row".
<code>ini_val</code>	vector <code>msdpd</code> object. A length 4 vector of the initial values of <code>lambda1</code> , <code>lambda2</code> , <code>lambda3</code> , <code>rho</code> or an <code>msdpd</code> object that contain the non-threshold estimation result. If unsupplied <code>msdpd()</code> will be called.
<code>rcpp</code>	logical, whether to use the <code>rcpp</code> implementation to calculate the score function. Default value is TRUE.
<code>cma_pop_multi</code>	integer, multiplier for the population size used in CMA-ES. Default value is 1.

Details

Estimating threshold spatial dynamic panel data model with extended Yang(2018)'s M-estimator

$$y_{ti} = \mu_i + \alpha_t + x_{ti}\beta_q + \rho_q y_{t-1,i} + \lambda_{1q} \sum_{j=1}^n w_{1,ij} y_{tj} + \lambda_{2q} \sum_{j=1}^n w_{2,ij} y_{t-1,i} + u_{ti}, u_{ti} = \lambda_{3q} \sum_{j=1}^n w_{3,ij} u_{tj} + v_{ti}, i = 1, \dots, n, t$$

The minimum number of time-periods is 4. Make sure the rows and columns of `w1`, `w2`, and `w3` are lined up with the regional index. Sub-models can be specified by argument "model"

- "full" Full model
- "slm" $\lambda_{2q} = \lambda_{3q} = 0$
- "sem" $\lambda_{1q} = \lambda_{2q} = 0$
- "stl" $\lambda_{3q} = 0$

Some suggestions when the optimizer fails:

- Increase `max_try`
- Increase `cma_pop_multi`
- try a different submodel

Value

A list of estimation results of S3 class "msdpdth"

- "coefficient" list, coefficients and standard errors
- "model" character, model used for estimation

- "vc_mat" matrix, variance-covariance matrix
- "hes_mat" matrix, optional, Hessian matrix
- "gamma_mat" matrix, optional, Gamma matrix
- "residual" numeric, optional, residuals

References

Wu, J and Matsuda, Y. (2021). A threshold extension of spatial dynamic panel model with fixed effects. *Journal of Spatial Econometrics* 2,3

Examples

```
data(data_th, data_w)
result <- msdpdth(y = data_th$y, x = data_th$x, w1 = data_w, th = data_th$th)
```

print.msdpd

Print method for msdpd class

Description

Print method for msdpd class

Usage

```
## S3 method for class 'msdpd'
print(x, ...)
```

Arguments

x	msdpd class
...	other parameters

Details

Print method for msdpd class

Value

A data.frame containing the coefficients and the corresponding standard error.

Examples

```
data(data_n, data_nw)
result <- msdpd(y = data_n$y, x = data_n$x, w1 = data_nw)
result
```

print.msdpdth	<i>Print method for msdpdth class</i>
---------------	---------------------------------------

Description

Print method for msdpdth class

Usage

```
## S3 method for class 'msdpdth'
print(x, ...)
```

Arguments

x	msdpdth class
...	other parameters

Details

Print method for msdpdth class

Value

A data.frame containing the coefficients and the corresponding standard error.

Examples

```
data(data_th, data_w)
result <- msdpdth(y = data_th$y, x = data_th$x, w1 = data_w, th = data_th$th)
result
```

wald_test	<i>Wald test for threshold spatial dynamic panel data model</i>
-----------	---

Description

Wald test for threshold spatial dynamic panel data model

Usage

```
wald_test(th_res)
```

Arguments

th_res	msdpdth class, generated by function msdpdth()
--------	--

Details

Two sided Wald test for testing whether two estimated parameters for each group are equal

- "h_0" $\theta_1 = \theta_2$
- "h_1" $\theta_1 \neq \theta_2$

Value

A list of p-values for each parameter.

Examples

```
data(data_th, data_w)
result <- msdpdth(y = data_th$y, x = data_th$x, w1 = data_w, th = data_th$th)
wald_test(result)
```

Index

* **datasets**

- data_n, [2](#)
- data_nw, [2](#)
- data_th, [3](#)
- data_w, [3](#)

* **models**

- sdpdth-package, [2](#)

- data_n, [2](#)
- data_nw, [2](#)
- data_th, [3](#)
- data_w, [3](#)

- msdpd, [3](#)
- msdpdth, [6](#)

- print.msdpd, [8](#)
- print.msdpdth, [9](#)

- sdpdth-package, [2](#)

- wald_test, [9](#)