Package: sparseLTSEigen (via r-universe)

November 2, 2026

Type Package

Title RcppEigen back end for sparse least trimmed squares regression

Version 0.2.0.1

Date 2013-11-13

Depends robustHD (>= 0.4.0)

Imports Rcpp (>= 0.9.10), RcppEigen (>= 0.2.0)

Suggests mvtnorm

LinkingTo Rcpp, RcppEigen

Description Use RcppEigen to fit least trimmed squares regression models with an L1 penalty in order to obtain sparse models.

License GPL (>= 2)

LazyLoad yes

Author Andreas Alfons [aut, cre]

Maintainer Andreas Alfons <alfons@ese.eur.nl>

NeedsCompilation yes

Repository https://cran.r-universe.dev

Date/Publication 2020-10-14 15:34:51 UTC

RemoteUrl https://github.com/cran/sparseLTSEigen

RemoteRef HEAD

RemoteSha e14ed92d2502bb77b90908e9f479a95d8da39574

Contents

sparseLTSEigen-package 2

Index **4**

`sparseLTSEigen-package` *RcppEigen back end for sparse least trimmed squares regression*

Description

Use RcppEigen to fit least trimmed squares regression models with an L1 penalty in order to obtain sparse models.

Details

Package:	sparseLTSEigen
Type:	Package
Version:	0.2.0
Date:	2013-11-13
Depends:	robustHD (>= 0.4.0)
Imports:	Rcpp (>= 0.9.10), RcppEigen (>= 0.2.0)
Suggests:	mvtnorm
LinkingTo:	Rcpp, RcppEigen
License:	GPL (>= 2)
LazyLoad:	yes

Index:

`sparseLTSEigen-package` `RcppEigen back end for sparse least trimmed squares regression`

Note

Package **sparseLTSEigen** provides an alternative back end for sparse least trimmed squares regression from package **robustHD**. The back end built into **robustHD** uses the C++ library Armadillo, whereas this back end uses the C++ library Eigen. The latter is faster, but currently does not work on 32-bit R for Windows.

When **sparseLTSEigen** is loaded, its back end is used automatically for sparse least trimmed squares regression, except on 32-bit R for Windows.

Author(s)

Andreas Alfons [aut, cre]

Maintainer: Andreas Alfons <alfons@ese.eur.nl>

Examples

```
# example is not high-dimensional to keep computation time low
library("mvtnorm")
set.seed(1234)  # for reproducibility
n <- 100  # number of observations
p <- 25   # number of variables
beta <- rep.int(c(1, 0), c(5, p-5))  # coefficients
sigma <- 0.5      # controls signal-to-noise ratio
epsilon <- 0.1    # contamination level
Sigma <- 0.5^t(sapply(1:p, function(i, j) abs(i-j), 1:p))
x <- rmvnorm(n, sigma=Sigma)    # predictor matrix
e <- rnorm(n)                   # error terms
i <- 1:ceiling(epsilon*n)       # observations to be contaminated
e[i] <- e[i] + 5                # vertical outliers
y <- c(x %*% beta + sigma * e)  # response
x[i,] <- x[i,] + 5              # bad leverage points

## fit sparse LTS model
# since package sparseLTSEigen is loaded, its back end based on
# the C++ library Eigen is used rather than the back end built
# into package robustHD, except on 32-bit R for Windows
fit <- sparseLTS(x, y, lambda = 0.05, mode = "fraction")
coef(fit, zeros = FALSE)
```

Index

∗ **package**
    sparseLTSEigen-package, 2
.CallSparseLTSEigen
        *(*sparseLTSEigen-package*)*, 2

sparseLTSEigen
        *(*sparseLTSEigen-package*)*, 2
sparseLTSEigen-package, 2