

Package: stpphawkes (via r-universe)

October 25, 2024

Type Package

Title Missing Data for Marked Hawkes Process

Version 0.2.1

Date 2023-08-13

Description Estimation of model parameters for marked Hawkes process.
Accounts for missing data in the estimation of the parameters.
Technical details found in (Tucker et al., 2019
<[DOI:10.1016/j.spasta.2018.12.004](https://doi.org/10.1016/j.spasta.2018.12.004)>).

Imports interp, extraDistr, Rcpp

License MIT + file LICENSE

Encoding UTF-8

SystemRequirements GNU GSL

NeedsCompilation yes

LinkingTo Rcpp, RcppArmadillo, RcppProgress, RcppGSL

RoxygenNote 7.2.3

Author J. Derek Tucker [aut, cre], Lyndsay Shand [aut], Stephen Rowe
[aut], John Lewis [aut]

Maintainer J. Derek Tucker <jdtuck@sandia.gov>

Repository CRAN

Date/Publication 2023-08-15 17:10:02 UTC

Contents

areapl	2
homog.STPP	2
intensity_temporal	3
mcmc_stpp	4
mcmc_stpp_nonunif	5
mcmc_temporal	6
mcmc_temporal_catmark	7
mcmc_temporal_contmark	8

pip	9
ptinpoly	9
simulate_hawkes_stpp	10
simulate_hawkes_stpp_nonunif	11
simulate_temporal	11
stpp.mle	12
stpp.mle.nonunif	12
stpphawkes	13
temporal.catmark.mle	13
temporal.mle	14

Index	15
--------------	-----------

areapl	<i>Calculate area of polynomial</i>
--------	-------------------------------------

Description

Calculate area of polynomial

Usage

areapl(poly)

Arguments

poly - matrix describing polynomial

Value

W - area of polynomial

homog.STPP	<i>Simulate a homogenous space-time Poisson process</i>
------------	---

Description

This function simulates a homogenous space-time Poisson process on W , defined by polygon

Usage

```

homog.STPP(
  mu,
  poly,
  t.region,
  xfrac = 0.1,
  yfrac = 0.1,
  remove = FALSE,
  checkpoly = TRUE,
  showplot = FALSE
)

```

Arguments

mu	- background parameter
poly	- matrix defining polygon ($N \times 2$)
t.region	- vector of two elements describing time span
xfrac	- x fractional increase of polygon to handle boundary effects (default = .1)
yfrac	- y fractional increase (default = .1)
remove	- remove points outside polygon (default = FALSE)
checkpoly	- check if polygon is proper (default = TRUE)
showplot	- plot points (default = FALSE)

Value

A DataFrame containing x, y, t

Examples

```
out = homog.STPP(0.5, matrix(c(0,0,1,1,0,1,1,0), ncol=2), c(0,10))
```

intensity_temporal *Calculate intensity function for temporal Hawkes*

Description

Calculate intensity function for temporal Hawkes

Usage

```
intensity_temporal(mu, alpha, beta, times, evalpt)
```

Arguments

mu	- background parameter
alpha	- alpha parameter
beta	- beta parameter
times	- history of previous times
evalpt	- point to evaluate

Value

lambda - intensity at evalpt

mcmc_stpp

Bayesian Estimation of Spatio-Temporal Hawkes Model Parameters

Description

This function computes the posterior of a spatio-temporal exponential decay Hawkes model using Metropolis-with-in-Gibbs sampling.

Usage

```
mcmc_stpp(
  data,
  poly,
  t_max = max(data$t),
  t_mis = NULL,
  param_init = NULL,
  mcmc_param = NULL,
  branching = TRUE,
  print = TRUE,
  sp_clip = TRUE
)
```

Arguments

data	- A DataFrame containing x, y, t
poly	- matrix defining polygon ($N \times 2$)
t_max	- maximum time value (default = max(times))
t_mis	- vector of two elements describing missing time range (default = NULL)
param_init	- list of parameters of initial guess (default = NULL, will start with MLE)
mcmc_param	- list of mcmc parameters
branching	- using branching structure in estimation (default = TRUE)
print	- print progress (default = TRUE)
sp_clip	- when simulating missing data spatial points, clip spatial region back to observed region (default = TRUE)

Details

The default is to estimate the branching structure. The model will also account to missing data if `t_mis` is provided.

Value

A DataFrame containing the mcmc samples

mcmc_stpp_nonunif	<i>Bayesian Estimation of Spatio-Temporal Hawkes Model Parameters with non uniform spatial locations</i>
-------------------	--

Description

This function computes the posterior of a spatio-temporal exponential decay Hawkes model using Metropolis-with-in-Gibbs sampling.

Usage

```
mcmc_stpp_nonunif(
  data,
  poly,
  t_max = max(data$t),
  t_mis = NULL,
  param_init = NULL,
  mcmc_param = NULL,
  branching = TRUE,
  print = TRUE,
  sp_clip = TRUE
)
```

Arguments

<code>data</code>	- A DataFrame containing x, y, t
<code>poly</code>	- matrix defining polygon ($N \times 2$)
<code>t_max</code>	- maximum time value (default = <code>max(times)</code>)
<code>t_mis</code>	- vector of two elements describing missing time range (default = <code>NULL</code>)
<code>param_init</code>	- list of parameters of initial guess (default = <code>NULL</code> , will start with MLE)
<code>mcmc_param</code>	- list of mcmc parameters
<code>branching</code>	- using branching structure in estimation (default = <code>TRUE</code>)
<code>print</code>	- print progress (default = <code>TRUE</code>)
<code>sp_clip</code>	- when simulating missing data spatial points, clip spatial region back to observed region (default = <code>TRUE</code>)

Details

The default is to estimate the branching structure. The model will also account to missing data if `t_mis` is provided.

Value

A DataFrame containing the mcmc samples

mcmc_temporal	<i>Bayesian Estimation of Temporal Hawkes Model Parameters</i>
---------------	--

Description

This function computes the posterior of the parameters of a temporal exponential decay Hawkes model using Metropolis-with-in-Gibbs sampling.

Usage

```
mcmc_temporal(
  times,
  t_max = max(times),
  t_mis = NULL,
  param_init = NULL,
  mcmc_param = NULL,
  branching = TRUE,
  print = TRUE
)
```

Arguments

<code>times</code>	- vector of arrival times
<code>t_max</code>	- maximum time value (default = <code>max(times)</code>)
<code>t_mis</code>	- mx2 matrix, mth row contains two elements describing the mth missing time range (default = <code>NULL</code>)
<code>param_init</code>	- list of parameters of initial guess (default = <code>NULL</code> , will start with MLE)
<code>mcmc_param</code>	- list of mcmc parameters
<code>branching</code>	- using branching structure in estimation (default = <code>TRUE</code>)
<code>print</code>	- print progress (default = <code>TRUE</code>)

Details

The default is to estimate the branching structure which is much more computationally efficient. The model will also account to missing data if `t_mis` is provided.

Branching models specify gamma priors for mu, alpha and beta parameters.

Value

A DataFrame containing the mcmc samples

Examples

```
times = simulate_temporal(.5, .1, .5, c(0, 10), numeric())
out = mcmc_temporal(times)
```

mcmc_temporal_catmark *Bayesian Estimation of Temporal Hawkes Model Parameters with Categorical Marks*

Description

This function computes the posterior of the parameters of a temporal exponential decay Hawkes model using Metropolis-with-in-Gibbs sampling.

Usage

```
mcmc_temporal_catmark(  
  times,  
  marks,  
  t_max = max(times),  
  t_mis = NULL,  
  param_init = NULL,  
  mcmc_param = NULL,  
  branching = TRUE,  
  print = TRUE  
)
```

Arguments

times	- vector of arrival times
marks	- vector of marks
t_max	- maximum time value (default = max(times))
t_mis	- mx2 matrix, mth row contains two elements describing the mth missing time range (default = NULL)
param_init	- list of parameters of initial guess (default = NULL, will start with MLE)
mcmc_param	- list of mcmc parameters
branching	- using branching structure in estimation (default = TRUE)
print	- print progress (default = TRUE)

Details

The default is to estimate the branching structure which is much more computationally efficient. The model will also account to missing data if `t_mis` is provided.

Value

A DataFrame containing the mcmc samples

mcmc_temporal_contmark

Bayesian Estimation of Temporal Hawkes Model Parameters with Categorical Marks

Description

This function computes the posterior of the parameters of a temporal exponential decay Hawkes model using Metropolis-with-in-Gibbs sampling.

Usage

```
mcmc_temporal_contmark(
  times,
  marks,
  wshape,
  t_max = max(times),
  t_mis = NULL,
  param_init = NULL,
  mcmc_param = NULL,
  branching = TRUE,
  dist = "Weibull",
  print = TRUE
)
```

Arguments

<code>times</code>	- vector of arrival times
<code>marks</code>	- vector of continuous marks
<code>wshape</code>	- fixed weibull shape parameter
<code>t_max</code>	- maximum time value (default = <code>max(times)</code>)
<code>t_mis</code>	- mx2 matrix, mth row contains two elements describing the mth missing time range (default = <code>NULL</code>)
<code>param_init</code>	- list of parameters of initial guess (default = <code>NULL</code> , will start with MLE)
<code>mcmc_param</code>	- list of mcmc parameters
<code>branching</code>	- using branching structure in estimation (default = <code>TRUE</code>)
<code>dist</code>	- distribution for marks string (default = <code>"Weibull"</code>)
<code>print</code>	- print progress (default = <code>TRUE</code>)

Details

The default is to estimate the branching structure which is much more computationally efficient. The model will also account to missing data if `t_mis` is provided.

Value

A DataFrame containing the mcmc samples

pip	<i>Point in polygon</i>
-----	-------------------------

Description

Determines if a point is in a polygon or on a polygon boundary

Usage

```
pip(x, y, poly)
```

Arguments

x	- vector of x positions
y	- vector of y positions
poly	- matrix defining polygon ($N \times 2$)

Value

A list containing the x and y coordinates of the points inside the polygon @export

ptinpoly	<i>Calculate if points are in the polynomial</i>
----------	--

Description

Calculate if points are in the polynomial

Usage

```
ptinpoly(x, y, xp, yp, bb)
```

Arguments

x	- vector of x coordinates
y	- vector of y coordinates
xp	- vector of x coordinates of polynomial
yp	- vector of y coordinates of polynomial
bb	- matrix of bounding box of polynomial

Value

inout - vector of 1 if point is in polynomial and 0 if not

simulate_hawkes_stpp *Simulate homogenous spatio-temporal hawkes model*

Description

Simulate homogenous spatio-temporal hawkes model

Usage

```
simulate_hawkes_stpp(params, poly, t_region, d, history, seed = -1L)
```

Arguments

params	- list containing params (μ, a, b, σ)
poly	- matrix defining polygon ($N \times 2$)
t_region	- vector of two elements describing time region (e.g., c(0,10))
d	- generate parents on larger polygon by expanded observed polygon by d (default = R::qnorm(.95, 0, sig, 1, 0))
history	- history of process (e.g., numeric())
seed	- set random number seed (default=-1)

Value

A DataFrame containing x, y, t

simulate_hawkes_stpp_nonunif
Simulate inhomogenous spatio-temporal hawkes model

Description

Simulate inhomogenous spatio-temporal hawkes model

Usage

simulate_hawkes_stpp_nonunif(params, poly, t_region, d, history, seed = -1L)

Arguments

params	- list containing params ($\mu, a, b, \sigma, \mu_x, \mu_y, \sigma_x, \sigma_y$)
poly	- matrix defining polygon ($N \times 2$)
t_region	- vector of two elements describing time region (e.g., c(0,10))
d	- generate parents on larger polygon by expanded observed polygon by d (default = R::qnorm(.95, 0, sig, 1, 0))
history	- history of process (e.g., numeric())
seed	- set random number seed (default=-1)

Value

A DataFrame containing x, y, t

simulate_temporal *Simulates a temporal Hawkes process with an exponential correlation function*

Description

Simulates a temporal Hawkes process with an exponential correlation function

Usage

simulate_temporal(mu, alpha, beta, tt, times, seed = -1L)

Arguments

mu	- background parameter
alpha	- α parameter
beta	- β parameter
tt	- vector of two elements defining time span (e.g., c(0,10))
times	- history of previous times (e.g., numeric())
seed	- value to seed random number generation (default = -1)

Value

arrivals - vector of arrival times

Examples

```
times = simulate_temporal(.5,.1,.5,c(0,10),numeric())
```

stpp.mle

MLE Estimation of Spatio-Temporal Hawkes Model Parameters

Description

Maximum likelihood estimation of the parameters of a spatio-temporal exponential decay Hawkes model.

Usage

```
stpp.mle(data, poly, t_max = max(data$t), initval = NA, print = TRUE)
```

Arguments

data - A DataFrame containing x, y , and t
 poly - a matrix defining the polygon
 t_max - maximum time value (default = max(times))
 initval - vector of two elements describing missing time range (default = NA)
 print - print progress (default = TRUE)

Value

A list containing the parameter values and likelihood value

stpp.mle.nonunif

MLE Estimation of Nonuniform Spatio-Temporal Hawkes Model Parameters

Description

Maximum likelihood estimation of the parameters of a spatio-temporal exponential decay Hawkes model.

Usage

```
stpp.mle.nonunif(data, poly, t_max = max(data$t), initval = NA, print = TRUE)
```

Arguments

<code>data</code>	- A DataFrame containing x, y , and t
<code>poly</code>	- a matrix defining the polygon
<code>t_max</code>	- maximum time value (default = $\max(\text{times})$)
<code>initval</code>	- vector of two elements describing missing time range (default = NA)
<code>print</code>	- print progress (default = TRUE)

Value

A list containing the parameter values and likelihood value

<code>stpphawkes</code>	<i>Marked Hawkes Process with Missing Data</i>
-------------------------	--

Description

A library for estimation of spatio-temporal Hawkes process parameters with missing data support

References

J. D. Tucker, L. Shand, and J. R. Lewis, "Handling Missing Data in Self-Exciting Point Process Models," *Spatial Statistics*, vol. 29. pp. 160-176, 2019.

<code>temporal.catmark.mle</code>	<i>MLE Estimation of Temporal Hawkes Model Parameters with Categorical Marks</i>
-----------------------------------	--

Description

Maximum likelihood estimation of the parameters of a temporal exponential decay Hawkes model

Usage

```
temporal.catmark.mle(t, marks, t_max = max(t), initval = NA, print = TRUE)
```

Arguments

<code>t</code>	- vector of arrival times
<code>marks</code>	- vector of marks
<code>t_max</code>	- maximum time value (default = $\max(\text{times})$)
<code>initval</code>	- initial parameter values for likelihood optimization
<code>print</code>	- print progress (default = TRUE)

Value

A list containing the parameter values and likelihood value

`temporal.mle`*MLE Estimation of Temporal Hawkes Model Parameters*

Description

Maximum likelihood estimation of the parameters of a temporal exponential decay Hawkes model

Usage

```
temporal.mle(t, t_max = max(t), initval = NA, print = TRUE)
```

Arguments

<code>t</code>	- vector of arrival times
<code>t_max</code>	- maximum time value (default = <code>max(times)</code>)
<code>initval</code>	- vector of two elements describing missing time range (default = <code>NA</code>)
<code>print</code>	- print progress (default = <code>TRUE</code>)

Value

A list containing the parameter values and likelihood value

Index

[areapl](#), [2](#)

[homog.STPP](#), [2](#)

[intensity_temporal](#), [3](#)

[mcmc_stpp](#), [4](#)

[mcmc_stpp_nonunif](#), [5](#)

[mcmc_temporal](#), [6](#)

[mcmc_temporal_catmark](#), [7](#)

[mcmc_temporal_contmark](#), [8](#)

[pip](#), [9](#)

[ptinpoly](#), [9](#)

[simulate_hawkes_stpp](#), [10](#)

[simulate_hawkes_stpp_nonunif](#), [11](#)

[simulate_temporal](#), [11](#)

[stpp.mle](#), [12](#)

[stpp.mle.nonunif](#), [12](#)

[stpphawkes](#), [13](#)

[stpphawkes-package \(stpphawkes\)](#), [13](#)

[temporal.catmark.mle](#), [13](#)

[temporal.mle](#), [14](#)