

Package: tinytrail (via r-universe)

July 4, 2026

Title Lightweight Auto-Updating Project Tracker and Data Dictionary

Version 0.1.0

Description Once initialized, the package leaves a 'tiny trail' of human- and AI-readable text that makes it effortless to keep track of small to medium-sized projects. The package is lightweight (hence 'tiny') and maintains a YAML trail file recording which scripts produced which output files. Call `tinytrail()` once at the top of each script to record metadata, wrap any save call with `tinytrail_write()` to log the output path, and optionally use `tinytrail_dict()` to capture a data dictionary for each input data frame.

License MIT + file LICENSE

Depends R (>= 4.1.0)

Imports yaml

Encoding UTF-8

Language en-US

RoxygenNote 8.0.0

URL <https://github.com/tinytrail-r/tinytrail>,
<https://tinytrail-r.github.io/tinytrail/>

BugReports <https://github.com/tinytrail-r/tinytrail/issues>

Suggests arrow, data.table, ggplot2, haven, jsonlite, kableExtra, knitr, openxlsx, purrr, readr, rmarkdown, rstudioapi, testthat (>= 3.0.0), tynyttable, withr, writexl

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation no

Author Tomas Reivinger [aut, cre, cph]

Maintainer Tomas Reivinger <tomas.reivinger@gmail.com>

Repository <https://cran.r-universe.dev>

Date/Publication 2026-07-04 08:40:02 UTC

RemoteUrl <https://github.com/cran/tinytrail>

RemoteRef HEAD

RemoteSha e448e317350be36fd6c913fbdfb2d7b8f934df50

Contents

tinytrail	2
tinytrail_dict	3
tinytrail_write	5

Index	6
--------------	----------

tinytrail	<i>Register a script in the project trail</i>
-----------	---

Description

Call once near the top of every script. Creates or updates an entry in `_tinytrail.yaml` and sets the script name so that outputs can be recorded.

Usage

```
tinytrail(
  description,
  data_source = NULL,
  pin_to_top = FALSE,
  record_runtime = TRUE,
  name = NULL,
  auto = TRUE,
  extra_hooks = NULL
)
```

Arguments

<code>description</code>	Character. Description of what the script does.
<code>data_source</code>	Character. Optional. Enter the sources of data used in this script — name the dataset or survey, not a file path (e.g. "Current Population Survey (BLS)").
<code>pin_to_top</code>	Logical. Pin this script to the top of the trail. Useful for a <code>main.R</code> that sources other scripts — keeps it visible at the top of <code>_tinytrail.yaml</code> regardless of alphabetical order. Default FALSE.
<code>record_runtime</code>	Logical. Record elapsed time on exit. Default TRUE.
<code>name</code>	Character. Override the auto-detected script name. Intended for use in tests and non-standard execution environments where auto-detection is unavailable.
<code>auto</code>	Logical. Automatically intercept common write functions and record their output paths. Default TRUE. Set to FALSE to use explicit <code>tinytrail_write()</code> calls instead.

`extra_hooks` A list with elements `fn` and `arg` specifying additional write functions to intercept when `auto = TRUE`. `fn` is a character vector of function names ("my_save" for a script-level function, or "pkg: :fn" for a package function). `arg` is a character vector of the corresponding file-path argument names. Functions from packages that are not installed are silently skipped.

Details

By default (`auto = TRUE`) common write functions (`write.csv`, `saveRDS`, `readr::write_csv`, `ggplot2::ggsave`, etc.) are hooked automatically so their output file paths are captured without any `tinytrail_write()` wrapper. Set `auto = FALSE` to use explicit `tinytrail_write()` calls instead.

Value

name (the script name), invisibly. Called for its side effect of creating or updating the YAML trail file in the project root.

See Also

[tinytrail_write\(\)](#) to record output paths explicitly, [tinytrail_dict\(\)](#) to capture a data dictionary.

Examples

```
withr::with_tempdir({
  writeLines("Package: testproject\nVersion: 0.1.0", "DESCRIPTION")

  tinytrail(
    description = "Clean and summarise survey data",
    data_source = "Current Population Survey (BLS)",
    record_runtime = FALSE,
    name = "clean.R"
  )
  write.csv(mtcars, "clean.csv")
  png("age_dist.png"); hist(mtcars$mpg, main = "MPG"); dev.off()
})
```

tinytrail_dict	<i>Add a data frame to the project data dictionary</i>
----------------	--

Description

Place at the end of a read/clean pipeline to capture column names and optionally sample values. Returns the data frame unchanged.

Usage

```
tinytrail_dict(  
  df,  
  df_name = NULL,  
  sample_values = TRUE,  
  sample_string_length = 18L  
)
```

Arguments

<code>df</code>	A data frame.
<code>df_name</code>	Character. Label for this entry in the data dictionary. Defaults to the variable name of <code>df</code> as written in the calling code (e.g. <code>mtcars > tinytrail_dict()</code> records as "mtcars"). Override when the expression is not a simple name or when you need a custom label.
<code>sample_values</code>	Logical. Record 5 sample values per column. Default TRUE.
<code>sample_string_length</code>	Integer or Inf. Maximum characters per sample value before truncating with "...". Default 18L.

Details

Requires `tinytrail()` to have been called first in the same session.

Value

`df`, invisibly.

See Also

[tinytrail\(\)](#) to initialise the trail, [tinytrail_write\(\)](#) to record output paths explicitly.

Examples

```
withr::with_tempdir({  
  writeLines("Package: testproject\nVersion: 0.1.0", "DESCRIPTION")  
  
  tinytrail("Analyse data", name = "analysis.R", record_runtime = FALSE)  
  dat <- mtcars |> tinytrail_dict(df_name = "cars")  
})
```

tinytrail_write	<i>Record an output file path in the trail</i>
-----------------	--

Description

Wraps the file path argument of any save call. Registers the path under the current script's trail entry and returns the path unchanged, so it can be dropped inline into any save function.

Usage

```
tinytrail_write(file)
```

Arguments

file Character. Path to the output file.

Details

Requires `tinytrail()` to have been called first in the same session.

Value

file, invisibly.

See Also

[tinytrail\(\)](#) to initialise the trail, [tinytrail_dict\(\)](#) to capture a data dictionary.

Examples

```
withr::with_tempdir({
  writeLines("Package: testproject\nVersion: 0.1.0", "DESCRIPTION")

  tinytrail("Process raw data", name = "analysis.R", record_runtime = FALSE,
           auto = FALSE)
  write.csv(mtcars, tinytrail_write("clean.csv"))
  saveRDS(lm(mpg ~ wt, mtcars), tinytrail_write("model.rds"))
})
```

Index

tinytrail, 2
tinytrail(), 4, 5
tinytrail_dict, 3
tinytrail_dict(), 3, 5
tinytrail_write, 5
tinytrail_write(), 3, 4