

Package: usedthese (via r-universe)

September 25, 2024

Type Package
Title Summarises Package & Function Usage
Version 0.5.0
Description Consistent with 'knitr' syntax highlighting, 'usedthese' adds a summary table of package & function usage to a Quarto document and enables aggregation of usage across a website.
License MIT + file LICENSE
URL <https://cgo04.github.io/usedthese/>,
<https://github.com/cgo04/usedthese>
BugReports <https://github.com/cgo04/usedthese/issues>
Depends R (>= 4.1)
Imports cli, conflicted (>= 1.2.0), dplyr (>= 1.1.0), highr, httr, kableExtra, knitr, lifecycle, purrr, readr, rlang, rvest, stringr, tibble, tidyr (>= 1.3.0), tidyselect, withr
Suggests covr, rmarkdown, spelling, testthat (>= 3.0.0), tsibble, xts
VignetteBuilder knitr
Config/testthat/edition 3
Encoding UTF-8
Language en-GB
RoxygenNote 7.3.1
NeedsCompilation no
Author Carl Goodwin [aut, cre, cph]
Maintainer Carl Goodwin <carl.goodwin@quantumjitter.com>
Repository CRAN
Date/Publication 2024-06-26 17:30:02 UTC

Contents

used_here	2
used_there	3

used_here	<i>Summarise function usage in a single document</i>
-----------	--

Description

[Experimental]

Consistent with knitr syntax highlighting, `used_here()` adds a summary table of R package & function usage to a knitted Quarto or R Markdown document

Usage

```
used_here(fil = current_input())
```

Arguments

fil	<p>If the usage summary is required in the document you are currently knitting, then no argument need be specified.</p> <p>If you want to create a summary by running just the code chunk, then it is necessary to specify the quoted name of the saved file. You should first load and attach the packages used in a fresh R session.</p>
-----	--

Details

If the rendered summary includes rows where the package name is multiple packages separated by a comma, this will be due to an unresolved conflict. The recommended approach is to use the 'conflicted' package.

Value

A printed kable table with the css class "usedthese"

Examples

```
# Simple example which mimics a two-line script and creates
# an html table with a CSS class "usedthese"
usedthese::used_here("mean(c(1, 2, 3))\nsum(c(1, 2, 3))")
```

used_there*Scrape the summaries for site-wide analysis*

Description**[Experimental]**

Harvests and consolidates function usage tables from pages of a Quarto website by searching for tables with the CSS class "usedthese"

Usage

```
used_there(url, num_links = 30)
```

Arguments

url	The url to the website listing page of posts containing usage tables created with used_here()
num_links	The number of links returned from the listing page may be restricted using this argument.

Value

A tibble summarising package & function usage

Examples

```
# Uses a Quarto listing url to scrape & consolidate usage
used_there("https://www.quantumjitter.com/project/", 1)
```

Index

`augment_funs_loaded (used_here)`, [2](#)

`extract_highlighted_funs (used_here)`, [2](#)
`extract_usage (used_there)`, [3](#)

`get_funs_loaded (used_here)`, [2](#)
`get_links (used_there)`, [3](#)
`get_loaded_pkg_imports (used_here)`, [2](#)
`get_mode (used_here)`, [2](#)

`print_with_class (used_here)`, [2](#)

`summarise_funs_scouted (used_here)`, [2](#)
`summarise_funs_used (used_here)`, [2](#)

`used_here`, [2](#)
`used_here()`, [2](#), [3](#)
`used_there`, [3](#)