

# Package: vcvComp (via r-universe)

September 13, 2024

**Title** Comparison of Variance - Covariance Patterns

**Version** 1.0.2

**Date** 2020-12-16

**Description** Comparison of variance - covariance patterns using relative principal component analysis (relative eigenanalysis), as described in Le Maitre and Mitteroecker (2019) <[doi:10.1111/2041-210X.13253](https://doi.org/10.1111/2041-210X.13253)>. Also provides functions to compute group covariance matrices, distance matrices, and perform proportionality tests. A worked sample on the body shape of cichlid fishes is included, based on the dataset from Kerschbaumer et al. (2013) <[doi:10.5061/dryad.fc02f](https://doi.org/10.5061/dryad.fc02f)>.

**Depends** R (>= 3.6.0)

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**Suggests** knitr, rmarkdown, geomorph, scatterplot3d

**VignetteBuilder** knitr

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Anne Le Maitre [aut, cre]  
(<<https://orcid.org/0000-0003-2690-7367>>), Philipp Mitteroecker  
[aut]

**Maintainer** Anne Le Maitre <[anne.le.maitre@univie.ac.at](mailto:anne.le.maitre@univie.ac.at)>

**Repository** CRAN

**Date/Publication** 2020-12-17 09:00:02 UTC

## Contents

cov.B	2
cov.group	3
cov.W	4

eigen.test . . . . .	5
euclidean.dist . . . . .	6
mat.sq.dist . . . . .	7
minv . . . . .	8
pr.coord . . . . .	9
prop.vcv.test . . . . .	10
relative.eigen . . . . .	11
relGV.multi . . . . .	13
scaling.BW . . . . .	14
Tropheus . . . . .	15
Tropheus.IK.coord . . . . .	16

<b>Index</b>	<b>17</b>
--------------	-----------

---

cov.B	<i>Between-group covariance matrix</i>
-------	--

---

### Description

Computes the between-group covariance matrix. The effect of sexual dimorphism can be removed by using, for each group, the average of the mean of males and the mean of females.

### Usage

```
cov.B(X, groups, sex = NULL, center = FALSE, weighted = FALSE)
```

### Arguments

X	a data matrix with variables in columns and group names as row names
groups	a character / factor vector containing grouping variable
sex	NULL (default). A character / factor vector containing sex variable, to remove sexual dimorphism by averaging males and females in each group
center	either a logical value or a numeric vector of length equal to the number of columns of X
weighted	logical. Should the between-group covariance matrix be weighted?

### Value

The between-group covariance matrix

### See Also

[cov](#), [cov.wt](#)

**Examples**

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Between-group covariance matrix for all populations
B <- cov.B(proc.coord, groups = Tropheus.IK.coord$POP.ID)

# Between-group covariance matrix for all populations, pooled by sex
B.mf <- cov.B(proc.coord, groups = Tropheus.IK.coord$POP.ID, sex = Tropheus.IK.coord$Sex)
```

---

cov.group

*Group covariance matrices*


---

**Description**

Computes the covariance matrix of each group. The effect of sexual dimorphism can be removed by using, for each group, the average of the covariance matrix of males and the covariance matrix of females.

**Usage**

```
cov.group(X, groups, sex = NULL, use = "everything")
```

**Arguments**

X	a data matrix with variables in columns and group names as row names
groups	a character / factor vector containing grouping variable
sex	NULL (default). A character / factor vector containing sex variable, to remove sexual dimorphism by averaging males and females in each group
use	an optional character string giving a method for computing covariances in the presence of missing values. This must be (an abbreviation of) one of the strings "everything", "all.obs", "complete.obs", "na.or.complete", or "pairwise.complete.obs".

**Value**

A (p x p x m) array of covariance matrices, where p is the number of variables and m the number of groups.

**See Also**

[cov](#) and [scale](#)

## Examples

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Covariance matrix of each population
S.phen.pop <- cov.group(proc.coord, groups = Tropheus.IK.coord$POP.ID)

# Covariance matrix of each population, pooled by sex
S.phen.pooled <- cov.group(proc.coord,
groups = Tropheus.IK.coord$POP.ID, sex = Tropheus.IK.coord$Sex)
```

---

cov.W

*Within-group covariance matrix*

---

## Description

Computes the pooled within-group covariance matrix. The effect of sexual dimorphism can be removed by using, for each group, the average of the covariance matrix of males and the covariance matrix of females.

## Usage

```
cov.W(X, groups, sex = NULL, weighted = FALSE)
```

## Arguments

X	a data matrix with variables in columns and group names as row names
groups	a character / factor vector containing grouping variable
sex	NULL (default). A character / factor vector containing sex variable, to remove sexual dimorphism by averaging males and females in each group
weighted	logical. If FALSE (default), the average of all the within-group covariance matrices is used. If TRUE, the within-group covariance matrices are weighted by their sample size.

## Value

The pooled within-group covariance matrix

## See Also

[cov](#)

**Examples**

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Pooled within-group covariance matrix for all populations (weighted by sample size)
W <- cov.W(proc.coord, groups = Tropheus.IK.coord$POP.ID, weighted = TRUE)

# Pooled within-group covariance matrix for all populations (unweighted)
W <- cov.W(proc.coord, groups = Tropheus.IK.coord$POP.ID)

# Within-group covariance matrix for all populations, pooled by sex
W.mf <- cov.W(proc.coord, groups = Tropheus.IK.coord$POP.ID, sex = Tropheus.IK.coord$Sex)
```

---

eigen.test

*Difference test for successive relative eigenvalues*

---

**Description**

Tests the difference between two successive relative eigenvalues

**Usage**

```
eigen.test(n, relValues)
```

**Arguments**

n                    the sample size(s), given as a number or a vector of length 2  
relValues            a vector of relative eigenvalues

**Value**

The P-values for the test of difference between successive eigenvalues

**References**

Mardia KV, Kent JT, Bibby JM (1979) *Multivariate analysis*. Academic Press, London.

**See Also**

[relative.eigen](#) for the computation of relative eigenvalues,  
[pchisq](#) for Chi-squared distribution

**Examples**

```

# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Data reduction
phen.pca <- prcomp(proc.coord, rank. = 5, tol = sqrt(.Machine$double.eps))
pc.scores <- phen.pca$x

# Covariance matrix of each population
S.phen.pop <- cov.group(pc.scores, groups = Tropheus.IK.coord$POP.ID)

# Relative PCA = relative eigenanalysis between 2 covariance matrices
# (population IKA1 relative to IKS5)
relEigen.a1s5 <- relative.eigen(S.phen.pop[, , "IKA1"], S.phen.pop[, , "IKS5"])

# Test of the difference between 2 successive eigenvalues
# of the covariance matrix of IKA1 relative to IKS5
n_ika1 <- length(which(Tropheus.IK.coord$POP.ID == "IKA1")) # sample size for IKA1
n_iks5 <- length(which(Tropheus.IK.coord$POP.ID == "IKS5")) # sample size for IKS5
eigen.test(n = c(n_ika1, n_iks5), relValues = relEigen.a1s5$relValues)

```

---

euclidean.dist

*Euclidean distance between two covariance matrices*


---

**Description**

Computes the Euclidean distance (Frobenius norm) between two variance-covariance matrices of same dimensions

**Usage**

```
euclidean.dist(S1, S2)
```

**Arguments**

S1	a variance-covariance matrix
S2	a variance-covariance matrix

**Value**

Euclidean distance between S1 and S2 following Dryden et al. (2009).

**References**

Dryden IL, Koloydenko A, Zhou D (2009) Non-Euclidean statistics for covariance matrices, with applications to diffusion tensor imaging. *The Annals of Applied Statistics* 3:1102-1123. <https://projecteuclid.org/euclid.aoas/1254773280>

**Examples**

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Data reduction
phen.pca <- prcomp(proc.coord, rank. = 5, tol = sqrt(.Machine$double.eps))
pc.scores <- phen.pca$x

# Covariance matrix of each population
S.phen.pop <- cov.group(pc.scores, groups = Tropheus.IK.coord$POP.ID)

# Euclidean distance between the covariance matrices of 2 populations
# (IKA1 relative to IKS5)
dist.a1s5 <- euclidean.dist(S.phen.pop[, , "IKA1"], S.phen.pop[, , "IKS5"])
```

---

mat.sq.dist

*Squared distance matrix*


---

**Description**

Computes the squared distance matrix of a set of covariance matrices

**Usage**

```
mat.sq.dist(Sm, dist. = "Riemannian", method = 0, pa = 0)
```

**Arguments**

Sm	a (p x p x m) array of covariance matrices, where p is the number of variables and m the number of groups.
dist.	"Riemannian" or "Euclidean"
method	an integer for the method of matrix inversion
pa	an integer for the parameter of matrix inversion

**Value**

The matrix of squared Riemannian or Euclidean distances

**See Also**

See [minv](#) for the method and the parameter used for the matrix inversion

**Examples**

```

# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Data reduction
phen.pca <- prcomp(proc.coord, rank. = 5, tol = sqrt(.Machine$double.eps))
pc.scores <- phen.pca$x

# Covariance matrix of each population
S.phen.pop <- cov.group(pc.scores, groups = Tropheus.IK.coord$POP.ID)

# Squared Riemannian distance matrix of the covariance matrices of all populations
eigen.phen.r <- mat.sq.dist(S.phen.pop, dist. = "Riemannian")

# Squared Euclidean distance matrix of the covariance matrices of all populations
eigen.phen.e <- mat.sq.dist(S.phen.pop, dist. = "Euclidean")

```

---

minv

*Matrix pseudoinverse*


---

**Description**

Computes the inverse or the pseudoinverse of a matrix

**Usage**

```
minv(M, method = 0, pa = 0)
```

**Arguments**

M	a numeric matrix (square matrix)
method	an integer for the method of inversion. If method = 0, only the nonzero eigenvalues are kept; if method = 1, only the eigenvalues above a threshold are kept; if method = 2, only the several first eigenvalues are kept; if method = 3, a Tikhonov regularization (= ridge regression) is performed.
pa	an integer for the parameter of inversion. If method = 1, pa is the threshold below which the eigenvalues are not kept; if method = 2, pa is a positive integer number corresponding to number of eigenvalues that are kept; if method = 3, pa is the scaling factor for the identity matrix

**Value**

A numeric matrix corresponding to the pseudoinverse of M



**Examples**

```

# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Covariance matrix of each population
S.phen.pop <- cov.group(proc.coord, groups = Tropheus.IK.coord$POP.ID)

# Pseudo-inversion of a square matrix (covariance matrix of the population IKS5)
S2 <- S.phen.pop[, , "IKS5"]
invS2 <- minv(S2, method = 0, pa = 0) # Pseudoinverse keeping non-zero eigenvalues
invS2 <- minv(S2, method = 1, pa = 10^-8) # Pseudoinverse keeping eigenvalues above 10^-8
invS2 <- minv(S2, method = 2, pa = 5) # Pseudoinverse keeping the first five eigenvalues
invS2 <- minv(S2, method = 3, pa = 0.5) # Ridge regression with Tikhonov factor of 0.5

```

pr.coord

*Principal coordinates ordination***Description**

Performs a principal coordinates analysis of a distance matrix

**Usage**

```
pr.coord(V)
```

**Arguments**

V a square distance matrix

**Value**

A list containing the following named components:

k	the number of groups (value)
vectors	the eigenvectors of the centered inner product matrix (matrix)
values	the eigenvalues of the centered inner product matrix (vector)
PCoords	the principal coordinates = scaled eigenvectors (matrix)
Variance	a dataframe containing the following named variables: <b>eigenvalues</b> eigenvalues of the centered inner product matrix <b>variance</b> variance of each principal coordinate <b>exVar</b> proportion of the total variation accounted by each principal coordinate <b>cumVar</b> cumulative proportion of the total variation accounted by principal coordinate

**Examples**

```

# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Data reduction
phen.pca <- prcomp(proc.coord, rank. = 5, tol = sqrt(.Machine$double.eps))
pc.scores <- phen.pca$x

# Covariance matrix of each population
S.phen.pop <- cov.group(pc.scores, groups = Tropheus.IK.coord$POP.ID)

# Squared distance matrix of the covariance matrices of all populations
eigen.phen.pop <- mat.sq.dist(S.phen.pop, dist. = "Riemannian") # Riemannian distances

# Ordination of the squared distance matrix
prcoa.pop <- pr.coord(eigen.phen.pop)

# Visualization
plot(prcoa.pop$PCoords[, 1], prcoa.pop$PCoords[, 2])
abline(h = 0) ; abline(v = 0)
text(prcoa.pop$PCoords[, 1], prcoa.pop$PCoords[, 1], labels = rownames(prcoa.pop$PCoords))

```

---

prop.vcv.test

*Proportionality test of two variance-covariance matrices*


---

**Description**

Tests the proportionality of two variance-covariance matrices

**Usage**

```
prop.vcv.test(n, S1, S2, method = 0, pa = 0)
```

**Arguments**

n	the sample size(s), given as a number or a vector of length 2
S1	a variance-covariance matrix
S2	a variance-covariance matrix
method	an integer for the method of matrix inversion (see function 'minv')
pa	an integer for the parameter of matrix inversion (see function 'minv')

**Value**

The P-value for the test of proportionality between two variance-covariance matrices

**References**

Mardia KV, Kent JT, Bibby JM (1979) *Multivariate analysis*. Academic Press, London.

**See Also**

[relative.eigen](#) for the computation of relative eigenvalues,  
[minv](#) for the method and the parameter used for the matrix inversion,  
[pchisq](#) for Chi-squared distribution

**Examples**

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Data reduction
phen.pca <- prcomp(proc.coord, rank. = 5, tol = sqrt(.Machine$double.eps))
pc.scores <- phen.pca$x

# Covariance matrix of each population
S.phen.pop <- cov.group(pc.scores, groups = Tropheus.IK.coord$POP.ID)

# Maximum likelihood test of proportionality between 2 covariance matrices
# (IKA1 relative to IKS5) - 71 and 75 are the sample sizes
prop.vcv.test(n = c(71, 75), S.phen.pop[,,"IKA1"], S.phen.pop[,,"IKS5"])
```

---

relative.eigen	<i>Relative eigenanalysis</i>
----------------	-------------------------------

---

**Description**

Computes the Riemannian distance between two variance-covariance matrices of same dimensions and the relative eigenvectors and eigenvalues of S1 with respect to S2

**Usage**

```
relative.eigen(S1, S2, method = 0, pa = 0)
```

**Arguments**

S1	a variance-covariance matrix
S2	a variance-covariance matrix
method	an integer for the method of matrix inversion (see function 'minv')
pa	an integer for the parameter of matrix inversion (see function 'minv')

**Value**

A list containing the following named components:

relValues	the vector of relative eigenvalues
relVectors	the matrix of relative eigenvectors
distCov	the distance between the two covariance matrices
relGV	the product of the nonzero relative eigenvalues = the ratio of the generalized variances. The generalized variance corresponds to the determinant of the covariance matrix.
logGV	the log ratio of the generalized variances
q	the number of nonzero eigenvalues

**References**

Bookstein F, Mitteroecker P (2014) Comparing covariance matrices by relative eigenanalysis, with applications to organismal biology. *Evolutionary Biology* 41: 336-350. <https://doi.org/10.1007/s11692-013-9260-5>

**See Also**

See [minv](#) for the method and the parameter used for the matrix inversion

**Examples**

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Data reduction
phen.pca <- prcomp(proc.coord, rank. = 5, tol = sqrt(.Machine$double.eps))
pc.scores <- phen.pca$x

# Covariance matrix of each population
S.phen.pop <- cov.group(pc.scores, groups = Tropheus.IK.coord$POP.ID)

# Relative PCA = relative eigenanalysis between 2 covariance matrices
# (population IKA1 relative to IKS5)
relEigen.a1s5 <- relative.eigen(S.phen.pop[, , "IKA1"], S.phen.pop[, , "IKS5"])
```

---

relGV.multi	<i>Ratio of generalized variances</i>
-------------	---------------------------------------

---

### Description

Computes the (log-transformed) ratios of the generalized variances of a set of covariance matrices

### Usage

```
relGV.multi(Sm, logGV = TRUE)
```

### Arguments

**Sm** a  $(p \times p \times m)$  array of covariance matrices, where  $p$  is the number of variables and  $m$  the number of groups.

**logGV** a logical argument to indicate if the ratios should be log-transformed

### Value

The matrix of the (log-transformed) ratios of the generalized variances. For each row, the ratio corresponds to the group of the row relative to the group of a column.

### Examples

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Data reduction
phen.pca <- prcomp(proc.coord, rank. = 5, tol = sqrt(.Machine$double.eps))
pc.scores <- phen.pca$x

# Covariance matrix of each population
S.phen.pop <- cov.group(pc.scores, groups = Tropheus.IK.coord$POP.ID)

# Ratio of the generalized variances of 2 populations (IKA1 and IKS5)
relGV.multi(S.phen.pop[, , c("IKA1", "IKS5")], logGV = FALSE)
```

---

`scaling.BW`*Scaling factor between two matrices*

---

**Description**

Computes the maximum-likelihood estimate of the scaling factor between two proportional covariance matrices. Note that the scaling factor between the two matrices is equal to the arithmetic mean of their relative eigenvalues.

**Usage**

```
scaling.BW(S1, S2, method = 0, pa = 0)
```

**Arguments**

S1	a variance-covariance matrix
S2	a variance-covariance matrix
method	an integer for the method of matrix inversion (see function 'minv')
pa	an integer for the parameter of matrix inversion (see function 'minv')

**Value**

The scaling factor between the two matrices.

**See Also**

See [minv](#) for the method and the parameter used for the matrix inversion

**Examples**

```
# Data matrix of 2D landmark coordinates
data("Tropheus.IK.coord")
coords <- which(names(Tropheus.IK.coord) == "X1"):which(names(Tropheus.IK.coord) == "Y19")
proc.coord <- as.matrix(Tropheus.IK.coord[coords])

# Between-group (B) and within-group (W) covariance matrices for all populations
B <- cov.B(proc.coord, groups = Tropheus.IK.coord$POP.ID, sex = Tropheus.IK.coord$Sex)
W <- cov.W(proc.coord, groups = Tropheus.IK.coord$POP.ID, sex = Tropheus.IK.coord$Sex)

# ML estimate of the scaling factor between B and W
sc <- scaling.BW(B, W)

# Scaling of B to W
Bsc <- B / sc
```

---

Tropheus

*Tropheus dataset*

---

### Description

A data frame of 723 observations of 57 variables extracted from a freely available dataset, downloaded from the Dryad digital repository (<https://doi.org/10.5061/dryad.fc02f>). The observations correspond to cichlid fishes of the species *Tropheus moorii* (color morphs 'Kaiser' and 'Kirschfleck') and *T. polli* collected from eight locations of Lake Tanganyika (Kerschbaumer et al., 2014). The main numerical variables provided are the 2D Cartesian coordinates of 19 landmarks quantifying the external body morphology of adult fishes and the genotypes for 6 microsatellite markers.

### Usage

```
data(Tropheus)
```

### Format

A data frame with 723 rows and 57 variables

### Details

- **List\_TropheusData\_ID** Specimen ID
- **Extractionnr.** Extraction number for genomic DNA
- **G** Group number
- **POP.ID** Population Id
- **Sex** Sex
- **Allo.Symp** Allopatric or sympatric population
- **X1 ... Y19** Cartesian coordinates of 19 landmarks
- **Pzep3\_1 ... UME003\_2** Genotype for 6 microsatellite markers

### References

Kerschbaumer M, Mitteroecker P, Sturmbauer C (2014) Evolution of body shape in sympatric versus non-sympatric *Tropheus* populations of Lake Tanganyika. *Heredity* 112(2): 89–98. <https://doi.org/10.1038/hdy.2013.78>

Kerschbaumer M, Mitteroecker P, Sturmbauer C (2013) Data from: Evolution of body shape in sympatric versus non-sympatric *Tropheus* populations of Lake Tanganyika. *Dryad Digital Repository*. <https://doi.org/10.5061/dryad.fc02f>

---

Tropheus.IK.coord      *Tropheus IK coord dataset*

---

### Description

A data frame of 511 observations of 58 variables. This is a subset of the Tropheus data frame constituted by cichlid fishes of the species *Tropheus moorii* (color morph 'Kaiser') collected from six locations of Lake Tanganyika (Kerschbaumer et al., 2013, 2014). The coordinates result from the generalised Procrustes analysis, for this subset, of the 2D Cartesian coordinates of 19 landmarks quantifying the external body morphology of adult fishes.

### Usage

```
data(Tropheus.IK.coord)
```

### Format

A data frame with 511 rows and 58 variables

### Details

- **List\_TropheusData\_ID** Specimen ID
- **Extractionnr.** Extraction number for genomic DNA
- **G** Group number
- **POP.ID** Population Id
- **Sex** Sex
- **Allo.Symp** Allopatric or sympatric population
- **X1 ... Y19** Procrustes coordinates of 19 landmarks
- **Pzep3\_1 ... UME003\_2** Genotype for 6 microsatellite markers

### References

Kerschbaumer M, Mitteroecker P, Sturmbauer C (2014) Evolution of body shape in sympatric versus non-sympatric Tropheus populations of Lake Tanganyika. *Heredity* 112(2): 89–98. <https://doi.org/10.1038/hdy.2013.78>

Kerschbaumer M, Mitteroecker P, Sturmbauer C (2013) Data from: Evolution of body shape in sympatric versus non-sympatric Tropheus populations of Lake Tanganyika. *Dryad Digital Repository*. <https://doi.org/10.5061/dryad.fc02f>

### See Also

[Tropheus](#)



# Index

cov, [2-4](#)  
cov.B, [2](#)  
cov.group, [3](#)  
cov.W, [4](#)  
cov.wt, [2](#)

eigen.test, [5](#)  
euclidean.dist, [6](#)

mat.sq.dist, [7](#)  
minv, [7](#), [8](#), [11](#), [12](#), [14](#)

pchisq, [5](#), [11](#)  
pr.coord, [9](#)  
prop.vcv.test, [10](#)

relative.eigen, [5](#), [11](#), [11](#)  
relGV.multi, [13](#)

scale, [3](#)  
scaling.BW, [14](#)

Tropheus, [15](#), [16](#)  
Tropheus.IK.coord, [16](#)