

# Package: gemini.R (via r-universe)

March 12, 2025

**Title** Interface for 'Google Gemini' API

**Version** 0.9.2

**Maintainer** Jinhwan Kim <hwanistic@gmail.com>

**Description** Provides a comprehensive interface for Google Gemini API, enabling users to access and utilize Gemini Large Language Model (LLM) functionalities directly from R. This package facilitates seamless integration with Google Gemini, allowing for advanced language processing, text generation, and other AI-driven capabilities within the R environment. For more information, please visit [https://ai.google.dev/docs/gemini\\_api\\_overview](https://ai.google.dev/docs/gemini_api_overview).

**License** MIT + file LICENSE

**Depends** R (>= 4.1.0)

**URL** <https://github.com/jhk0530/gemini.R>

**BugReports** <https://github.com/jhk0530/gemini.R/issues>

**Encoding** UTF-8

**Imports** base64enc, cli, httr2, jsonlite, rstudioapi, tools

**RoxygenNote** 7.3.2

**Suggests** testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Config/Needs/website** rmarkdown

**NeedsCompilation** no

**Author** Jinhwan Kim [aut, cre, cph]  
(<https://orcid.org/0009-0009-3217-2417>), Maciej Nasinski [ctb]

**Repository** CRAN

**Date/Publication** 2025-03-12 12:10:02 UTC

**Config/pak/sysreqs** libssl-dev

## Contents

addHistory . . . . .	2
gemini . . . . .	3
gemini.vertex . . . . .	4
gemini_audio . . . . .	5
gemini_audio.vertex . . . . .	6
gemini_chat . . . . .	7
gemini_image . . . . .	8
gemini_image.vertex . . . . .	10
gen_docs . . . . .	11
gen_tests . . . . .	11
token.vertex . . . . .	12

<b>Index</b>	<b>13</b>
--------------	-----------

---

addHistory	<i>Add history for chatting context</i>
------------	---

---

### Description

Add history for chatting context

### Usage

```
addHistory(history, role = NULL, item = NULL)
```

### Arguments

history	The history of chat
role	The role of chat: "user" or "model"
item	The item of chat: "prompt" or "output"

### Value

The history of chat

---

`gemini`*Generate text from text with Gemini*

---

**Description**

Generate text from text with Gemini

**Usage**

```
gemini(  
  prompt,  
  model = "2.0-flash",  
  temperature = 1,  
  maxOutputTokens = 8192,  
  topK = 40,  
  topP = 0.95,  
  seed = 1234  
)
```

**Arguments**

<code>prompt</code>	The prompt to generate text from
<code>model</code>	The model to use. Options are "2.0-flash", "2.0-flash-lite", "1.5-flash", "1.5-flash-8b", "1.5-pro", Default is '2.0-flash' see <a href="https://ai.google.dev/gemini-api/docs/models/gemini">https://ai.google.dev/gemini-api/docs/models/gemini</a>
<code>temperature</code>	The temperature to use. Default is 1 value should be between 0 and 2 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
<code>maxOutputTokens</code>	The maximum number of tokens to generate. Default is 8192 and 100 tokens correspond to roughly 60-80 words.
<code>topK</code>	The top-k value to use. Default is 40 value should be between 0 and 100 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
<code>topP</code>	The top-p value to use. Default is 0.95 value should be between 0 and 1 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
<code>seed</code>	The seed to use. Default is 1234 value should be integer see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

**Value**

Generated text

**See Also**

[https://ai.google.dev/docs/gemini\\_api\\_overview#text\\_input](https://ai.google.dev/docs/gemini_api_overview#text_input)

**Examples**

```
## Not run:
library(gemini.R)
setAPI("YOUR_API_KEY")
gemini("Explain dplyr's mutate function")

## End(Not run)
```

gemini.vertex

*Generate text from text with Gemini Vertex API***Description**

Generate text from text with Gemini Vertex API

**Usage**

```
gemini.vertex(
  prompt = NULL,
  tokens = NULL,
  temperature = 1,
  maxOutputTokens = 8192,
  topK = 40,
  topP = 0.95,
  seed = 1234
)
```

**Arguments**

prompt	A character string containing the prompt for the Gemini model.
tokens	A list containing the API URL and key from token.vertex() function.
temperature	The temperature to use. Default is 1 value should be between 0 and 2 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
maxOutputTokens	The maximum number of tokens to generate. Default is 8192 and 100 tokens correspond to roughly 60-80 words.
topK	The top-k value to use. Default is 40 value should be between 0 and 100 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
topP	The top-p value to use. Default is 0.95 value should be between 0 and 1 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
seed	The seed to use. Default is 1234 value should be integer see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

**Value**

A character string containing the generated text.

**See Also**

[https://ai.google.dev/docs/gemini\\_api\\_overview#text\\_input](https://ai.google.dev/docs/gemini_api_overview#text_input)

**Examples**

```
## Not run:
# token should be created before this. using the token.vertex() function
prompt <- "What is sachins Jersey number?"
gemini.vertex(prompt, tokens)

## End(Not run)
```

---

gemini_audio	<i>Analyze audio using Gemini</i>
--------------	-----------------------------------

---

**Description**

This function sends audio to the Gemini API and returns a text description.

**Usage**

```
gemini_audio(
  audio = NULL,
  prompt = "Describe this audio",
  model = "2.0-flash",
  temperature = 1,
  maxOutputTokens = 8192,
  topK = 40,
  topP = 0.95,
  seed = 1234
)
```

**Arguments**

audio	Path to the audio file (default: uses a sample file). Must be an MP3.
prompt	A string describing what to do with the audio.
model	The model to use. Options are "2.0-flash", "2.0-flash-lite", "1.5-flash", "1.5-flash-8b", "1.5-pro". Default is '2.0-flash' see <a href="https://ai.google.dev/gemini-api/docs/models/gemini">https://ai.google.dev/gemini-api/docs/models/gemini</a>
temperature	The temperature to use. Default is 1 value should be between 0 and 2 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
maxOutputTokens	The maximum number of tokens to generate. Default is 8192 and 100 tokens correspond to roughly 60-80 words.
topK	The top-k value to use. Default is 40 value should be between 0 and 100 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

topP	The top-p value to use. Default is 0.95 value should be between 0 and 1 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
seed	The seed to use. Default is 1234 value should be integer see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

**Value**

A character vector containing the Gemini API's response.

**Examples**

```
## Not run:
library(gemini.R)
setAPI("YOUR_API_KEY")
gemini_audio(audio = system.file("docs/reference/helloworld.mp3", package = "gemini.R"))

## End(Not run)
```

---

gemini\_audio.vertex     *Analyze Audio using Gemini Vertex API*

---

**Description**

This function sends audio to the Gemini API and returns a text description.

**Usage**

```
gemini_audio.vertex(
  audio = NULL,
  prompt = "Describe this audio",
  tokens = NULL,
  temperature = 1,
  maxOutputTokens = 8192,
  topK = 40,
  topP = 0.95,
  seed = 1234
)
```

**Arguments**

audio	Path to the audio file (character string). only supports "mp3".
prompt	A prompt to guide the Gemini API's analysis (character string, defaults to "Describe this audio").
tokens	A list containing the API URL and key from token.vertex() function.
temperature	The temperature to use. Default is 1 value should be between 0 and 2 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

maxOutputTokens	The maximum number of tokens to generate. Default is 8192 and 100 tokens correspond to roughly 60-80 words.
topK	The top-k value to use. Default is 40 value should be between 0 and 100 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
topP	The top-p value to use. Default is 0.95 value should be between 0 and 1 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
seed	The seed to use. Default is 1234 value should be integer see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

**Value**

A character vector containing the Gemini API's description of the audio.

---

gemini_chat	<i>Multi-turn conversations (chat)</i>
-------------	--

---

**Description**

Generate text from text with Gemini

**Usage**

```
gemini_chat(
  prompt,
  history = list(),
  model = "2.0-flash",
  temperature = 1,
  maxOutputTokens = 8192,
  topK = 40,
  topP = 0.95,
  seed = 1234
)
```

**Arguments**

prompt	The prompt to generate text from
history	history object to keep track of the conversation
model	The model to use. Options are "2.0-flash", "2.0-flash-lite", "1.5-flash", "1.5-flash-8b", "1.5-pro". Default is '2.0-flash' see <a href="https://ai.google.dev/gemini-api/docs/models/gemini">https://ai.google.dev/gemini-api/docs/models/gemini</a>
temperature	The temperature to use. Default is 1 value should be between 0 and 2 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
maxOutputTokens	The maximum number of tokens to generate. Default is 8192 and 100 tokens correspond to roughly 60-80 words.

topK	The top-k value to use. Default is 40 value should be between 0 and 100 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
topP	The top-p value to use. Default is 0.95 value should be between 0 and 1 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
seed	The seed to use. Default is 1234 value should be integer see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

### Value

Generated text

### See Also

[https://ai.google.dev/docs/gemini\\_api\\_overview#chat](https://ai.google.dev/docs/gemini_api_overview#chat)

### Examples

```
## Not run:
library(gemini.R)
setAPI("YOUR_API_KEY")

chats <- gemini_chat("Pretend you're a snowman and stay in character for each")
print(chats$outputs)

chats <- gemini_chat("What's your favorite season of the year?", chats$history)
print(chats$outputs)

chats <- gemini_chat("How do you think about summer?", chats$history)
print(chats$outputs)

## End(Not run)
```

---

gemini\_image

*Generate text from text and image with Gemini*

---

### Description

Generate text from text and image with Gemini

### Usage

```
gemini_image(  
  image = NULL,  
  prompt = "Explain this image",  
  model = "2.0-flash",  
  temperature = 1,  
  maxOutputTokens = 8192,  
  topK = 40,
```

```
    topP = 0.95,  
    seed = 1234,  
    type = "png"  
  )
```

## Arguments

image	The image to generate text
prompt	The prompt to generate text, Default is "Explain this image"
model	The model to use. Options are "2.0-flash", "2.0-flash-lite", "1.5-flash", "1.5-flash-8b", "1.5-pro". Default is '2.0-flash' see <a href="https://ai.google.dev/gemini-api/docs/models/gemini">https://ai.google.dev/gemini-api/docs/models/gemini</a>
temperature	The temperature to use. Default is 1 value should be between 0 and 2 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
maxOutputTokens	The maximum number of tokens to generate. Default is 8192 and 100 tokens correspond to roughly 60-80 words.
topK	The top-k value to use. Default is 40 value should be between 0 and 100 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
topP	The top-p value to use. Default is 0.95 value should be between 0 and 1 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
seed	The seed to use. Default is 1234 value should be integer see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
type	The type of image. Options are 'png', 'jpeg', 'webp', 'heic', 'heif'. Default is 'png'

## Value

Generated text

## See Also

[https://ai.google.dev/docs/gemini\\_api\\_overview#text\\_image\\_input](https://ai.google.dev/docs/gemini_api_overview#text_image_input)

## Examples

```
## Not run:  
library(gemini.R)  
setAPI("YOUR_API_KEY")  
gemini_image(image = system.file("docs/reference/figures/image.png", package = "gemini.R"))  
  
## End(Not run)
```

---

gemini\_image.vertex     *Generate text from text and image with Gemini Vertex API*

---

## Description

Generate text from text and image with Gemini Vertex API

## Usage

```
gemini_image.vertex(
  image = NULL,
  prompt = "Explain this image",
  type = "png",
  tokens = NULL,
  temperature = 1,
  maxOutputTokens = 8192,
  topK = 40,
  topP = 0.95,
  seed = 1234
)
```

## Arguments

image	The image to generate text
prompt	A character string specifying the prompt to use with the image. Defaults to "Explain this image".
type	A character string specifying the image type ("png", "jpeg", "webp", "heic", "heif"). Defaults to "png".
tokens	A list containing the API URL and key from token.vertex() function.
temperature	The temperature to use. Default is 1 value should be between 0 and 2 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
maxOutputTokens	The maximum number of tokens to generate. Default is 8192 and 100 tokens correspond to roughly 60-80 words.
topK	The top-k value to use. Default is 40 value should be between 0 and 100 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
topP	The top-p value to use. Default is 0.95 value should be between 0 and 1 see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>
seed	The seed to use. Default is 1234 value should be integer see <a href="https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters">https://ai.google.dev/gemini-api/docs/models/generative-models#model-parameters</a>

## Value

A character string containing Gemini's description of the image.

---

gen_docs	<i>Generate Roxygen Documentation</i>
----------	---------------------------------------

---

**Description**

Generates Roxygen2 documentation for an R function based on the currently selected code.

**Usage**

```
gen_docs(prompt = NULL)
```

**Arguments**

prompt	A character string specifying additional instructions for the LLM. Defaults to a prompt requesting Roxygen2 documentation without the original code.
--------	--

**Value**

A character string containing the generated Roxygen2 documentation.

---

gen_tests	<i>Generates unit test code for an R function.</i>
-----------	--

---

**Description**

Generates unit test code for an R function.

**Usage**

```
gen_tests(prompt = NULL)
```

**Arguments**

prompt	A character string specifying the prompt for the Gemini model. If NULL, a default prompt is used.
--------	---

**Value**

#' A character string containing the generated unit test code.

---

 token.vertex

*Generate Gemini Access Token and Endpoint URL*


---

### Description

Generates an access token for the Gemini model and constructs the corresponding endpoint URL.

### Usage

```
token.vertex(
  jsonkey = NULL,
  model_id = NULL,
  expTime = 3600,
  region = "us-central1"
)
```

### Arguments

jsonkey	A path to JSON file containing the service account key from Vertex AI.
model_id	The ID of the Gemini model. This will be prepended with "gemini-".
expTime	The expiration time of the access token in seconds (default is 3600 seconds, or 1 hour).
region	The Google Cloud region where your Vertex AI resources are located (default is "us-central1"). See <a href="https://cloud.google.com/vertex-ai/docs/general/locations">https://cloud.google.com/vertex-ai/docs/general/locations</a> for available regions.

### Value

A list containing:

key	The generated access token.
url	The endpoint URL for the Gemini model.

### Examples

```
## Not run:
library(gemini.R)
tokens <- token.vertex(jsonkey = "YOURAPIKEY.json", model_id = "1.5-flash")

# Specify a different region
tokens <- token.vertex(jsonkey = "YOURAPIKEY.json", model_id = "1.5-flash", region = "europe-west4")

## End(Not run)
```

# Index

[addHistory](#), [2](#)

[gemini](#), [3](#)

[gemini.vertex](#), [4](#)

[gemini\\_audio](#), [5](#)

[gemini\\_audio.vertex](#), [6](#)

[gemini\\_chat](#), [7](#)

[gemini\\_image](#), [8](#)

[gemini\\_image.vertex](#), [10](#)

[gen\\_docs](#), [11](#)

[gen\\_tests](#), [11](#)

[token.vertex](#), [12](#)